

Mbsm.pro, Compressor, 1/5 Hp, NL7FT, SECOP, DANFOSS, 105G6728, 105G6738, Lbp, r134a

Category: compressor

written by Amina | 10 October 2023



Refrigerant	Application	Compressor	Code numbers		Horsepower (approx.)	EN 12900 (CECOMAF) Capacity [W]										EN 12900 (CECC) Power consum [W]			
			Compressor	Compressor with oil cooling		Evaporating temperature [°C]										Evaporating tem			
						-35	-30	-25	-20	-15	-10	-5	0	5	10	15	-25	-10	
R134a	LBP	PL50F	101G0220		1/20	14	26	40	56	74	95							60	86
		TLS3FT	102G4324		1/16	21	34	50	69	92	120							62	93
		TLS4FT	102G4424		1/10	27	43	63	88	117	152							88	123
		TLS5FT	102G4524		1/8+	48	71	98	131	170	216							114	165
		TLES5.7FT.3	102G4615		1/6	66	90	120	156	200	253							120	170
		TLES6.5FT.3	102G4703		1/5			136										139	
		NL6FT	105G6628		1/6	60	84	115	152	198	253							123	184
		NL6.1FT	105G6620		1/6	60	84	115	152	198	253							123	184
		NL7FT	105G6728	105G6738	1/5	71	100	136	181	235	299							145	220
		NL7.3FT	105G6726		1/5	71	100	136	181	235	299							145	220
		NL8.4FT	105G6865		1/4	87	120	162	213	275	350							169	252
		NL9FT	105G6828	105G6838	1/4	87	120	162	213	275	350							169	252
		NL10FT	105G6829	105G6839	1/3	113	158	213	281	361	455							215	316
		NLE7.3FT	105G6710		1/4	92	118	154	201	258	325							148	221
		SC12FT	104G8205	104G8215	1/3	103	163	233	314	408	517	645						265	380
	SC15FT	104G8505		1/2	126	197	280	376	489	620	772						311	451	
	SC18FTX	104G8805		5/8	144	229	325	437	567	719	896						365	517	
	SC21FTX 50Hz	104G8105		3/4	192	296	415	553	713	901	1119						428	613	
	SC21FTX 60Hz	104G8106		3/4	240	345	470	620	800	1012	1262						475	707	
	LBP/MBP/(HBP)	TL2.5G	102G4251		1/12	11	23	36	51	69	90	116	145	179	219	264	60	84	
		TL3G	102G4350		1/12	25	41	59	81	106	136	170	211	258	312	66	96		
		TL4G	102G4452		1/8	41	58	80	107	140	180	226	280	342	413	83	118		
		TL5G	102G4550		1/6	56	79	107	139	178	224	278	341	414	497	100	149		
		FR6G	103G6660		1/5	48	83	124	171	226	290	365	452	552	109	172			
		FR7.5G	103G6680	103G6690	1/5	62	99	142	193	254	325	408	505	618	126	194			
FR8.5G		103G6780	103G6790	1/4	85	123	171	228	298	381	478	592	722	151	231				
FR10G		103G6880	103G6890	1/4	92	136	188	250	324	412	516	638	779	179	265				
FR11G		103G6980		1/3	115	170	233	307	395	501	628	780	202	317					
TL6.5MF		102G4781		1/4			174	219	279	349	425	520			202				
NL6.1MF	105G6660		1/5			141	189	245	312	390	482	588	709	187					
NL7.3MF	105G6772		1/4			179	236	304	385	480	591	719	867	227					
NL8.4MF	105G6879		1/4+			213	277	353	445	553	679	825	994	261					
NL10MF	105G6885		1/3			266	346	441	554	687	843	1023	1231	323					
NLE10MF	105G6888		1/3	88	137	194	262	343	440	554	688	845	198	308					
NL11MF	105G6151		3/8			292	380	485	609	756	927	1125	1354	360					
SC10G	104G8000		5/16	23	60	113	183	268	369	486	618	764	925	1100	181	290			
SC12G	104G8240	104G8250	3/8	65	113	175	252	348	464	603	768	960	1182	1437	227	355			
SC15G	104G8520	104G8530	1/2			164	290	424	568	728	908	1110	1340	1600	233	440			
SC18G	104G8820	104G8830	1/2+			283	394	526	684	870	1087	1337	1624	1950	331	507			
SC21G	104G8110		5/8			332	453	606	783	1013	1268	1560	1890	2366	387	576			



Private Picture Copyright : WWW.MBSM.PRO