

Mbsm.pro , COMPRESSEUR , SC18CLX.2 , DANFOSS SECOP, R404A/R507, 5/8HP , 1PH , Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

Category: Solutions, Tester ok
written by Jamila | 25 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSEUR , SC18CLX.2 , DANFOSS SECOP, R404A/R507, 5/8HP , 1PH , Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

Compresseur Danfoss-SECOP SC18CLX.2

- Alimentation 220-240 V 50 Hz
- Gaz R404A/R507
- Complet avec starter, condensateur, boitier et système de fixation



SECOP

model	watt	HP	LBP/MBP	نوع کولر	توضیحات
SC12G	246	1/3	LBP/MBP	134	
SC18G	392	1/2	LBP/MBP	134	
SC21G	456	3/4	LBP/MBP	134	
SC21MFX	1073	3/4	MBP	134	دو کولر SC21G
SC21FTX	567	3/4	LBP	134	دو کولر SC21G
SC12CL	629		LBP	404	
SC15CL	782		LBP	404	
SC18CLX.2	986		LBP	404	
TLS5FT(PTC)	134	1/6	LBP	134	
TLES5.7FT(PTC)	163	1/5	LBP	134	
TLES6.5FT(PTC)	183	1/4	LBP	134	معادل NL7
NL6FT.2(PTC)*	156	1/5	LBP	134	
NL7FT.2(PTC)*	185	1/4	LBP	134	
NL9FT.2(PTC)*	219	1/4+	LBP	134	
NL10FT	284	1/3	LBP	134	دو کولر SC12G (با رله و بخار)
NL11MF	621	1/3	MBP	134	دو کولر SC12G (با رله و بخار)
NL7CLX	433		LBP	404	
NL8.4CLX	471		LBP	404	
NL7.3MF	393		MBP	134	
NL8.4MF	455		MBP	134	
NLY6F	187		LBP	134	معادل NL7. High efficiency (با رله و بخار)
NLY7F	213		LBP	134	معادل NL9. High efficiency (با رله و بخار)
NLY9FK	237		LBP	134	High efficiency (با رله و بخار)
BD50F	72		LBP/MBP	134	
BD350GH	167		LBP/MBP	134	
GS21MLX	2200		MBP	404	
GS26CLX	1430		LBP	404	
GS34CLX	2072		LBP	404	
GS26MLX	2866		MBP	404	
GS34MLX	3726		MBP	404	

(LBP @ -23.3°C ASHRAE) زیر صفر
 (MBP @ -6.7°C ASHRAE) بالای صفر

انکوار کلاسات و انفوس	H.P
TL4 - Pw 4.5 - tFs 4	1/8
TL5 - Pw 5.5 - tFs 5 - Fr 5	1/6
nL6 - Fr 7.5 - Pw 7.5 FF 6 - FF 7.5	1/5
nL7 - Pw 9 - Fr 8.5 Fr 10 - FF 10 - FF 8.5	1/4
Pw 11 - Fr 11 - Sc 12 FF 11.5	1/3
Sc 15	1/2
Sc 18	5/8
Sc 21	3/4
Sc 24	1

