

Tropical Compressor , TLS5FT 102G4524
, SECOP , R134a , 1/6 HP , 134 W ,
LBP , 220/ 240 V 50Hz

Category: Technologie, Tester ok
written by Lilianne | 24 April 2020




SECCP
TLS5FT
220-240V-60Hz
LBP LST/HST
SUCTION
220-240V-50Hz
LBP LST/HST
REF 6065
102G
4524
MADE IN SLOVAKIA
EAC
DVE
CE

Model	Watt	HP	App	نوع گاز
TL55FT(RSIR)	134	1/6	LBP	R134a
TLES6FT.3 (RSIR)	163	1/5	LBP	R134a
TLES7FT.4 (RSCR) (رله+خازن ران)	183	1/4	LBP	R134a
NL7.3FT (RSIR)	185	1/4	LBP	R134a
NL9FT.2 (RSIR)	219	1/4+	LBP	R134a
NL10FT (CSIR)	284	1/3	LBP	R134a
NL11MF (CSIR)	621	1/3	MBP	R134a
NLE10MF.2(CSIR)	290	1/3	LBP/MBP	R134a
NLE11MF.2(CSIR)	331	3/8	LBP/MBP	R134a
NLE12.6MFT(CSIR)	355	3/8+	LBP/MBP	R134a
NL7CLX (CSIR)	389	1/3	LBP	R404a
NL8.4CLX (CSIR)	423	1/3	LBP	R404a
NLY6F (RSCR)	187	1/4	LBP	R134a
NLY7F (RSCR)	213	1/4+	LBP	R134a
NLY9FK (RSCR)	237	1/3	LBP	R134a
NLE13KTK.2	227	1/4+	LBP	R600a

SECOP



model	watt	HP	LBP /MBP	نوع گاز	کفایت
SC12G	246	1/3	LBP/MBP	134	
SC18G	392	1/2	LBP/MBP	134	
SC21G	456	3/4	LBP/MBP	134	
SC21MFX	1073	3/4	MBP	134	جدیدترین SC21G
SC21FTX	567	3/4	LBP	134	جدیدترین SC21G
SC12CL	629		LBP	404	
SC15CL	782		LBP	404	
SC18CLX.2	986		LBP	404	
TLS5FT(PTC)	134	1/6	LBP	134	
TLES5.7FT(PTC)	163	1/5	LBP	134	
TLES6.5FT(PTC)	183	1/4	LBP	134	معدل NL7
NL6FT.2(PTC)*	156	1/5	LBP	134	
NL7FT.2(PTC)*	185	1/4	LBP	134	
NL9FT.2(PTC)*	219	1/4+	LBP	134	
NL10FT	264	1/3	LBP	134	جدیدترین SC12G (با زنه و مخزن)
NL11MF	621	1/3	MBP	134	جدیدترین SC12G (با زنه و مخزن)
NL7CLX	433		LBP	404	
NL8.4CLX	471		LBP	404	
NL7.3MF	393		MBP	134	
NL8.4MF	455		MBP	134	
NLY6F	187		LBP	134	معدل NL7 - High efficiency (با زنه و مخزن)
NLY7F	213		LBP	134	معدل NL9 - High efficiency (با زنه و مخزن)
NLY9FK	237		LBP	134	High efficiency (با زنه و مخزن)
BD50F	72		LBP/MBP	134	
BD350GH	167		LBP/MBP	134	
GS21MLX	2200		MBP	404	
GS26CLX	1430		LBP	404	
GS34CLX	2072		LBP	404	
GS26MLX	2866		MBP	404	
GS34MLX	3726		MBP	404	


Refrigerant	Application	Compressor	Code numbers		Horsepower (approx.)	EN 12900 (CE Capacity)					
			Compressor	Compressor with oil cooling		Evaporating temp					
						-35	-30	-25	-20	-15	-10
R134a	LBP	PL50F	101G0220		1/20	14	26	40	56	74	95
		TL53FT	102G4324		1/16	21	34	50	69	92	120
		TL54FT	102G4424		1/10	27	43	63	88	117	152
		TL55FT	102G4524		1/8+	48	71	98	131	170	216
		TLES5.7FT.3	102G4615		1/6	66	90	120	156	200	253
		TLES6.5FT.3	102G4703		1/5			136			
		NL6FT	105G6628		1/6	60	84	115	152	198	253
		NL6.1FT	105G6620		1/6	60	84	115	152	198	253
		NL7FT	105G6728	105G6738	1/5	71	100	136	181	235	299
		NL7.3FT	105G6726		1/5	71	100	136	181	235	299
		NL8.4FT	105G6865		1/4	87	120	162	213	275	350
		NL9FT	105G6828	105G6838	1/4	87	120	162	213	275	350
		NL10FT	105G6829	105G6839	1/3	113	158	213	281	361	455
		NLE7.3FT	105G6710		1/4	92	118	154	201	258	325
		SC12FT	104G8205	104G8215	1/3	103	163	233	314	408	517
	SC15FT	104G8505		1/2	126	197	280	376	489	620	
	SC18FTX	104G8805		5/8	144	229	325	437	567	719	
	SC21FTX 50Hz	104G8105		3/4	192	296	415	553	713	901	
	SC21FTX 60Hz	104G8106		3/4	240	345	470	620	800	1012	
	LBP/MBP (HBP)	TL2.5G	102G4251		1/12	11	23	36	51	69	90
		TL3G	102G4350		1/12		25	41	59	81	106
		TL4G	102G4452		1/8		41	58	80	107	140
		TL5G	102G4550		1/6		56	79	107	139	178
		FR6G	103G6660		1/5		48	83	124	171	226
		FR7.5G	103G6680	103G6690	1/5		62	99	142	193	254
		FR8.5G	103G6780	103G6790	1/4		85	123	171	228	298
		FR10G	103G6880	103G6890	1/4		92	136	188	250	324
		FR11G	103G6980		1/3		115	170	233	307	395
		TL6.5MF	102G4781		1/4				174	219	279
		NL6.1MF	105G6660		1/5				141	189	245
		NL7.3MF	105G6772		1/4				179	236	304
		NL8.4MF	105G6879		1/4+				213	277	353
		NL10MF	105G6885		1/3				266	346	441
		NLE10MF	105G6888		1/3	88	137	194	262	343	440
	NL11MF	105G6151		3/8				292	380	485	
SC10G	104G8000		5/16	23	60	113	183	268	369		
SC12G	104G8240	104G8250	3/8	65	113	175	252	348	464		
SC15G	104G8520	104G8530	1/2			164	290	424	568		
SC18G	104G8820	104G8830	1/2+			283	394	526	684		
SC21G	104G8140		5/8			333	453	606	792		
SC18MFX	104G8804		5/8						720		
SC21MFX	104G8120		2/3				530	682	866		
HBP	TL4GH	104G4455		1/8					104	140	
	FR7GH	103G6683	103G6692	1/5					199	255	
	SC10GH	104G8041		5/16					233	352	
	SC12GH	104G8261		3/8						429	
	SC15GH	104G8561		1/2						559	
SC18GH	104G8861		1/2+					485	639		
R600a	LBP/MBP	TLES4KTK	102H4436		1/20	18	28	40	55	74	96
		TLES5KTK	102H4536		1/12	28	41	57	76	99	126
		TLES6KTK	102H4636		1/10	31	48	66	87	112	140
		TLES7KTK	102H4736		1/10+	40	57	77	101	130	163
		TLES8KTK	102H4836		1/8	48	66	89	116	149	188
		NLE9KTK	105H6848		1/8+	54	74	98	128	166	211
		NLE11KTK	105H6948		1/5	73	98	127	162	206	261
		NLE15KTK	105H6946		1/4	93	128	169	219	280	351
NLE15KTK.2	105H6966		1/4	103	140	184	239	305	383		











KIRIAZI  **CE**


ELECTRIC COMPANY

Product	Chest Freezer	Class	T
Model	E 140	Current / Amp.	1 ~
Rated Voltage	220-240V/50HZ	Refrigerant	R-134a 145g
Rated input of lamp	1 x 15 W	Total Gross Volume	137 L
Ins : Basic	Type I IPX4	Total Storage Volume	136.5 L
Freezing Capacity	7 kg/24hr.	Made in Egypt	
ES IEC 62552			
ES 3793 / 2006			
Serial Number			



ثيب فريزر افقى 140
 140 0000417



KIRIAZI  **CE**

ELECTRIC COMPANY

Product	Chest Freezer	Class	T
Model	E 140	Current / Amp.	1.7
Rated Voltage	220-240V/50HZ	Refrigerant	R.134a 105g
Rated input of lamp	1 x 15 w	Total Gross Volume	137 L
Ins : Basic	Type I	Total Storage Volume	136.5 L
Freezing Capacity	7 kg/24hr	Made in Egypt	
ES IEC 62552			
ES 3793 / 2006			
Serial Number			