

# LG ,NR52AEG ,1/5Hp , R12 , 220v 50Hz , 1 Phase

Category: Technologie,Tester ok  
written by Lilianne | 21 May 2020

Mbsm\_dot\_pro\_private\_PDF\_lg\_1601Télécharger

Performance Datasheet ( LGE ) : R12																
APPLICATION	VOLTAGE	FREQUENCY	MODEL	DISPLACEMENT	PERFORMANCE											
					50Hz @ ASHRAE						60Hz @ ASHRAE					
					CAPACITY (-23.3°C)			CONSUMPTION POWER			CAPACITY (-23.3°C)			CONSUMPTION POWER		
					kcal/h	w	Btu/h	w	Btu/wh	kcal/h	w	Btu/h	w	Btu/wh		
LBP	220	50	NS24AJG	2.42	45	52	179	80	223							
			NSA43AJG	4.29	96	112	381	117	3.26							
			TS24AJG	2.44	45	52	179	80	2.23							
			TS43AJG	4.24	96	112	381	117	3.26							
			LX110AJM	11.03	265	308	1052	257	4.09							
			NS30AEG	3.05	64	74	254	83	3.06							
	NS36AEG	3.58	74	86	294	92	3.19									
	TS30AEG	3.05	64	74	254	83	3.06									
	TS36AEG	3.61	74	86	294	92	3.19									
	NR45AEG	4.50	97	113	385	120	3.21									
	<b>NR52AEG</b>	5.19	121	141	480	138	3.48									
	NR62AEG	6.23	152	177	603	162	3.72									
	NR62CEG	6.23	150	174	596	167	3.57									
	NR62DEG	6.23	138	160	548	153	3.58									
	LX72AEG	7.22	175	203	695	178	3.90									
	LX86AEG	8.56	215	250	854	213	4.01									
	LX110AEH	11.03	265	308	1052	250	4.21									
		110-115	60	NS30AQG	3.05						74	86	294	106	2.77	
	NS36AQG			3.58						88	102	349	113	3.09		
	TS30AQG			3.05							74	86	294	106	2.77	
	TS36AQG			3.61							88	102	349	113	3.09	
	NR45AQG			4.50							120	140	476	137	3.48	
	NR52AQG			5.19							134	156	532	152	3.50	
	LX67AQG	6.66							200	233	794	195	4.07			
		115	60	NS24ACG	2.42						53	62	210	79	2.66	
	NS24BCG			2.42						56	65	222	73	3.05		
	NS30ACG			3.05							74	86	294	95	3.09	
	TS24ACG			2.44							53	62	210	79	2.66	
	TS24BCG			2.44							56	65	222	73	3.05	
	TS30ACG			3.05							74	86	294	95	3.09	
		177	60	NS24AFG	2.42						53	62	210	81	2.60	

