

Compressors ZMC, EGL70AT, 1/5Hp, 1Ph,
GL70AT, R-134a, standard Efficiency,
220-240V 50Hz, Cubigel Compressor,
Cubigel, RSIR, LBP – LST – S, no
Starting capacitor

Category: compressor

written by Lilianne | 19 December 2020



Private Picture Copyright: WWW.MBSM.PRO

Model: GL70AA

General data

Refrigerant: R134a
Discharge element: C
Cooling: S
Maximum ambient temperature [°C]: 43

Compressor's data

Cylinder capacity [cm³]: 6,7
Displacement [m³/h]: 1,1
Weight [kg]: 9,6
Oil charge [cm³]: 345
Oil type: ISO VG 19 ESTER

Engine's data

Engine type: RSIR
Power [KM]: 1/5
Starting element: LST
Power supply: 220V 50Hz
Voltage range: 187-264
Locked rotor current [A]: 10,9
Running winding resistance (25°C) [Ω]: 12,59
Starting winding resistance (25°C) [Ω]: 22,02


Electrical data

Relays: 3003
Shielding element: MRA38028, T0508, AF18FU
Starting capacitor volume [µF]:



Private Picture Copyright : WWW.MBSM.PRO

RSIR



Private Picture Copyright : WWW.MBSM.PRO



ZMC

EGL70AT 0707

200-220V-50HZ

R 134 a

MADE IN EGYPT



3 412

1387458

Mbsm_dot_pro_private_PDF_catalogo_cubigel_R134a-1Télécharger

Mbsm_dot_pro_private_PDF_cubigel-katalog-1Télécharger