

Mbsm.pro, Compressor, inverter, LG  
Refrigerator, BMG110NHMV, BMG/BMA LG,  
Lbp, 1/4 Hp , R600A

Category: compressor

written by Lilianne | 28 January 2022





Type	Series	Model	Rating	Speed range		Operating conditions					
				Speed	Speed	Eva/Cond'=-23.3□/54.4□			Power	COP	EER
				(rpm)	(rpm)	Cooling Capacity					
		(kcal/hr)	(w/hr)	(Btu/hr)	(w)	(w/w)	(Btu/w.hr)				
BLDC R600a	BMA	BMA121NAMV	220~240V 50/60HZ	1200~4500	4500	271	316	1077	180	1.75	5.97
					3900	235	273	934	148	1.85	6.32
					2520	159	185	632	97	1.90	6.49
					1500	105	122	417	63	1.95	6.66
					1200	84	98	333	51	1.93	6.59
					4500	225	262	894	144	1.82	6.22
	BMG	BMG110NAMV	220~240V 50/60HZ	1200~4500	3000	172	200	683	103	1.93	6.60
					1800	108	125	427	66	1.90	6.48
					1500	88	102	349	53	1.94	6.64
					1200	70	82	279	43	1.92	6.55
					4500	225	262	894	146	1.79	6.11
					3000	172	200	683	108	1.85	6.32
	BMG	BMG110NHMV	220~240V 50/60HZ	1200~4500	1800	108	125	427	72	1.75	5.97
					1500	88	102	349	59	1.74	5.95
					1200	70	82	279	48	1.72	5.87
					4500	187	217	741	119	1.83	6.24
					3000	136	158	540	85	1.85	6.32
					1800	84	98	335	51	1.92	6.55
	BMG	BMG089NAMV	220~240V 50/60HZ	1200~4500	1500	68	80	271	42	1.89	6.47
					1200	55	64	217	34	1.87	6.38
					4500	187	217	741	126	1.72	5.88
					3000	136	158	540	90	1.76	6.01
					1800	84	98	335	57	1.72	5.86
					1500	68	80	271	46	1.72	5.87
BMG	BMG089NHMV	220~240V 50/60HZ	1200~4500	1200	55	64	217	37	1.70	5.80	
				4500	129	150	512	90.9	1.65	5.63	
				3000	87	101	345	57.7	1.75	5.97	
				1800	52	61	208	33.0	1.85	6.32	
				1500	43	50	171	27.8	1.80	6.15	
				1380	39	45	154	25.7	1.75	5.97	
BSA	**BSA075NAMV	220~240V 50/60HZ	1380~4500	4500	129	150	512	93.8	1.60	5.46	
				3000	87	101	345	59.4	1.70	5.80	
				1800	52	61	208	34.9	1.75	5.97	
				1500	43	50	171	29.4	1.70	6.32	
				1380	39	45	154	27.3	1.65	6.15	
				4500	123	143	488	86.7	1.65	5.97	
BSA	**BSA057NAMV	220~240V 50/60HZ	1380~4500	3000	87	101	345	57.7	1.75	5.46	
				1800	51	59	201	31.9	1.85	5.80	
				1500	41	48	164	26.7	1.80	5.63	
				1380	39	45	154	25.7	1.75	5.97	
				4500	123	143	488	89.4	1.60	5.46	
				3000	87	101	345	59.4	1.70	5.80	
BSA	**BSA057NHMV	220~240V 50/60HZ	1380~4500	1800	51	59	201	33.7	1.75	5.97	
				1500	41	48	164	28.2	1.70	5.80	
				1380	39	45	154	27.3	1.65	5.63	





Private Picture Copyright: WWW.MBSM.PRO

R600a LBP	CSB	*CSB069NHAM	100~50/60	123/143	1.00/1.00	100/123	0.29/0.03	RSCN
		*CSB057NHEM	220~240/50	101	1.70	87	5.8	RSCR
		*CSB057NJEG	220~240/50	101	1.30	87	4.44	RSIR
变频	BMA	BMA121NAMV	220~240/50, 60	110~290	2.33	95~249	7.95	Drive
		BMG	BMG110NAMV	220~240/50, 60	72~235	2.46	62~202	8.40
		BMG110NHMV	220~240/50, 60	<del>72~235</del>	2.20	62~202	7.50	Drive
		BMG089NAMV	220~240/50, 60	58~195	2.49	50~167	8.50	Drive
		*BMG089NBMV	220~240/50, 60	58~195	2.28	50~167	7.80	Drive
		BMG089NHMV	220~240/50, 60	58~195	2.25	50~167	7.70	Drive
	BMH	*BMH110NAMV	220~240/50, 60	104~312	2.05	89~268	7.00	Drive
		*BMH089NAMV	220~240/50, 60	83~250	2.05	71~215	7.00	Drive
	BSA	*BSA075NHMV	220~240/50, 60	70~198	1.80	60~170	6.14	Drive
		*BSA057NHMV	220~240/50, 60	46~147	1.80	40~126	6.14	Drive



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_Inverter-Compressor-Technology-for-Refrigerator.-  
ReciprocatingTélécharger  
Mbsm\_dot\_pro\_private\_PDF\_bmg110nhmvTélécharger