

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by Lilianne | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

| | |
|-------------|---------------|
| Compressor | EMBRACO |
| Template | BP1072Z |
| Height (mm) | |
| Gas | R134a |
| Voltage | 220-240V 50Hz |

Application LBP (Low Back Pressure)

Test Condition ASHRAE LBP 32

Displacement 4.15 of the Italian Civil Code

Motor RSIR

R 134

LBP

Compressori ermetici EMBRACO (Aspera)

Hermetic compressor EMBRACO (Aspera)

EMBRACO (Aspera) hermetische Kompressoren



| Codice Frigo System | modello model Modell | cilindrata displac. Hubraum (cm ³) | olio oil Ölful. POE (cm ³) | espans. expans. Expans. POE (cm ³) | resa - capacity - Leistung (Watt) temp.evap.-evapor.temp.-Verdampfngdtemp. (°C) | | | | | | tipo mot. motor type Motortyp | Caratteristiche elettriche Electrical data Elektrische Daten | | | | diseñ dime exter view |
|------------------------|----------------------------|---|--|--|--|---------|------|-----|-----|-----|-------------------------------------|--|--|------------|------------|--------------------------------|
| | | | | | -30 | -25 | -20 | -15 | -10 | -5 | | Tensione Voltage Spannung | Potenza ass. power absorb. Leistungsaufn. (W) | FLA (A) | LRA (A) | |
| | | | | | AS0120440 | BP1064Z | 2,85 | 200 | C | 44 | | 61 | 84 | 110 | 142 | |
| AS0120160 | BP1058Z | 3,4 | 200 | C | 51 | 72 | 98 | 130 | 167 | 210 | RSIR | 220/1/50 | 92 | 0,6 | 3,3 | DWC |
| AS0120468 | BP1072Z | 4,15 | 200 | C | 67 | 91 | 120 | 155 | 196 | 243 | RSIR | 220/1/50 | 92 | 0,6 | 3,6 | DWC |
| AS0120776 | BP1084Z | 4,6 | 200 | C | 76 | 103 | 137 | 177 | 224 | 277 | RSIR | 220/1/50 | 103 | 0,7 | 4 | DWC |
| AS0121084 | BP1111Z | 5,93 | 200 | C | 94 | 123 | 160 | 207 | 262 | 325 | RSIR | 220/1/50 | 125 | 0,9 | 5,5 | DWC |
| AS0121119 | BPM1046Z | 2,34 | 200 | C | 32 | 47 | 66 | 89 | 115 | 145 | RSIR | 220/1/50 | 53 | 0,3 | 3,2 | DWC |

Private Picture Copyright : WWW.MBSM.PRO



| Aspera LBP | Displacement cm ³ | Capacity Watt (-25°C) | Cooling | Danfoss compressor | Capacity Watt (-25°C) | Starting torque |
|-------------------------|---------------------------------|--------------------------|---------|-----------------------|--------------------------|--------------------|
| BP1046Z | 2.85 | 46 | S | TL3F | 42 | LST |
| BP1058Z | 3.44 | 52 | S | TL4F | 61 | LST |
| BP1072Z | 4.15 | 66 | S | TL4F | 61 | LST |
| BP1084Z | 4.60 | 77 | S | TL5F | 82 | LST |
| BP1111Z | 5.93 | 94 | S | TLS5F | 93 | LST |
| B1112Z | 6.27 | 102 | S | TLS6F | 105 | LST |
| B2112Z | 6.27 | 102 | S | TLS6FX | 105 | HST |
| B1116Z | 8.38 | 136 | S | NL7F | 134 | LST |
| B2116Z | 8.38 | 136 | S | NL7FX | 134 | HST |
| B1118Z | 8.07 | 152 | S | NL9F | 157 | LST |
| B2118Z | 8.07 | 152 | S | NL9FX | 157 | HST |
| E1121Z | 13.6 | 192 | F | NL11F | 200 | LST |
| Energy optimized models | | | | | | |
| BK1086Z | 5.40 | 105 | S | NL6F | 109 | LST |
| BK1112Z | 6.27 | 112 | S | NL6F | 109 | LST |
| BK1114Z | 7.40 | 129 | S | NL7F | 134 | LST |
| BK1116Z | 8.38 | 154 | S | NL9F | 157 | LST |

Private Picture Copyright : WWW.MBSM.PRO

| | |
|----------------------|------------------------------|
| Description | BP1072Z 1/10 HP R134A LBP |
| Category | HERMETIC COMPRESSORS |
| Brand | UNIVERSALE |
| Model | - |
| REI Code | 918.400.41 |
| Original Code | - |
| Price (Euro) | 114,78 |
| Notes | EMBRACO ASPERA |
| Promotion | No |
| New Item | No |





Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_Comparati-DANFOSSTélécharger