

Mbsm.pro, Compressor, Donper,  
inverter, LU118PY1, 1/3 Hp, HISENSE,  
700 L, 108/to/250 W, variable speed,  
blcd, 5.8 cm<sup>3</sup>, R 600a, 75G, 65-180v,  
54-140Hz

Category: compressor

written by Lilianne | 10 February 2022



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright: WWW.MBSM.PRO

SPECIAL REPORT 专题报道

黄石东贝2015年R600a (L.B.P) 变频压缩机技术参数表 (续)

系列	型号	汽缸容积 (cm <sup>3</sup> )	电机类型	电源 (V/Hz)	转速 (rpm)	ASHRAE		冷却类型	认证
						制冷量 (W)	COP (W/W)		
铝线变频压缩机									
L	LU58PY1	5.8	BLDC	220/50	1600	50	1.75	S	CCC
					2000	60	1.75		
					3000	90	1.70		
	LU88PY1	5.8	BLDC	220/50	1600	120	1.60	S	CCC
					2000	85	1.75		
					3000	108	1.75		
	LU118PY1	5.8	BLDC	220/50	1600	160	1.70	S	CCC
					2000	220	1.60		
					3000	195	1.70		
	LJ68PY1	5.8	BLDC	220/50	1600	108	1.60	S	CCC
					2000	130	1.75		
					3000	120	1.75		
	LJ88PY1	5.8	BLDC	220/50	1600	155	1.63	S	CCC
					2000	75	1.82		
					3000	108	1.62		
	LJ118PY1	5.8	BLDC	220/50	1600	85	1.80	S	CCC
					2000	108	1.80		
					3000	160	1.75		

Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



 **LU118PY1**  
65-180V 54-140Hz  
BLDC MOTOR


    **R600a**<sup>2</sup>  
Warning: Risk of fire

 **SUCTION** 

**D**



4Q4444



Keep the key out of reach of children and not in the vicinity of the refrigerator  
احتفظ بمفتاح الثلاجة بعيداً عن متناول الأطفال ولا تحفظه في مقربة منها

HISENSE RONSHEN (GUANGDONG) REFRIGERATOR CO.,LTD  
NO.8 RONGGANG ROAD, RONGGUI, SHUNDE, FOSHAN, GUANGDONG,CHINA

# Hisense

## MODEL RDI53WRSS

CLIMATE CATEGORY	T
PROTECTIVE CLASSIFICATION OF ELECTRIC SHOCK RESISTANCE	I
DEGREE OF PROTECTION AGAINST INGRESS OF WATER	IPX0
RATED VOLTAGE	220-230V~
RATED FREQUENCY	50Hz
RATED CURRENT	1.5A
DEFROST POWER	210W
MAX TOTAL LAMP POWER	1W+1W
FREEZING CAPACITY	8kg/24h
REFRIGERANT	R600a(52g)
ENERGY CONSUMPTION	0.958kWh/24h
RATED STORAGE VOLUME	400(L)
INSULATION BLOWING GAS	CYCLOPENTANE
NET WEIGHT	77.2kg
Dimension	680mmx735mmx1756mm



# MADE IN CHINA

صنع في الصين

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_LU118PY1-1Télécharger

Mbsm\_dot\_pro\_private\_PDF\_KONORCATALOGTélécharger

Mbsm\_dot\_pro\_private\_PDF\_karta\_\_produktowaTélécharger