

Mbsm.pro, Compressor, Tecumseh,
TAJ4519T, 16157 Btu/h, 1 1/2 hp, 1.5
hp, big++, MHBP, 34.45m3, 380V/50Hz,
R22, 3 PH

Category: compressor

written by Lilianne | 25 February 2022



Private Picture Copyright: WWW.MBSM.PRO

DESCRIPTION 220V

Engine type: 1 1/2 CV , 3 ph

Type of ventilation: Fan

Voltage code: KZ

Displacement: 34.4

Oil type: Mineral

Viscosity: 68

Oil load: 475 ml
Application: HBP
Voltage: 220V3_60HZ
LRA: 38

DESCRIPTION 440V

[Mbsm_dot_pro_private_PDF_taj4519t_www_mbsm_pro_48091_htmlTélécharger](#)

[Mbsm_dot_pro_private_PDF_taj4519tTélécharger](#)

Engine type: 1 1/2 CV, 3 ph

Type of ventilation: Fan

Voltage code: TZ

Displacement: 34.4

Oil type: Mineral

Viscosity: 68

Oil load: 475 ml

Application: HBP

Voltage: 440V3_60HZ

LRA: 23

Size and Dimensions

Connection Size (Discharge) 1/2" Valve

Connection Size (Suction) 5/8" Valve

R22 Capacity @ -15 Deg C 1780 W

R22 Capacity @ -10 Deg C 2304 W

R22 Capacity @ -5 Deg C 2911 W

R22 Capacity @ 0 Deg C 3601 W

R22 Capacity @ 7.2 Deg C 4738 W

R22 Capacity @ 15 Deg C 6162 W



6445230100
TAJ4519T



R22 LRA 23

400V 3~50Hz RLA 3.50
400V 3~60Hz RLA 3.80



53 B2812 00 002627 B

COUNTRY OF ORIGIN: FRANCE THERMALLY PROTECTED



L'UNITE
HERMETIQUE

A brand name of Tecumseh Europe

TAJ4517T	Compresseur L'Unité Hermetique M-HBP	1,2	25,95	R22	380
TAJ4517Z	Compresseur L'Unité Hermetique M-HBP	1,2	25,95	R404A	380
TAJ4519T	Compresseur L'Unité Hermetique M-HBP	1,5	34,45	R22	380
TAJ4519Z	Compresseur L'Unité Hermetique M-HBP	1,5	34,45	R404A	380