

Mbsm.pro, Air conditioner,
Tac-36ch5a, 36000 Btu, 17 a,
Compressor, ATH420MV, ATH420MV-C9EU,
Hitachi Compressor, 4hp, R410a, 2.5
kg, 10060 W, 220V 220-240, 50Hz, 1 PH

Category: air conditioner,compressor
written by Lilianne | 15 March 2022



Private Picture Copyright : WWW.MBSM.PRO

Hitachi Compressor ATH420MV-C9EU

ATH420MV-C9EU R410A refrigerant shanghai compressors manufacturers ac
refrigeration compressors

R410A Constant-speed 220-240V 50Hz compressor

HIGHLY Highly ATH420MV compressor is a R410A refrigerant fixed speed light
commercial refrigeration compressor produced by Shanghai Highly Electric Co.,
Ltd., power supply: 1 Φ , 220-240V, 50Hz, displacement is 41.8 (cc/rev), cooling
capacity is 10100 (W)/34461 (Btu/h), energy efficiency ratio COP is 2.95 (W/W)

Model	Disp. cc/rev W	Cooling Capacity 10060	COP	Height mm
ATH420MV	41.8	10060	34334 2.90	375.8

□□	□□	□□	□□□	□□	□□□□	W	BTU/h	□□
ATH356SM3C9EUC	T3□□	R-410A	35.6ml/rev	380-415V/60Hz/3PH	10450	35634	□□□	
ATH420SM3C9EUC	T3□□	R-410A	41.8ml/rev	380-415V/60Hz/3PH	12250	41772	□□□	
ATH290MV-C8FUH	T3□□	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7020	23938	□□□	
ASH201MV-C7HU1L	T3□□	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4875	16623	□□□	
ATH290GV-C8FQ	T1□□	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7060	24074	□□□	
ASH210GV-C7HQL	T1□□	R-410A	21.0ml/rev	220-240V/50Hz/1PH	5200	17732	□□□	
ASH197UV-C7HQL	T1□□	R-410A	19.7ml/rev	220-240V/50Hz/1PH	4770	16265	□□□	
ASH232DN-C8EU	T3□□	R-410A	23.2ml/rev	208-230V/60Hz/1PH	6810	23222	□□□	
ASH222DN-C8DU	T3□□	R-410A	22.2ml/rev	208-230V/60Hz/1PH	6515	22216	□□□	
ASH264DG-C8DG	T3□□	R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	□□□	
ATH265MV-C8FQ	T3□□	R-410A	26.5ml/rev	220-240V/50Hz/1PH	6510	22199	□□□	
ATH420UC-C9EU1	T3□□	R-410A	41.8ml/rev	380-415V/50Hz/3PH	9880	33690	□□□	
ASH201GV-C7HUL	T1□□	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4970	16947	□□□	
ATH307UC3C9EU	T3□□	R-410A	30.7ml/rev	380-415V/50Hz/3PH	7400	25234	□□□	
ATH307MV-C9EU	T3□□	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7435	25353	□□□	
ATH250DG-C9EU	T3□□	R-410A	25.0ml/rev	230V/60Hz/1PH	7400	25234	□□□	
ASH184TV-C7HU1L	T1□□	R-410A	18.4ml/rev	220-240V/50Hz/1PH	4470	15242	□□□	
WHP16000AEG3C9EQ	□□□□	R-410A	41.8ml/rev	null	12100	41261	□□□	
WHP16000AEM3C9EQ	□□□□	R-410A	41.8ml/rev	380V/60Hz/3PH	12100	41261	□□□	
ASH232DG-C8DQ	T3□□	R-410A	23.2ml/rev	230V/60Hz/1PH	6850	23358	□□□	
ATH280DG-C9EU	T3□□	R-410A	28.0ml/rev	230V/60Hz/1PH	8100	27621	□□□	
WHP13500AEV-C9EQ	□□□□	R-410A	41.8ml/rev	220V/50Hz/1PH	9890	33724	□□□	
ATH265DG-C8FU	T3□□	R-410A	26.5ml/rev	230V/60Hz/1PH	7800	26598	□□□	
ASH187TV-C7HQL	T1□□	R-410A	18.7ml/rev	220-240V/50Hz/1PH	4580	15617	□□□	
ATH290MV-C8FU	T3□□	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7020	23938	□□□	
ASH264DG-C8DQ	T3□□	R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	□□□	
ASH232GV-C8DQ	T1□□	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5625	19181	□□□	
WHP06900AEV-C7HUL	□□□□	R-410A	21.0ml/rev	220-240V/50Hz/1PH	4470	15242	□□□	
WHP10100AEV-C9EQ	□□□□	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7480	25506	□□□	
ASH272UV-C8DU	T1□□	R-410A	27.2ml/rev	220-240V/50Hz/1PH	6900	23529	□□□	
ATH345MV-C9EU	T3□□	R-410A	34.5ml/rev	220-240V/50Hz/1PH	8400	28644	□□□	
ASH215DG-C8DU	T3□□	R-410A	21.5ml/rev	230V/60Hz/1PH	6400	21824	□□□	
ASH264UV-C8DU	T1□□	R-410A	26.4ml/rev	220-240V/50Hz/1PH	6440	21960	□□□	
ATH307RV-C8FU	T1□□	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7300	24893	□□□	
ASH210MV-C7HQL	T3□□	R-410A	21.0ml/rev	220-240V/50Hz/1PH	5200	17732	□□□	
ATH356UN-C9EU A	T1□□	R-410A	34.5ml/rev	208-230V/60Hz/1PH	10170	34679	□□□	
ASH205DG-C7AQL	T3□□	R-410A	20.5ml/rev	230V/60Hz/1PH	6150	20971	□□□	
ASH244UV-C8DU2	T1□□	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5945	20272	□□□	
ASH187TV-C7HUL	T1□□	R-410A	18.7ml/rev	220-240V/50Hz/1PH	4580	15617	□□□	
ATH410UG-C9EU	T1□□	R-410A	40.8ml/rev	220-230V/60Hz/1PH	11900	40579	□□□	
ATH410UG3C9EU	T1□□	R-410A	40.8ml/rev	220-230V/60Hz/3PH	11900	40579	□□□	
ASH255UX3C8DU	T1□□	R-410A	25.5ml/rev	220V /50-60Hz /3PH	6300	21483	□□□	
ASH244UV-C8DU1	T1□□	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5800	19778	□□□	
ASH232MV-C7HQ1	T3□□	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5580	19027	□□□	

ASH218UN-C7AQ1	T1□□ R-410A	21.8ml/rev	208-230V/60Hz/1PH	6450	21994	□□□
ASH264MV-C8DQ	T3□□ R-410A	26.4ml/rev	220-240V/50Hz/1PH	6485	22113	□□□
ASH205DG-C8DUL	T3□□ R-410A	20.5ml/rev	230V/60Hz/1PH	6150	20971	□□□
ATH356UN-C9EU	T1□□ R-410A	35.6ml/rev	208-230V/60Hz/1PH	10500	35805	□□□
ASH295UV-C8DU	T1□□ R-410A	29.5ml/rev	220-240V/50Hz/1PH	7200	24552	□□□
ATH325MV-C9EU	T3□□ R-410A	32.5ml/rev	220-240V/50Hz/1PH	7860	26802	□□□
ATH420MV-C9EU	T3□□ R-410A	41.8ml/rev	220-240V/50Hz/1PH	10060	34304	□□□
ASH232MV-C7EU1	T3□□ R-410A	23.2ml/rev	220-240V/50Hz/1PH	5580	19027	□□□
ASH244MV-C7HQ	T3□□ R-410A	24.4ml/rev	220-240V/50Hz/1PH	5940	20255	□□□
ASH201RV-C8DQ	T1□□ R-410A	20.1ml/rev	220-240V/50Hz/1PH	4770	16265	□□□
ASH286UV-C8DU	T1□□ R-410A	28.6ml/rev	220-240V/50Hz/1PH	6980	23801	□□□
ATH356MV-C9EUA	T3□□ R-410A	35.6ml/rev	220-240V/50Hz/1PH	8550	29155	□□□
ASH264MV-C8DU	T3□□ R-410A	26.4ml/rev	220-240V/50Hz/1PH	6485	22113	□□□
ASH255UV-C8DU	T1□□ R-410A	25.5ml/rev	220-240V/50Hz/1PH	6210	21176	□□□
ASH264DG-C8DU	T3□□ R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	□□□
ASH201DG-C8LUL1L	T3□□ R-410A	20.1ml/rev	230V/60Hz/1PH	5970	20357	□□□
ASH187DG-C8LUL	T3□□ R-410A	18.7ml/rev	230V/60Hz/1PH	5480	18686	□□□
ATH290DG-C9EU	T3□□ R-410A	29.0ml/rev	230V/60Hz/1PH	8550	29155	□□□
ATH290TV-C8FU	T1□□ R-410A	29.0ml/rev	220-240V/50Hz/1PH	6950	23699	□□□
ASH201DG-C8LUL IN	T3□□ R410A	20.1ml/rev	230V/60Hz/1PH	5950	20289	□□□
ASH250UV-C8DU	T1□□ R-410A	25ml/rev	220-240V/50Hz/1PH	6035	20579	□□□
ASH250DG-C8DU	T3□□ R-410A	25.0ml/rev	230V/60Hz/1PH	7400	25234	□□□
ASH239DG-C8DU	T3□□ R-410A	23.9ml/rev	230V/60Hz/1PH	7055	24057	□□□
ASH255DG-C8DQ	T3□□ R-410A	25.5ml/rev	230V/60Hz/1PH	7500	25575	□□□
ATH307DG-C9EU	T3□□ R-410A	30.7ml/rev	230V/60Hz/1PH	9050	30860	□□□
ASH184DG-C8LUL1L	T3□□ R-410A	18.4ml/rev	230V/60Hz/1PH	5350	18243	□□□
ASH232MV-C7HQH	T3□□ R-410A	23.2ml/rev	220-240V/50Hz/1PH	5650	19266	□□□
ASH280MV-C8DU	T3□□ R-410A	28.0ml/rev	220-240V/50Hz/1PH	6870	23426	□□□
ASH193DG-C7HQLH	T3□□ R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	□□□
ASH222UN-C7HQ	T1□□ R-410A	22.2ml/rev	208-230V/60Hz/1PH	6550	22335	□□□
ASH201DG-C8DU1L	T3□□ R-410A	20.1ml/rev	230V/60Hz/1PH	5970	20357	□□□
ATH356MV-C9LU	T3□□ R-410A	35.6ml/rev	220-240V/50Hz/1PH	8700	29667	□□□
ASH201MV-C7HUL	T3□□ R-410A	20.1ml/rev	220-240V/50Hz/1PH	4960	16913	□□□
ASH218GN-C8LU	T1□□ R-410A	21.8ml/rev	208-230V/60Hz/1PH	6500	22165	□□□
ASH280DG-C8DU	T3□□ R-410A	28.0ml/rev	230V/60Hz/1PH	8260	28166	□□□
ASH232DG-C8DU	T3□□ R-410A	23.2ml/rev	230V/60Hz/1PH	6800	23188	□□□
ASH232UN-C7PU	T1□□ R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	□□□
ASH197TV-C7HUL	T1□□ R-410A	19.7ml/rev	220-240V/50Hz/1PH	4720	16095	□□□
ASH184DG-C8LUL	T3□□ R-410A	18.4ml/rev	230V/60Hz/1PH	5430	18516	□□□
ASH255DG-C8DU	T3□□ R-410A	25.5ml/rev	230V/60Hz/1PH	7530	25677	□□□
ASH175DG-C8LQ1L	T3□□ R-410A	17.5ml/rev	230V/60Hz/1PH	5080	17322	□□□
ASH193DG-C8LUL1L	T3□□ R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	□□□
ASH193DG-C8LUL	T3□□ R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	□□□
ASH218DG-C8LQ	T3□□ R-410A	21.8ml/rev	230V/60Hz/1PH	6480	22096	□□□
ASH201DG-C8LUL	T3□□ R-410A	20.1ml/rev	230V/60Hz/1PH	5950	20289	□□□
ASH175DG-C7HQGL	T1□□ R-410A	17.5ml/rev	230V/60Hz/1PH	5080	17322	□□□

ASH184TV-C7HUL	T1□□ R-410A	18.4ml/rev	220-240V/50Hz/1PH	4380	14935	□□□
ASH244GV-C8LU	T1□□ R-410A	24.4ml/rev	220-240V/50Hz/1PH	5760	19641	□□□
ASH232SV-C7HQ	T1□□ R-410A	23.2ml/rev	220-240V/50Hz/1PH	5510	18789	□□□
ASH255GV-C8LU	T1□□ R-410A	25.5ml/rev	220-240V/50Hz/1PH	6150	20971	□□□
ASH232SN-C7HQ1	T1□□ R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	□□□
ATH356CV-C9LU	T1□□ R-410A	35.6ml/rev	220-240V/50Hz/1PH	8440	28780	□□□
ASH218SN-C8LU	T1□□ R-410A	21.8ml/rev	208-230V/60Hz/1PH	6410	21858	□□□
ATH356SN-C9LU	T1□□ R-410A	35.6ml/rev	208-230V/60Hz/1PH	10350	35293	□□□
ASH193TV-C7HQL	T1□□ R-410A	19.3ml/rev	220-240V/50Hz/1PH	4575	15600	□□□
ASH244RY-C8DU	T1□□ R-410A	24.4ml/rev	230V/50Hz/1PH	5750	19607	□□□
ASH210RY-C7HUL	T1□□ R-410A	21.2ml/rev	230V/50Hz/1PH	5120	17459	□□□
ASH201RY-C7HUL	T1□□ R-410A	20.3ml/rev	230V/50Hz/1PH	4845	16521	□□□
ASH232SN-C7HGI	T1□□ R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	□□□
ASH201RN-C8LU	T1□□ R-410A	20.1ml/rev	208-230V/60Hz/1PH	6800	23188	□□□
ASH201SN-C8LU	T1□□ R-410A	20.1ml/rev	208-230V/60Hz/1PH	5860	19982	□□□
ASH264SN-C8LU	T1□□ R-410A	26.44CC	208-230V/60Hz/1PH	5860	19982	□□□
ASH232SV-C8LU	T1□□ R-410A	23.29ml/rev	220-240V/50Hz/1PH	5510	18789	□□□
ASH201SV-C8LU	T1□□ R-410A	20.1ml/rev	220-240V/50Hz/1PH	4820	16436	□□□
ASH264SV-C8LU	T1□□ R-410A	26.44ml/rev	220-240V/50Hz/1PH	6310	21517	□□□
ASH210SV-C8LU	T1□□ R-410A	20.1ml/rev	220-240V/50Hz/1PH	4995	17032	□□□
ASH218SV-C8LU						

Constant-Speed/India/R22 230V 50Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm)	Test condition
SH286RY-C7PU1A	28.6	4900	16719	3.27	45/450	307.8	ASHRAE/T
SH295RY-C7PUA	29.5	5060	17265	3.24	35/450	293.4	ASHRAE/T
SH295RY-C7PU1A	29.5	5035	17179	3.25	45/450	307.8	ASHRAE/T
SH307RY-C8DUA	30.7	5250	17913	3.26	45/450	307.8	ASHRAE/T
SH370RY-C8LU	37	6400	21837	3.25	65/450	320.9	ASHRAE/T
H SH380RY-C8DU	38	6555	22366	3.24	50/450	320.9	ASHRAE/T
SH417RY-C8DU	41.7	7160	24430	3.21	45/450	330.9	ASHRAE/T
SH280UY-C7HUA	28	4810	16412	16412	45/450	307.8	ASHRAE/T
SH286UY-C7PUA	28.6	4930	16821	3.36	45/450	307.8	ASHRAE/T
SH300UY-C7HUA	30	5100	17401	3.36	45/450	307.8	ASHRAE/T
SH370UY-C8LU	37	6400	21837	3.3	60/450	330.9	ASHRAE/T

Constant-Speed/India/R22/Tropical 230V 50Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm)	Test condition
SH307MV*1	30.7	5250	17913	3.2	45/450	293.4	ASHRAE/T
H SH336MV-1	33.6	5750	19619	3.18	55/450	307.8	ASHRAE/T
SH356MVM	35.6	6130	20916	3.11	50/450	307.8	ASHRAE/T
SH417MV-1	41.7	7170	24464	3.17	65/450	330.9	ASHRAE/T

Constant-Speed/R32 220V/240V 50Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm)	Test condition
H GSH190TV	19.0	4954	16903	3.00	40/450	293.5	ASHRAE/T
GSH232SV	23.2	5896	20117	2.91	60/400	298.5	ASHRAE/T

Constant-Speed/India/R41 0A 230V 50Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	ASH184TV 18.4	4440	15149	2.96	40/450	293.5	ASHRAE/T
	ASH193TV 19.3	4575	15610	2.96	40/450	293.5	ASHRAE/T
	ASH201RY 20.1	4845	16531	2.95	40/450	293.5	ASHRAE/T
	ASH210RY 21.0	5120	17469	2.98	40/450	293.5	ASHRAE/T
	ASH244RY 24.4	5770	19687	2.95	55/450	301.1	ASHRAE/T

Constant-Speed/R290 220V/240V 50Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	PSH307CV-C7HU 30.7	4566	15579	3.22	60/450	307.8	ASHRAE/T
	PSH307HV-C8DU 30.7	4565	15576	3.45	45/450	307.8	ASHRAE/T

Constant-Speed/Middle East/R22 230V 60Hz

Series Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	SH264DG*2 26.4	5550	18937	3.2	40/450	288.4	ASHRAE/T
	SH307DG*1 30.7	6580	22451	3.22	55/450	307.8	ASHRAE/T
	SH325DG 32.5	6860	23406	3.22	55/450	307.8	ASHRAE/T
	SH356DG-3 35.6	7450	25419	3.24	50/450	317.8	ASHRAE/T


Brand : Hitachi
Model : ATH420MV-C9EU
Refrigerant/use : R410A
Number of Cylinder : T
Series : H
Displacement : 420m³/rev
Compressor performance scale : none injection tropical models
Power : 220V 220-240, 50Hz
Starting method : KP (1 □)
Compressor base type : C
Dimension accumulator : 9E
Angle φ of Triangle Base &Accumulator : U
Special Specification : N/A
Color : Black
After service : no
Place of origin : China

Applications:

- + Industrial cabinets
- + Dehumidification
- + Medical technology
- + Compressed air technology
- + Dehumidification units
- + Vending machine
- + Heat pump
- + Air conditioners
- + Laboratory and testing equipment

Feature:

- High Efficiency
- Large capacity range
- Low-vibration, smooth running
- Low noise level



SPLIT TYPE AIR CONDITIONER

TAC-36CHSA		
Model	Indoor	TAC-36CHSA
	Outdoor	TAC-36CHSA
	Cooling	Heating
Capacity	35573 Btu/h	37500 Btu/h
Current	17.6 A	17.0 A
Rated Current (IEC/EN60335)	22.9 A	22.1 A
Power Input	3490 W	3510 W
Rated Power Input (IEC/EN60335)	4540 W	4560 W
Indoor Air Volume	1500 m ³ /h	1600 m ³ /h
Max. Pressure	Discharge	4.5MPa
	Suction	1.9MPa
Noise	Indoor	52 dB (A)
	Outdoor	62 dB(A)
Weight	Indoor (N/G)	22 kg
	Outdoor (N/G)	70 kg
Rated Voltage	220-240 V ~	
Rated Frequency	50 Hz	
Refrigerant / Charge	R410 / 2.5 kg	
Outdoor Unit Water Proof Protection	IPX4	

HIGHLY

ATH420MV-C9E

50Hz 220-240V~ RoHS

2017.11.05B3

R4



HSK2U62556

上海日立电器有限公司 SHANGHAI HITACHI

Private Picture Copyright: WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源	功率		备注
					W	BTU/h	
ASH201SN-C8LU	T1工况	R-410A	20.1ml/rev	208-230V/60Hz/1PH	5860	19982	认证中
ASH264SN-C8LU	T1工况	R-410A	26.44CC	208-230V/60Hz/1PH	5860	19982	认证中
ASH232SV-C8LU	T1工况	R-410A	23.29ml/rev	220-240V/50Hz/1PH	5510	18789	认证中
ASH201SV-C8LU	T1工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4820	16436	认证中
ASH264SV-C8LU	T1工况	R-410A	26.44ml/rev	220-240V/50Hz/1PH	6310	21517	认证中
ASH210SV-C8LU	T1工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4995	17032	认证中
ASH218SV-C8LU	T1工况	R-410A	21.8ml/rev	220-240V/50Hz/1PH	5180	17663	认证中

Private Picture Copyright: WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源	功率		备注
					W	BTU/h	
ASH175DG-C8LQ1L	T3工况	R-410A	17.5ml/rev	230V/60Hz/1PH	5080	17322	认证中
ASH193DG-C8LU1L	T3工况	R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	认证中
ASH193DG-C8LUL	T3工况	R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	认证中
ASH218DG-C8LQ	T3工况	R-410A	21.8ml/rev	230V/60Hz/1PH	6480	22096	认证中
ASH201DG-C8LUL	T3工况	R-410A	20.1ml/rev	230V/60Hz/1PH	5950	20289	认证中
ASH175DG-C7HQGL	T1工况	R-410A	17.5ml/rev	230V/60Hz/1PH	5080	17322	认证中
ASH184TV-C7HUL	T1工况	R-410A	18.4ml/rev	220-240V/50Hz/1PH	4380	14935	认证中
ASH244GV-C8LU	T1工况	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5760	19641	认证中
ASH232SV-C7HQ	T1工况	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5510	18789	认证中
ASH255GV-C8LU	T1工况	R-410A	25.5ml/rev	220-240V/50Hz/1PH	6150	20971	认证中
ASH232SN-C7HQ1	T1工况	R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	认证中
ATH356CV-C9LU	T1工况	R-410A	35.6ml/rev	220-240V/50Hz/1PH	8440	28780	认证中
ASH218SN-C8LU	T1工况	R-410A	21.8ml/rev	208-230V/60Hz/1PH	6410	21858	认证中
ATH356SN-C9LU	T1工况	R-410A	35.6ml/rev	208-230V/60Hz/1PH	10350	35293	认证中
ASH193TV-C7HQL	T1工况	R-410A	19.3ml/rev	220-240V/50Hz/1PH	4575	15600	认证中
ASH244RY-C8DU	T1工况	R-410A	24.4ml/rev	230V/50Hz/1PH	5750	19607	认证中
ASH210RY-C7HUL	T1工况	R-410A	21.2ml/rev	230V/50Hz/1PH	5120	17459	认证中
ASH201RY-C7HUL	T1工况	R-410A	20.3ml/rev	230V/50Hz/1PH	4845	16521	认证中
ASH232SN-C7HG1	T1工况	R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	认证中
ASH201RN-C8LU	T1工况	R-410A	20.1ml/rev	208-230V/60Hz/1PH	6800	23188	认证中

Private Picture Copyright : WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源			备注
					W	BTU/h	
ASH201DG-C8LUL IN	T3工况	R410A	20.1ml/rev	230V/60Hz/1PH	5950	20289	认证中
ASH250UV-C8DU	T1工况	R-410A	25ml/rev	220-240V/50Hz/1PH	6035	20579	认证中
ASH250DG-C8DU	T3工况	R-410A	25.0ml/rev	230V/60Hz/1PH	7400	25234	认证中
ASH239DG-C8DU	T3工况	R-410A	23.9ml/rev	230V/60Hz/1PH	7055	24057	认证中
ASH255DG-C8DQ	T3工况	R-410A	25.5ml/rev	230V/60Hz/1PH	7500	25575	认证中
ATH307DG-C9EU	T3工况	R-410A	30.7ml/rev	230V/60Hz/1PH	9050	30860	认证中
ASH184DG-C8LU1L	T3工况	R-410A	18.4ml/rev	230V/60Hz/1PH	5350	18243	认证中
ASH232MV-C7HQH	T3工况	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5650	19266	认证中
ASH280MV-C8DU	T3工况	R-410A	28.0ml/rev	220-240V/50Hz/1PH	6870	23426	认证中
ASH193DG-C7HQLH	T3工况	R-410A	19.3ml/rev	230V/60Hz/1PH	5630	19198	认证中
ASH222UN-C7HQ	T1工况	R-410A	22.2ml/rev	208-230V/60Hz/1PH	6550	22335	认证中
ASH201DG-C8DU1L	T3工况	R-410A	20.1ml/rev	230V/60Hz/1PH	5970	20357	认证中
ATH356MV-C9LU	T3工况	R-410A	35.6ml/rev	220-240V/50Hz/1PH	8700	29667	认证中
ASH201MV-C7HUL	T3工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4960	16913	认证中
ASH218GN-C8LU	T1工况	R-410A	21.8ml/rev	208-230V/60Hz/1PH	6500	22165	认证中
ASH280DG-C8DU	T3工况	R-410A	28.0ml/rev	230V/60Hz/1PH	8260	28166	认证中
ASH232DG-C8DU	T3工况	R-410A	23.2ml/rev	230V/60Hz/1PH	6800	23188	认证中
ASH232UN-C7PU	T1工况	R-410A	23.2ml/rev	208-230V/60Hz/1PH	6800	23188	认证中
ASH197TV-C7HUL	T1工况	R-410A	19.7ml/rev	220-240V/50Hz/1PH	4720	16095	认证中
ASH184DG-C8LUL	T3工况	R-410A	18.4ml/rev	230V/60Hz/1PH	5430	18516	认证中
ASH255DG-C8DU	T3工况	R-410A	25.5ml/rev	230V/60Hz/1PH	7530	25677	认证中

Private Picture Copyright : WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源			备注
					W	BTU/h	
ASH232MV-C7HQ1	T3工况	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5580	19027	认证中
ASH218UN-C7AQ1	T1工况	R-410A	21.8ml/rev	208-230V/60Hz/1PH	6450	21994	认证中
ASH264MV-C8DQ	T3工况	R-410A	26.4ml/rev	220-240V/50Hz/1PH	6485	22113	认证中
ASH205DG-C8DUL	T3工况	R-410A	20.5ml/rev	230V/60Hz/1PH	6150	20971	认证中
ATH356UN-C9EU	T1工况	R-410A	35.6ml/rev	208-230V/60Hz/1PH	10500	35805	认证中
ASH295UV-C8DU	T1工况	R-410A	29.5ml/rev	220-240V/50Hz/1PH	7200	24552	认证中
ATH325MV-C9EU	T3工况	R-410A	32.5ml/rev	220-240V/50Hz/1PH	7860	26802	认证中
ATH420MV-C9EU	T3工况	R-410A	41.8ml/rev	220-240V/50Hz/1PH	10060	34304	认证中
ASH232MV-C7EU1	T3工况	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5580	19027	认证中
ASH244MV-C7HQ	T3工况	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5940	20255	认证中
ASH201RV-C8DQ	T1工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4770	16265	认证中
ASH286UV-C8DU	T1工况	R-410A	28.6ml/rev	220-240V/50Hz/1PH	6980	23801	认证中
ATH356MV-C9EUA	T3工况	R-410A	35.6ml/rev	220-240V/50Hz/1PH	8550	29155	认证中
ASH264MV-C8DU	T3工况	R-410A	26.4ml/rev	220-240V/50Hz/1PH	6485	22113	认证中
ASH255UV-C8DU	T1工况	R-410A	25.5ml/rev	220-240V/50Hz/1PH	6210	21176	认证中
ASH264DG-C8DU	T3工况	R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	认证中
ASH201DG-C8LU1L	T3工况	R-410A	20.1ml/rev	230V/60Hz/1PH	5970	20357	认证中
ASH187DG-C8LUL	T3工况	R-410A	18.7ml/rev	230V/60Hz/1PH	5480	18686	认证中
ATH290DG-C9EU	T3工况	R-410A	29.0ml/rev	230V/60Hz/1PH	8550	29155	认证中
ATH290TV-C8FU	T1工况	R-410A	29.0ml/rev	220-240V/50Hz/1PH	6950	23699	认证中

Private Picture Copyright : WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源			备注
					W	BTU/h	
WHP13500AEV-C9EQ	热泵工况	R-410A	41.8ml/rev	220V/50Hz/1PH	9890	33724	认证中
ATH265DG-C8FU	T3工况	R-410A	26.5ml/rev	230V/60Hz/1PH	7800	26598	认证中
ASH187TV-C7HQL	T1工况	R-410A	18.7ml/rev	220-240V/50Hz/1PH	4580	15617	认证中
ATH290MV-C8FU	T3工况	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7020	23938	认证中
ASH264DG-C8DQ	T3工况	R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	认证中
ASH232GV-C8DQ	T1工况	R-410A	23.2ml/rev	220-240V/50Hz/1PH	5625	19181	认证中
WHP06900AEV-C7HUL	热泵工况	R-410A	21.0ml/rev	220-240V/50Hz/1PH	4470	15242	认证中
WHP10100AEV-C9EQ	热泵工况	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7480	25506	认证中
ASH272UV-C8DU	T1工况	R-410A	27.2ml/rev	220-240V/50Hz/1PH	6900	23529	认证中
ATH345MV-C9EU	T3工况	R-410A	34.5ml/rev	220-240V/50Hz/1PH	8400	28644	认证中
ASH215DG-C8DU	T3工况	R-410A	21.5ml/rev	230V/60Hz/1PH	6400	21824	认证中
ASH264UV-C8DU	T1工况	R-410A	26.4ml/rev	220-240V/50Hz/1PH	6440	21960	认证中
ATH307RV-C8FU	T1工况	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7300	24893	认证中
ASH210MV-C7HQL	T3工况	R-410A	21.0ml/rev	220-240V/50Hz/1PH	5200	17732	认证中
ATH356UN-C9EU A	T1工况	R-410A	34.5ml/rev	208-230V/60Hz/1PH	10170	34679	认证中
ASH205DG-C7AQL	T3工况	R-410A	20.5ml/rev	230V/60Hz/1PH	6150	20971	认证中
ASH244UV-C8DU2	T1工况	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5945	20272	认证中
ASH187TV-C7HUL	T1工况	R-410A	18.7ml/rev	220-240V/50Hz/1PH	4580	15617	认证中
ATH410UG-C9EU	T1工况	R-410A	40.8ml/rev	220-230V/60Hz/1PH	11900	40579	认证中
ATH410UG3C9EU	T1工况	R-410A	40.8ml/rev	220-230V/60Hz/3PH	11900	40579	认证中
ASH255UX3C8DU	T1工况	R-410A	25.5ml/rev	220V /50-60Hz /3PH	6300	21483	认证中
ASH244UV-C8DU1	T1工况	R-410A	24.4ml/rev	220-240V/50Hz/1PH	5800	19778	认证中

Private Picture Copyright : WWW.MBSM.PRO

型号	用途	冷媒	排气量	电源	W	BTU/h	备注
ATH356SM3C9EUC	T3工况	R-410A	35.6ml/rev	380-415V/60Hz/3PH	10450	35634	认证中
ATH420SM3C9EUC	T3工况	R-410A	41.8ml/rev	380-415V/60Hz/3PH	12250	41772	认证中
ATH290MV-C8FUH	T3工况	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7020	23938	认证中
ASH201MV-C7HU1L	T3工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4875	16623	认证中
ATH290GV-C8FQ	T1工况	R-410A	29.0ml/rev	220-240V/50Hz/1PH	7060	24074	认证中
ASH210GV-C7HQL	T1工况	R-410A	21.0ml/rev	220-240V/50Hz/1PH	5200	17732	认证中
ASH197UV-C7HQL	T1工况	R-410A	19.7ml/rev	220-240V/50Hz/1PH	4770	16265	认证中
ASH232DN-C8EU	T3工况	R-410A	23.2ml/rev	208-230V/60Hz/1PH	6810	23222	认证中
ASH222DN-C8DU	T3工况	R-410A	22.2ml/rev	208-230V/60Hz/1PH	6515	22216	认证中
ASH264DG-C8DG	T3工况	R-410A	26.4ml/rev	230V/60Hz/1PH	7830	26700	认证中
ATH265MV-C8FQ	T3工况	R-410A	26.5ml/rev	220-240V/50Hz/1PH	6510	22199	认证中
ATH420UC-C9EU1	T3工况	R-410A	41.8ml/rev	380-415V/50Hz/3PH	9880	33690	认证中
ASH201GV-C7HUL	T1工况	R-410A	20.1ml/rev	220-240V/50Hz/1PH	4970	16947	认证中
ATH307UC3C9EU	T3工况	R-410A	30.7ml/rev	380-415V/50Hz/3PH	7400	25234	认证中
ATH307MV-C9EU	T3工况	R-410A	30.7ml/rev	220-240V/50Hz/1PH	7435	25353	认证中
ATH250DG-C9EU	T3工况	R-410A	25.0ml/rev	230V/60Hz/1PH	7400	25234	认证中
ASH184TV-C7HU1L	T1工况	R-410A	18.4ml/rev	220-240V/50Hz/1PH	4470	15242	认证中
WHP16000AEG3C9EQ	热泵工况	R-410A	41.8ml/rev	null	12100	41261	认证中
WHP16000AEM3C9EQ	热泵工况	R-410A	41.8ml/rev	380V/60Hz/3PH	12100	41261	认证中
ASH232DG-C8DQ	T3工况	R-410A	23.2ml/rev	230V/60Hz/1PH	6850	23358	认证中
ATH280DG-C9EU	T3工况	R-410A	28.0ml/rev	230V/60Hz/1PH	8100	27621	认证中

Private Picture Copyright : WWW.MBSM.PRO

Constant-Speed/R290 220V/240V 50Hz

Series	Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	PSH307CV-C7HU	30.7	4566	15579	3.22	60/450	307.8	ASHRAE/T
	PSH307HV-C8DU	30.7	4565	15576	3.45	45/450	307.8	ASHRAE/T

Constant-Speed/Middle East/R22 230V 60Hz

Series	Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	SH264DG*2	26.4	5550	18937	3.2	40/450	288.4	ASHRAE/T
	SH307DG*1	30.7	6580	22451	3.22	55/450	307.8	ASHRAE/T
	SH325DG	32.5	6860	23406	3.22	55/450	307.8	ASHRAE/T
	SH356DG-3	35.6	7450	25419	3.24	50/450	317.8	ASHRAE/T

Private Picture Copyright : WWW.MBSM.PRO

Constant-Speed/India/R22/Tropical 230V 50Hz

Series	Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	SH307MV*1	30.7	5250	17913	3.2	45/450	293.4	ASHRAE/T
	SH336MV-1	33.6	5750	19619	3.18	55/450	307.8	ASHRAE/T
	SH356MVM	35.6	6130	20916	3.11	50/450	307.8	ASHRAE/T
	SH417MV-1	41.7	7170	24464	3.17	65/450	330.9	ASHRAE/T

Constant-Speed/R32 220V/240V 50Hz

Series	Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm) Test condition	Test condition
H	GSH190TV	19.0	4954	16903	3.00	40/450	293.5	ASHRAE/T
	GSH2325V	23.2	5896	20117	2.91	60/400	298.5	ASHRAE/T

Private Picture Copyright : WWW.MBSM.PRO**Constant-Speed/India/R22 230V 50Hz**

Series	Model	Displacement (cc/rev)	Cooling capacity (w)	Cooling capacity (btu/h)	Cop	Capacitor (Hf/v)	Height (mm)	Test condition
H	SH286RY-C7PU1A	28.6	4900	16719	3.27	45/450	307.8	ASHRAE/T
	SH295RY-C7PUA	29.5	5060	17265	3.24	35/450	293.4	ASHRAE/T
	SH295RY-C7PU1A	29.5	5035	17179	3.25	45/450	307.8	ASHRAE/T
	SH307RY-C8DUA	30.7	5250	17913	3.26	45/450	307.8	ASHRAE/T
	SH370RY-C8LU	37	6400	21837	3.25	65/450	320.9	ASHRAE/T
	SH380RY-C8DU	38	6555	22366	3.24	50/450	320.9	ASHRAE/T
	SH417RY-C8DU	41.7	7160	24430	3.21	45/450	330.9	ASHRAE/T
	SH280UY-C7HUA	28	4810	16412	16412	45/450	307.8	ASHRAE/T
	SH286UY-C7PUA	28.6	4930	16821	3.36	45/450	307.8	ASHRAE/T
	SH300UY-C7HUA	30	5100	17401	3.36	45/450	307.8	ASHRAE/T
	SH370UY-C8LU	37	6400	21837	3.3	60/450	330.9	ASHRAE/T

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_ATH420MV-C9ETélécharger

Mbsm_dot_pro_private_PDF_ATH420MVTélécharger