

Mbsm.pro, Compressor, KONOR, GQR90AA, R134a, 220-240V 50Hz, 10,1kg, 1/4 ++ HP, Hbp, 1/3 – hp, 220W, cake showcase, 155 L, ROYAL1306C1144, R134a, 270 g, 3.97 A, 548 w, 220 50 hz, 1 ph

Category: compressor

written by Lilianne | 25 March 2022




Private Picture Copyright: WWW.MBSM.PRO

- Alimentation 230 V 50 Hz
- Puissance 1/4 HP
- Fréon R134a
- Poids 10,1 kg
- Cylindrée 9,1 cm³
- Système de moteur RSIR
- Hauteur 186 mm

Model	Displacement	Height	Motor	Type	Cooling capacity	COP	Power Supply
	cm ³	MM			W	W/W	V/Hz
GQR90TG	9.1	186	CSIR		830	2.24	200-220/50
186	CSIR	920	2.24		220-230/60		





CAUTION!
DISCONNECT FROM
POWER SUPPLY BEFORE
CLEANING

CLEAN CONDENSER
AT LEAST MONTHLY


SCHNIZER Cake Showcase
CE MEPS
Model: 5763
Voltage 220-240V, 50Hz
Power input 548W
Capacity 155Ltrs
Refrigerant charge R134a 270g
Climatic class: N
Weight: 115kg
Serial No: ROYAL1306C 1144
Tasharukiat Almoheet Company
Current: 3.97A
Rated input of lamps 2'30W
Temp: 2-8°C
The insulation blowing gas Polyetherpoly
Dimensions: 120x54x79 cm
MADE IN PRC

16

LIGHT HEAT POWER



Private Picture Copyright: WWW.MBSM.PRO



CAUTION!
 DISCONNECT FROM
 POWER SUPPLY BEFORE
 CLEANING

CLEAN CONDENSER
 AT LEAST MONTHLY

S SCHNIZER Cake Showcase

Model: 5783
 Voltage: 220-240V 50Hz
 Power input: 548W
 Capacity: 155Ltrs
 Refrigerant/charge: R134a 270g
 Climatic class: N
 Weight: 115kg
 Serial No: ROYAL1306C 1144
 Tasharukiat Almohet Company

Current: 3.97A
 Rated input of lamps 2*30W
 Temp. 2-8°C
 The insulation blowing gas: Polyetherpoly
 Dimensions: 120x54x79 cm

MADE IN PRC