

Mbsm.pro, Compressor, DAEW00 Compressor, Zed7003-9009H, NW108LHG4, R-134a, 1/2HP, 230V, Lbp, Single- Phase, Lra 11.7, 391 W, 336 Kcal/h, 1333 BTU/h, CSIR

Category: Archivation,compressor
written by Lilianne | 6 April 2022



Private Picture Copyright : WWW.MBSM.PRO

R134a 220V 60Hz

Mbsm.pro, Compressor, DAEW00 Compressor, Zed7003-9009H, NW108LHG4, R-134a,
1/2HP, 230V, Lbp, Single-Phase, Lra 11.7, 391 W, 336 Kcal/h, 1333 BTU/h, CSIR

Model	Cooling Capacity			Efficiency			Motor Type	Cooling Type	Net Weight [kg]	Oil Qty [cc]
	Kcal/h	Watt	Btu/h	EFF Kcal/Wh	COP W/W	EER Btu/Wh				
DM10LHS4	37	43	147	0.69	0.80	2.73	RSIR	ST	3.6	100
DM15LHS4	49	57	194	0.82	0.95	3.24	RSIR	ST	3.6	100
DM20LHS4	55	64	218	0.89	1.03	3.51	RSIR	ST	3.6	100
DM24LHS4	67	78	266	0.93	1.08	3.68	RSIR	ST	3.7	100
DM30LHS4	76	88	300	0.89	1.03	3.51	RSIR	ST	3.9	100
WX24LHP4T	52	60	206	0.73	0.85	2.91	RSCR	ST	5.9	180
WX24LHP4T-K	52	60	206	0.61	0.71	2.43	RSCR	ST	5.9	180
WX24LHS4T	52	60	206	0.75	0.88	2.99	RSIR	ST	5.9	180

WX24LHS4T-K	52	60	206	0.57	0.66	2.24	RSIR	ST	5.9	180
WX24LHS4W	52	60	206	0.80	0.93	3.17	RSIR	ST	5.9	180
WX24LHP4W	52	60	206	0.84	0.98	3.33	RSCR	ST	5.9	180
WX24LHS4W-K	52	60	206	0.67	0.78	2.66	RSIR	ST	5.9	180
WX24LHP4W-K	52	60	206	0.63	0.74	2.52	RSCR	ST	5.9	180
WX24LHT4W-K	52	60	206	0.62	0.72	2.46	RSIR	ST	5.9	180
WX24HHS4W	226	263	897	1.50	1.75	5.96	RSIR	ST	5.9	180
WX30LHS4T	72	84	286	0.76	0.88	3.01	RSIR	ST	5.9	180
WX30LHS4W-K	72	84	286	0.78	0.90	3.08	RSIR	ST	5.9	180
WX30LHP4W-K	72	84	286	0.80	0.93	3.17	RSCR	ST	5.9	180
WX30HHS4W	272	316	1079	1.45	1.69	5.77	RSIR	ST	5.9	180
WX35LHS4W	81	94	321	0.77	0.90	3.06	RSIR	ST	6.3	180
WX35HHS4W	320	372	1270	1.54	1.79	6.11	RSIR	ST	6.3	180
JX41LHP4	107	124	425	1.03	1.2	4.08	RSCR	ST/FC	7.6	230
JX41LHP4-K	107	124	425	1.03	1.20	4.08	RSCR	ST/FC	7.9	230
JX41LHS4	107	124	425	0.96	1.11	3.79	RSIR	ST/FC	7.6	230
JX46LHP4	130	151	516	1.18	1.37	4.69	RSCR	ST/FC	8	230
JX46LHP4-K	130	151	516	1.11	1.29	4.39	RSCR	ST/FC	8	230
JX46LHS4	130	151	516	1.05	1.22	4.16	RSIR	ST/FC	8	230
JX46LHT4	130	151	516	1.15	1.34	4.57	RSIR	ST/FC	8	230
JX55LHP4	164	191	651	1.14	1.32	4.52	RSCR	ST/FC	8.2	230
JX46HHS4	455	529	1806	1.91	2.22	7.59	RSIR	ST/FC	8	230
JX51LHP4	148	172	587	1.21	1.41	4.81	RSCR	ST/FC	8.2	230
JX51LHS4	148	172	587	1.09	1.27	4.32	RSIR	ST/FC	8.2	230
JX58LHK4	170	198	675	1.06	1.23	4.19	CSIR	ST/FC	8.2	230
JX58LHP4	170	198	675	1.12	1.30	4.44	RSCR	ST/FC	8.2	230
JX58LHS4	170	198	675	1.13	1.32	4.50	RSIR	ST/FC	8.2	230
JX58LHP4-K	170	198	675	1.09	1.27	4.32	RSCR	ST/FC	8.2	230
GD53LHP4	165	192	655	1.51	1.75	5.97	RSCR	ST	8.9	150
GD53LHP4-K	165	192	655	1.44	1.68	5.73	RSCR	ST	8.4	150
GD53LHP4-L	165	192	655	1.42	1.65	5.63	RSCR	ST	8.4	150
GD57LHP4	178	207	706	1.51	1.75	5.97	RSCR	ST	8.9	150
GD57LHP4-K	178	207	706	1.44	1.68	5.73	RSCR	ST	8.4	150
GD57LHP4-L	178	207	706	1.42	1.65	5.63	RSCR	ST	8.4	150
GD63LHP4	200	233	794	1.51	1.75	5.97	RSCR	ST	8.9	150
GD63LHP4-K	200	233	794	1.44	1.68	5.73	RSCR	ST	8.4	150
GD63LHP4-L	200	233	794	1.42	1.65	5.63	RSCR	ST	8.9	150
GD69LHP4	218	254	865	1.51	1.75	5.97	RSCR	ST	8.9	150
GD69LHP4-K	218	254	865	1.44	1.68	5.73	RSCR	ST	8.4	150
GD69LHP4-L	218	254	865	1.42	1.65	5.73	RSCR	ST	8.4	150
HSL21YE-4	180	209	714	0.98	1.14	3.88	RSIR	ST/OC/FC	9	290
HPL21YE-4	180	209	714	1.08	1.26	4.30	RSCR	ST/OC/FC	9	290
HKL23YE-4	196	228	778	1.03	1.2	4.09	CSIR	ST/OC/FC	9.3	290
HPL25YE-4	214	249	849	1.11	1.30	4.42	RSCR	ST/OC/FC	9.3	290
HKL25YE-4	214	249	849	1.05	1.22	4.16	CSIR	ST/OC/FC	9.5	290
HSL25YE-4	214	249	849	1.08	1.26	4.29	RSIR	ST/OC/FC	9.5	290
HDH25YE-4	750	872	2976	2.04	2.38	8.11	CSR	ST/OC/FC	9.5	290
HSH28YE-4	820	954	3254	1.77	2.06	7.01	RSIR	ST/OC/FC	9.5	290
HKL27YE-4	236	274	937	1.02	1.18	4.04	CSIR	ST/OC/FC	9.5	290
HDL27YE-4-K	236	274	937	1.00	1.16	3.97	CSIR	ST/OC/FC	9.5	290
HKL27YE-4-K	236	274	937	1.02	1.19	4.05	CSIR	ST/OC/FC	9.5	290
HKL27YE-4-KD	236	274	937	0.91	1.06	3.63	CSIR	ST/OC/FC	9.5	290
HPL27YE-4	236	274	937	1.03	1.20	4.09	CSIR	ST/OC/FC	9.5	290
HKL30YE-4	266	309	1056	1.03	1.20	4.09	RSCR	ST/OC/FC	9.5	290
HGH30YE-4	951	1106	3774	1.77	2.05	7.01	CSIR	ST/OC/FC	9.5	290
HKH30YE-4	951	1106	3774	1.75	2.04	6.94	CSIR	ST/OC/FC	9.5	290
NW52LHP4-L	153	178	607	1.33	1.55	5.28	RSCR	FC	8.7	230
NW52LHP4	153	178	607	1.38	1.6	5.47	RSCR	ST/FC	10.1	230

NW60LHP4	181	211	718	1.44	1.68	5.72	RSCR	FC	9.6	230
NW60LHP4-L	181	211	718	1.34	1.56	5.34	RSCR	FC	9.6	230
NW60HHP4-L	624	726	2476	2.20	2.56	8.74	RSCR	FC	9.6	230
NW70LHP4	214	249	849	1.48	1.72	5.85	RSCR	FC	9.6	230
NW70LHP4-L	214	249	849	1.36	1.59	5.41	RSCR	FC	9.6	230
NW80LHP4	249	290	988	1.38	1.6	5.46	RSCR	FC	9.6	230
NW80LHP4-L	249	290	988	1.30	1.52	5.17	RSCR	FC	9.6	230
NW80LHP4Z-L	249	290	988	1.28	1.49	5.09	RSCR	FC	9.6	230
HKL30YE-4	266	309	1056	1.03	1.20	4.09	RSCR	ST/OC/FC	9.5	290
NW99LHP4	308	358	1222	1.42	1.66	5.65	RSCR	FC	9.6	230
NW99LHP4-L	308	358	1222	1.42	1.66	5.65	RSCR	FC	9.6	230
NW108LHG4	336	391	1333	1.28	1.49	5.09	CSIR	FC	10.1	230
NW108HHK4	1156	1344	4587	2.04	2.38	8.10	CSIR	FC	10.1	230



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_NW108LHG4Télécharger