

Mbsm.pro, Compressor, Tecumseh,  
AEZ4440Z, 1/3 hp ++, BIG++, HBP,  
R404A, 220 – 240V, 50 Hz, 1 phase,  
discharge: 6.69 cm<sup>3</sup>, oil type: POE,  
oil charge: 280 cm<sup>3</sup>, CSIR, 876 W,  
start capacitor: 125 uF/250V

Category: Archivation,compressor  
written by Lilianne | 7 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor Tecumseh L` Unite AEZ4440Z, HBP – R404A, 220 – 240V, 50 Hz, 1 phase,  
discharge: 6.69 cm<sup>3</sup>, oil type: POE, oil charge: 280 cm<sup>3</sup>, electrical equipment:  
CSIR, cooling power 876 W at +5 / +50 °C, connection: suction: 3/8 inch,  
discharge: 1/4 inch, sound level: 59 dBA, start capacitor: 125 uF/250V,

expansion device: capillary or expansion valve, height: 206 mm, weight: 11.3 kg

---

Refrigerant:	R404A
Power range(W):	301 – 400 W 701 – 1000 W
Connecting size:	1/4"
Suction:	3/8"
Working area:	HBP
Application Area:	Cooling
Design type:	Hermetic
Model series:	AE
Use with:	Expansion/Capillary
Power supply:	230 V
Oil type:	POE
Engine type:	CSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,30 Kg
Dimensions ( height ):	20,60 cm
customs tariff number:	84143081
Cooling capacity condition:	EN12900, NK, R404, T0 -10 C
Manufacturer:	Tecumseh L` Unite
Model:	AEZ4440Z
Stroke volume (cm3):	6,69
Performance condition:	+5 / +50 °C
Power (W):	876
Cooling capacity (W):	341
Engine type:	CSIR
dbA @ 1m:	59
Equipment:	Start-Capacitor 125 uF / 250V
Oil quantity (l):	0,28
Compressor type:	Piston
Suction (inch):	3/8
Discharge (inch):	1/4
Alternative:	AEZ4440Z, AEZ3440Z, AE9440Z



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_aez4440zTélécharger