

Mbsm.pro, LG, NS30LAEG, 1/10 hp, Small Fridge/freezer, mini bar, Compressor, 1ph, 220-240v, 70 w, R134a

Category: compressor

written by Lilianne | 9 May 2022



ate Picture Copyright : WWW.MBSM.PRO

Model	Capacity	Input	Power	COP	Motor	type	N.W	Packing
W	BTU/H	W	W/W	KGS			pcs/pallet	
NS30LAEG	63	214	84	0.78	RSIR,	PTC	6.4	125
NS36LAEG	77	262	89	0.86	RSIR,	PTC	6.4	125
MSA43LBEG	116	396	106	1.11	RSIR,	PTC	6.3	125
MA53LAEG	142	484	106	1.34	RSIR,	PTC	7.9	80
MA57LBEG	160	548	119	1.35	RSIR,	PTC	8.4	80
MA62LCEG	174	596	127	1.38	RSIR,	PTC	9.1	80

MA69LCEG	200	683	148	1.35	RSIR, PTC	9.0	80
MA98LAEM	279	953	183	1.52	RSCR, PTC	9.6	80

LG give you the worldwide product leadership with the best performance and best quality. All the LG compressor's high -technology and quality is for customer's competitiveness in the global market.

Belows are the products' features for series products:

NS/NSA SERIES

-Application

Small size refrigerator /Freezer

Water dispenser

-Characteristics

1. Scotch-yoke
2. Compact size
3. Hi-reliability
4. Low nosie & vibration

MA/MB/MC/ME/TCM/MQ SERIES

-Application

Medium size refrigerator / Freezer

-Characteristics

1. Con-rod
2. Hi-efficiency
3. Low nosie & vibration

MSA/MSB SERIES

-Application

Small and medium size refrigerator / Freezer

Water dispenser

-Characteristics

1. Scotch-yoke or con-rod
2. Compact size
3. Hi-reliability
4. Low nosie & vibration



ate Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

R134a 220V~240V / 50Hz LBP HERMETIC COMPRESSOR FOR REFRIGERATOR

Part No.	Application	Series	Dis cc	Cooling Capacity			Power (w)	COP (w/w)	EER (Btu/w.h)
				(kcal/hr)	(w/he)	(Btu/hr)			
NS24LAEG	LBP	NS	2.4	38	44	151	76	0.58	1.99
NS24LBEG	LBP	NS	2.4	36	42	143	64	0.65	2.23
NS30LAEG	LBP	NS	3.0	54	63	214	84	0.78	2.65
NS36LAEG	LBP	NS	3.6	66	77	262	89	0.86	2.94
MSA30LAEG	LBP	MSA	3.0	67	78	266	80	0.97	3.30
MSA43LBEG	LBP	MSA	4.3	100	116	397	106	1.11	3.78
MSA43LAEM	LBP	MSA	4.3	100	116	397	94	1.23	4.20
MA98LAEM	LBP	MA	9.8	240	279	953	183	1.52	5.20
MA53LHEM	LBP	MA	5.3	129	150	512	106	1.42	4.83
MA57LHEM	LBP	MA	5.7	138	160	548	113	1.42	4.85
MA62LHEM	LBP	MA	6.2	150	174	596	137	1.27	4.35
MA69LHEM	LBP	MA	6.9	172	200	683	146	1.38	4.70

Private Picture Copyright : WWW.MBSM.PRO

R134a 220V~240V / 50Hz

LBP HERMETIC COMPRESSOR FOR REFRIGERATOR

Part No.	Application	Series	Dis cc	Cooling Capacity			Power (w)	COP (w/w)	EER (Btu/w.h)
				(kcal/hr)	(w/he)	(Btu/hr)			
NS24LAEG	LBP	NS	2.4	38	44	151	76	0.58	1.99
NS24LBEG	LBP	NS	2.4	36	42	143	64	0.65	2.23
NS30LAEG	LBP	NS	3.0	54	63	214	84	0.78	2.65
NS36LAEG	LBP	NS	3.6	66	77	262	89	0.86	2.94
MSA30LAEG	LBP	MSA	3.0	67	78	266	80	0.97	3.30
MSA43LBEG	LBP	MSA	4.3	100	116	397	106	1.11	3.78
MSA43LAEM	LBP	MSA	4.3	100	116	397	94	1.23	4.20
MA98LAEM	LBP	MA	9.8	240	279	953	183	1.52	5.20
MA53LHEM	LBP	MA	5.3	129	150	512	106	1.42	4.83
MA57LHEM	LBP	MA	5.7	138	160	548	113	1.42	4.85
MA62LHEM	LBP	MA	6.2	150	174	596	137	1.27	4.35
MA69LHEM	LBP	MA	6.9	172	200	683	146	1.38	4.70

Private Picture Copyright : WWW.MBSM.PRO