

Mbsm.pro, compressor, Secop, GTK55AT, 170W, R134, LBP, 1/5 HP, RSIR, 579 BTU

Category: compressor

written by Lilianne | 22 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Technical Features

BRAND	SECOP
COMPRESSOR TYPE	HERMETIC RECIPROCATING

APPLICATION	LBP (-23,3°C / +54,4°C)
POWER SUPPLY	200-240V/50HZ 1~
REFRIGERANT	R134A
FREQUENCY (HZ)	50
OIL TYPE	POLYOLESTER
OIL VISCOSITY	15CST
OIL QUANTITY	156CM ³ / 5,3FL.OZ
FREE GAS VOLUME COMP.	1560CM ³ / 52,7FL.OZ
WEIGHT	8,2KG / 18,1LBS
MOTOR PROTECTION	EXTERNAL
WINDING RESISTANCE MAIN	16Ω (AT 25°C)
WINDING RESISTANCE AUX	23Ω (AT 25°C)
MAX. WINDING TEMP	130°C / 266°F
MAX. DISCHARGE TEMP	130°C / 266°F
DISPLACEMENT	5,6CM ³ / 0,34CU.IN
COMPRESSORS ON PALLET	100

Mbsm_dot_pro_private_PDFMbsm_dot_pro_private_PDF_gtk55at_cdo00153_r134a_200v_50h
z_11-2019_dsTélécharger



Private Picture Copyright : WWW.MBSM.PRO