


# Mbsm.pro, 3HP, Panasonic, Compressor, Air Conditioner, 2js438d3fe02, j43ex, 18000BTU, 2 ton, 3hp, r22, Malaysia Panasonic

Category: compressor


written by Lilianne | 2 September 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Product Description

Pananasonic/Matsushita compressor, Panasonic air conditioner parts, Panasonic rotary compressor 2JS438D3FE02



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

**Product details**

MODEL	PERFORMANCE			TINPUT KW	CURRENT A	COP W/W	CAPACITY cm3/r
	TESTING POWER SOURCE	NOMINAL CAPACITY KW	BTU/H				
JT170GA -Y1	380V/50Hz	15.6	53200	4.59	8.1	3.4	84
JT125GABTAL	220V/60Hz	13.9	47400	4.09	12	3.4	63.2
JT160GABTAL	220V/60Hz	17.4	59400	5.12	15.2	3.4	79.2
JT170GABTAL	220V/60Hz	18.6	63500	5.47	16.1	3.4	84
JT90GABY1L	380V/50Hz	8.41	28700	2.47	4.36	3.4	45.8
JT95GABY1L	380V/50Hz	9.07	30900	2.67	4.62	3.4	49.4
JT125GABY1L	380V/50Hz	11.7	39900	3.44	6	3.4	63.2

Moel	Capacity W	Input power W	COP	Power source BTU/H W	Capacitance	Refregerant	Dia(C) Angle				
							mm(A)	height mm(A)	mm Ø		
Domestic/Europe	2V32S225AUA	5380	18630	1700	3.165	220V/50HZ	60UF/370V	R22	249	327	φ75 V/70°
	2V34S225AUA	5820	19860	1880	3.096	220V/240V/50HZ	50UF/370V	R22	249	327	φ75 V/70°
	2V36S225AUA	6100	20815	1970	3.096	220V/50HZ	50UF/370V	R22	249	297	φ75 V/70°
	2V36S225BUA	6140	20950	1980	3.101	220V/240V/50HZ	50UF/400V	R22	249	327	φ75 V/70°
	2V38S225AUA	6615	22530	2070	3.196	220V/50HZ	60UF/370V	R22	274	355	φ90 V/70°
	2V40S225AUA	6940	23200	2160	3.213	220V/50HZ	60UF/370V	R22	274	355	φ90 V/70°
	2V42S225AUA	7200	24565	2340	3.077	220V/50HZ	50UF/370V	R22	274	355	φ90 V/70°
	2V5356W2AA04	7280	24840	2435	2.99	3PH/380V/50HZ	-	R22	277	379	L TUBE V/90°
Tropical(T3)	2V36S225CUA	6375	21750	2020	3.156	200V/240V/50HZ	50UF/370V	R22	254	350	φ90 V/70°
	2V34***	7100	24225			200V/60HZ	50UF/370V	R22			
	2V36***	6100	20815			220V/240V/50HZ	50UF/370V	R22			

	7500	25590	220V/60HZ	50UF/370V	R22
2V42***	7200	24565	220V/240V/50HZ	50UF/370V	R22

1) R22, 220V-240V / 380V ~ 50HZ

Model	Capacity	Capacitor	Voltage	gas	pallet
W	BTU/H				
2R11B225ASE	1745	5954	12.5UF/460v	220V-240V	50HZ R22 64
2P14S225ANE	2220	7575	30uf/370v	220V-240V	50HZ R22 60
2P17S225ANQ	2770	9451	30uf/370v	220V-240V	50HZ R22 60
2P20C225BNG	3245	11072	30uf/400v	220V-240V	50HZ R22 50
2K22S225BUA	3835	13085	35uf/370v	220V-240V	50HZ R22 50
2K25S225BUA	4245	14475	40uf/370v	220V-240V	50HZ R22 50
2K28C225DUA	4665	15900	45uf/370v	220V-240V	50HZ R22 40
2V32S225AUA	5410	18459	60uf/370v	220V-240V	50HZ R22 40
2V34S225AUA	5810	19824	60uf/400v	220V-240V	50HZ R22 40
2V36S225BUA	6140	20950	50uf/400v	220V-240V	50HZ R22 40
2V42S225AUA	7200	24566	50uf/370v	220V-240V	50HZ R22 40
2V44W385AUA	7670	26154	60uf/370v	380V 50HZ	R22 40
2V47W385AUA	8235	28098	60uf/400v	380V 50HZ	R22 40

2) R22, 220V / 115V~ 60HZ

Model	HP	Capacity(btu)	Voltage/Refrigerant	pallet
2R11S3R236A6A	0.75HP	7200	R22 220V~60HZ	60
2P14S3R236A1A	1HP	9200	R22 220V~60HZ	50
2P19S3R236A1A	1.5HP	12700	R22 220V~60HZ	50
2P20S236A1G	1.5HP	13400	R22 220V~60HZ	50
2K25S236AHA	2HP	17900	R22 220V~60HZ	50
2K28C226AUC(T3)	Big 2HP	20700	R22 220V~60HZ	40
2V34S236AUA	2.5HP	24900	R22 220V~60HZ	40
2P14S126B1L	1HP	9200	R22 115V~60HZ	60
2P19S126B1F	1.5HP	12700	R22 115V~60HZ	50