

Mbsm.pro, Compressor, Cubigel,
MP12FB, MPT12LA, SC12CL, 3/8 hp,
R404A / R507, 1bp

Category: compressor

written by Lilianne | 12 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Compressor coolant R404a/R507 type MP12FB 220-240V 50Hz refrigeration 12kg 3/8HP power input 431W

Compressor ACC Cubigel Huayi Electrolux ZEM MP12FB / MPT12LA, LBP – R404A, R507, 220 – 240V/1/50Hz, 3/8 HP, discharge 12.05 cm³, motor type CSIR, oil type ISO VG 46 ester, oil charge 400 cm³, 351 W at -25 / +55 °, input power, current 429 W, 2.67 A, expansion device: capillar or valve, cooling: fan, weight 12 kg

MP12FB Cubigel Compressor 3/8 Hp

3/8 HP R404 LBP Compressor

- Height: 216 mm
- Width: 240 mm
- Depth: 170 mm
- Weight: 13.2 Kg
- Weight: 13.2 kg
- Application: R404A LBP
- Displacement 12 cc
- Suction Connector 3/8
- Discharge Connector 1/4
- Capacitor 47-56 mfd
- Displacement : 12 cc

MP12FB 040317

 **MP12FB** THERMALLY PROTECTED
R404A 220-240V~50Hz PH1
R507  
 03312
9002649681000137 *

Zulässiger
Betriebsüberdruck
Saugseite: 17 bar.
Druckseite: 43 bar.
Permissible excess
pressure
Suction side: 17 bar.
Pressure side: 43 bar.