

# Mbsm.pro, Compressor, GL60AA, GL60AB, GL50AA, GL50AB, AZ107Y, AZ90, YGVM44AA, GLY45AA, GLY45AA, TLS5F, 1/6 hp, 1bp

Category: compressor

written by Jamila | 27 November 2022



Private Picture Copyright : WWW.MBSM.PRO

1/12	160	120	90	GD30AB GD30AA GD36AB	OF805H OF708 OF709H	
1/10	200	160	120	GL35AA GD40AA GD40AB		
1/8	220	240	200	GL45AA GL45AB GL48AA GL48AB	VD143QLIU2	OF709H OF709 SB43C90 SB48C10 SB51C SB48
1/6	400	325	270	GL60AA GL60AB GL50AA GL50AB	VD152QLIU2	OF1033A OF1033H SB51C10D66C
1/5	500	470	350	GL80AA GL80AB GL70AA GL75AB	VD162QLIU2	D66C13 D77C15 DA66A4
1/4	600	480	400	GL90AA GL90AB GL90AA GL90AB GL90AB GL90AD GL90AL	SK179QLIU	D91C18 D77 DA77

Private Picture Copyright : WWW.MBSM.PRO

T



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor ACC Cubigel Huayi Electrolux ZEM GL50AA / GVM44AA > new model GLY45AA

---

Refrigerant:  
R134a  
Power range(W):  
0 – 100 W  
Connecting size:  
5,9 mm  
Suction:  
7,5 mm  
Working area:  
LBP  
Design type:  
Hermetic  
Model series:  
GL  
Use with:  
Capillary  
Power range(HP):  
0-2  
Power supply:  
230 V  
Temperature range:  
-35 to -10  
Oil type:  
ISO VG 22 Ester  
Engine type:  
RSIR  
Article condition:  
New  
Info:  
Oil filled  
Shipping weight:  
8,50 kg

Dimensions ( Length × Width × Height ):  
20,40 × 16,20 × 17,50 cm  
Cooling capacity condition:  
-25 / +55 °C  
customs tariff number:  
84143081  
Manufacturer:  
ACC Cubigel Huayi Electrolux ZEM  
Size:  
7.5 + 5.9 mm  
Model:  
GL50AA  
Modelname:  
Stroke volume (cm<sup>3</sup>):  
3,38  
Cooling capacity (W):  
90  
Power (HP):  
0,15  
Max. Starting current (A):  
8,1  
Max. Operating current (A):  
0,72  
Engine type:  
RSIR  
COP:  
0,83  
Note:  
Static cooling  
Oil quantity (l):  
0,21  
Compressor type:  
Piston  
Alternative:  
GLY45AA, TLS5F  
Pressure line (mm):  
5,9  
Suction line (mm):  
7,5