

# Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, 1bp

Category: compressor

written by Lilianne | 23 January 2024

Condor

 **L88CY1**  
220-240V~50Hz 1PH  
THERMALLY PROTECTED

RoHS     K0000  
Warning Risk of fire

<http://www.donper.com>



220320003580102311

R600a Series

Refrige-rant	Applica-tion	Model	Series	Power	Cooling	Motor type	Power supply	Cooling capacity		COP W/W	
								*ASHRAE -23.3	*CECOMAF -25	*ASHRAE -23.3	*CECOMAF -25
R600a	LBP	W40CY	W	1/14	S	RSIR	220/50	55	43	0.9	0.75
R600a	LBP	S53CY	S	1/10	S	RSIR	220/50	75	57	1.2	0.95
R600a	LBP	S65CY	S	1/8	S	RSIR	220/50	95	72	1.2	0.95
R600a	LBP	S75CY	S	1/7	S	RSIR	220/50	118	86	1.2	0.95
R600a	LBP	SK53CY	S	1/10	S	RSCR	220/50	75	57	1.3	1.03
R600a	LBP	L76CY	L	1/6	S	RSIR	220/50	132	100	1.36	1.07
R600a	LBP	L88CY	L	1/5	S	RSIR	220/50	153	116	1.36	1.07
R600a	LBP	QD60AY	N	1/7	S	RSIR	100/60	125	95	1.35	1.07
R600a	LBP	QD76Y	N	1/6	S	RSIR	220/50	132	100	1.36	1.07
R600a	LBP	QD88Y	N	1/5	S	RSIR	220/50	153	116	1.36	1.07
R600a	LBP	QD100Y	N	1/5+	S	RSIR	220/50	170	129	1.38	1.09
R600a	LBP	QD123Y	N	1/4	S	RSIR	220/50	187	142	1.38	1.09
R600a	LBP	LK88CY	L	1/5+	S	RSCR	220/50	160	122	1.58	1.25
R600a	LBP	QD100YG	N	1/4+	S	RSCR	220/50	180	137	1.58	1.25
R600a	LBP	QD135YG	N	1/4+	S	RSCR	220/50	215	163	1.58	1.23
R600a	LBP	QD153YG	N	1/4+	S	RSCR	220/50	246	184	1.58	1.23
R600a	LBP	LU68CY	L	1/7	S	RSCR	220/50	120	91	1.56	1.22
R600a	LBP	QD68YU	N	1/7	S	RSCR	220/50	120	91	1.56	1.22
R600a	LBP	QD76YU	N	1/6	S	RSCR	220/50	140	106	1.65	1.3
R600a	LBP	QD88YU	N	1/5	S	RSCR	220/50	160	122	1.68	1.33
R600a	LBP	QD100YU	N	1/4	S	RSCR	220/50	180	137	1.7	1.34
R600a	LBP	QD123YU	N	1/4	S	RSCR	220/50	196	150	1.68	1.3
R600a	LBP	QD135YU	N	1/4+	S	RSCR	220/50	220	168	1.68	1.3
R600a	LBP	QD153YU	N	1/4+	S	RSCR	220/50	248	189	1.65	1.28
R600a	LBP	QD68YZ	N	1/6	S	RSCR	220/50	120	91	1.8	1.42
R600a	LBP	QD76YZ	N	1/6	S	RSCR	220/50	140	106	1.8	1.42
R600a	LBP	QD88YZ	N	1/5+	S	RSCR	220/50	165	125	1.8	1.42
R600a	LBP	QD100YZ	N	1/4+	S	RSCR	220/50	185	141	1.8	1.42
R600a	LBP	QD135YZ	N	1/3-	S	RSCR	220/50	220	168	1.8	1.42
R600a	LBP	QD60YT	N	1/8	S	ESCR	220/50	106	81	1.88	1.48
R600a	LBP	QD68YT	N	1/7	S	ESCR	220/50	126	96	1.9	1.5
R600a	LBP	QD76YT	N	1/6	S	ESCR	220/50	146	111	1.94	1.53
R600a	LBP	LU68PY	L	1/7	S	BLDC	220/50	120	91	1.65	1.3
R600a	LBP	LU68PY	L	1/5	S	BLDC	220/50	160	122	1.65	1.3

Condor

 **L88CY1**   
220-240V~50Hz 1PH  
THERMALLY PROTECTED       
<http://www.donper.com>  
  
220320003580102311

220-240V, 50Hz, 1Ph			
Model	Qiangjiang Model	Capacity	Refrigerant
D25DZ1	~	55W	R134a
S43CZ1	QD45H	106W	R134a
S50CZ1	QD52H	120W	R134a
L58CZ1	QD65H	145W	R134a
L65CZ1	QD75H	170W	R134a
L72CZ1	QD85H	195W	R134a
L76CZ1	QD91H	215W	R134a
K230CZ1	QD110H	230W	R134a
K270CZ1	QD128H	270W	R134a
K325CZ1	QD142H	325W	R134a
K375CZ1	QD168H	375W	R134a
K390DZ1	QD180H	390W	R134a
Model	Qiangjiang Model	Capacity	Refrigerant
S65CY1	QD65Y	95W	R600a
S75CY1	QD75Y	120W	R600a
S80CY1	QD85Y	140W	R600a
S96CY1	QD91Y	155W	R600a
H170CY1	QD103Y	170W	R600a
L118CY1	QD110Y	193W	R600a
L126CY1	QD128Y	212W	R600a
L140CY1	QD142Y	235W	R600a
K270CY1	QD153Y	270W	R600a
D40CY1	QD40Y	50W	R600a
D53CY1	QD55Y	80W	R600a
D65CY1	QD65Y	95W	R600a
A80CY1	QD40Y	80W	R600a
A100CY1	QD65Y	98W	R600a
A120CY1	QD75Y	118W	R600a
A140CY1	QD85Y	140W	R600a