

Mbsm.pro, AJ5515E-FZ3C, AJ5515E, AJ5EL1GF602, Tecumseh, 1-1/4 hp, R22, Tecumseh compressor, Hermetic piston

Category: compressor

written by Lilianne | 26 June 2024



Modèle	HP	TEMP	Le réfrigérant
Zae2415Z	7/16		

CAE2417Z	7/16
CAE2420Z	1/2
CAE2424Z	5/8
Le CAJ2428Z	3/4
TAJ2428Z	3/4
Le CAJ2432Z	3/4
Le CAJ2440Z	1
Le CAJ2446Z	1
TAJ2446Z	1
Le CAJ2464Z	1-1/2
TAJ2464Z	1-1/2
Le CAJ2480Z	2
TAJ2480Z	2
FH2511Z	3
TFH2511Z	3
TAG/TAGP 2516Z	4
TAG/TAGP 2522Z	6
TAGD2532Z	8
TAGD2544Z	12
Zae4440Z	1/3
Zae9440Z	1/3
AE3450Z	3/7
CAE4450Z	3/7
CAE9450Z	3/7
CAE9460Z	1/2
CAE9470Z	9/16
Le CAJ9480Z	5/8
TAJ9480Z	5/8
Le CAJ9510Z	1
TAJ9510Z	1
Le CAJ9513Z	1-1/8
TAJ9513Z	1-1/8 M/H
Le CAJ4517Z	1-1/4
TAJ4517Z	1-1/4
Le CAJ4519Z	1-3/4
TAJ4519Z	1-3/4
FH4522Z	2
TFH4522Z	2
FH4524Z	2
TFH4524Z	2
FH4531Z	2-3/4
TFH4531Z	2-3/4
FH4540Z	3-1/2
TFH4540Z	3-1/2

AEZ4430/Y	1/4		
AE3440Y	1/3		
CAE4440Y	1/3		
CAE4448Y	3/7		
CAE4456Y	7/16		
Le CAJ4452Y	3/7		
Le CAJ4461Y	1/2		
TAJ4461Y	1/2		
Le CAJ4476Y	5/8	M/H	Le R134a
Le CAJ4492Y	3/4		
TAJ4492Y	3/4		
Le CAJ4511Y	1		
TAJ4511Y	1		
FH4518Y	1-1/2		
TFH4518Y	1-1/2		
FH4525Y	2		
TFH4525Y	2		
CAE2417L	1/2		
Le CAJ2428L	5/8		
TAJ2428L	5/8		
Le CAJ2432L	3/4		
Le CAJ2446L	1		
TAJ2446L	1		
Le CAJ2464L	1-1/2		
TAJ2464L	1-1/2	L	R502
TAH2480J	2		
TAH2511K	3		
TAHD2516J	4		
TAHD2522K	6		
TAG2516K	4		
TAG2522K	6		

AEZ4430/E	1/4	
Zae3430E	1/4	
Zae3440E	1/3	
Zae4440E	1/3	
Zae9440T	1/3	
AE3450E	3/7	
CAE4450E	3/7	
CAE9450E	3/7	
CAE9460E	1/2	
Le CAJ9480T	5/8	
TAJ9480T	5/8	
Le CAJ9510T	1	
TAJ9510T	1	
Le CAJ9513T	1-1/8	
TAJ9513T	1-1/8	
Le CAJ4517E	1-1/4	
Le CAJ4519T	1-3/4	
TAJ4519T	1-3/4	M/H R22
FH4522F	2	
TFH4522F	2	
FH4524F	2	
TFH4524F	2	
FH4531F	2-3/4	
TFH4531F	2-3/4	
TFH4538E	3	
TFH4540F	3-1/2	
TAG/TAGP 4546T	4	
TAG/TAGP 4553T	4-1/2	
TAG/TAGP 4561T	5	
TAG/TAGP 4568T	6	
TAG/TAGP 4573T	6	
TAGD4590T	7-1/2	
TAGD4610T	9	
TAGD4612T	10	
TAGD4614T	12	

LOW BACK PRESSURE COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)			REFRIGERATION CAPACITY AT 50HZ Rafed @54.5°C Cond Temp (Watts)						VOLTAGE	
		t _c	Refrigerant	Displacement (cm ³)	Evaporating Temperature							
					Oil charge (cm ³)	-35°C	-30°C	-25°C	-20°C	-15°C		-10°C
PISTON	CAE2416E	2/5	R22	11.3	350	185	270	370	488	626	786	208-220V/1/50Hz
	CAE2420E	1/2	R22	12.5	350	237	322	423	540	677	835	208-220V/1/50Hz
	CAJ2419E	1/2	R22	15.2	887	250	382	534	708	906	1130	208-220V/1/50Hz
	CAJ2427E	3/4	R22	18.3	887	349	500	676	882	1121	1396	208-220V/1/50Hz
	CAJ2439E	1	R22	26.1	887	464	664	900	1174	1491	1857	208-220V/1/50Hz
	TFH2480E	2	R22	53.2	1625	913	1298	1771	2346	3036	3852	400V/3/50Hz
	TFH2511E	3	R22	74.2	1625	1292	1871	2573	3416	4415	5590	400V/3/50Hz

COMMERCIAL BACKPRESSURE COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)			REFRIGERATION CAPACITY AT 50HZ Rafed @54.5°C Cond Temp (Watts)						VOLTAGE
		t _c	Refrigerant	Displacement (cm ³)	Motor type	Evaporating Temperature					
						-17.8°C	-12.2°C	-6.7°C	+7.2°C	+10°C	
PISTON	AE9411ES	1/6	R22	4.04	CSIR	119	204	284	537	608	220V/1/50/60Hz
	AE9415ES	1/5	R22	5.67	CSIR	173	297	415	784	887	220-240V/1/50Hz
	AE9422ES	1/4	R22	7.57	CSIR	235	403	562	1062	1201	220-240V/1/50Hz
	AE9430ES	1/3	R22	8.85	CSIR	280	481	671	1267	1433	220-240V/1/50Hz
	AE9440ES	1/2	R22	12.04	CSIR	354	609	849	1605	1815	220-240V/1/50Hz

AIR-CONDITIONING COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)			REFRIGERATION CAPACITY AT 50HZ Rafed @54.5°C Cond Temp (Watts)						VOLTAGE
		t _c	Refrigerant	Displacement (cm ³)	Evaporating Temperature						
					-10°C	-5°C	0°C	+7.2°C	+10°C	+15°C	
ROTARY	HGA5460E	1/2	R22	8.5	736	898	1090	1419	1564	1849	220-240V/1/50Hz
	HGA5467E	1/2	R22	9.52	769	952	1170	1549	1720	2061	220-240V/1/50Hz
	HGA5472E	2/3	R22	10.2	883	1078	1308	1702	1877	2219	220-240V/1/50Hz
	HGA5480E	2/3	R22	11.5	956	1180	1441	1888	2087	2482	220-240V/1/50Hz
	HGA5492E	5/6	R22	12.8	1033	1292	1591	2102	2329	2777	220-240V/1/50Hz
	HGA5510E	5/6	R22	14.3	1163	1455	1792	2368	2623	3126	220-240V/1/50Hz
	HGA5512E	1	R22	16.1	1411	1734	2103	2716	2980	3487	220-240V/1/50Hz



Air-Conditioning Compressors(High back pressure)


Piston	AJ 5510F	5/6	R22	18.6	887	920	1300	1730	2443	2760	3399	220-240V/1/50Hz
	AJ 5512E	1	R22	21.75	887	1250	1670	2130	2904	3250	3898	220-240V/1/50Hz
	AJ 5513E	1	R22	24.2	887	1460	1910	2385	3203	3580	4263	220-240V/1/50Hz
	AJ 5515E	1-1/4	R22	25.95	887	1680	2170	2720	3632	4020	4770	220-240V/1/50Hz
	TAJ 5515E	1-1/4	R22	25.95	887	1680	2170	2720	3632	4020	4770	400V/3/50Hz
	AJ 5518E	1-1/2	R22	32.7	887	2210	2760	3435	4572	5050	6007	220-240V/1/50Hz
	AJ 5519E	1-1/2	R22	34.45	887	2320	2880	3590	4785	5300	6327	220-240V/1/50Hz
	TAJ 5519E	1-1/2	R22	34.45	887	2320	2880	3590	4785	5300	6327	400V/3/50Hz
	FH 5522F	1-5/6	R22	40.8	1330	2298	3059	3955	5483	6153	7249	220-240V/1/50Hz
	TFH 5522F	1-5/6	R22	40.8	1330	2298	3059	3955	5483	6153	7249	400V/3/50Hz
	FH 5524F	2	R22	43.9	1330	2484	3309	4279	5929	6652	7981	220-240V/1/50Hz
	TFH 5524F	2	R22	43.9	1330	2484	3309	4279	5929	6652	7981	400V/3/50Hz
	FH 5527F	2-1/4	R22	49.1	1330	3043	3580	4603	6176	7249	8871	220-240V/1/50Hz
	TFH 5527F	2-1/4	R22	49.1	1330	3043	3580	4603	6176	7249	8871	400V/3/50Hz
	FH 5531F	2-1/2	R22	56.65	1330	3788	4457	5598	7283	8278	9818	220-240V/1/50Hz
	TFH 5531F	2-1/2	R22	56.65	1330	3788	4457	5598	7283	8278	9818	400V/3/50Hz
	FH 5540F	3-1/3	R22	74.25	1330	4831	5884	7262	9509	10812	12784	220-240V/1/50Hz
	TFH 5540F	3-1/3	R22	74.25	1330	4831	5884	7262	9509	10812	12784	400V/3/50Hz
	TAG 5546E	3-5/6	R22	90.2	1960	5188	5934	7839	11253	12815	15861	400V/3/50Hz
	TAG 5553E	4-1/2	R22	100.7	1960	5306	7022	9105	12922	14713	18406	400V/3/50Hz
	TAG 5561E	5	R22	112.6	1960	6133	8164	10593	14870	16802	20658	400V/3/50Hz
	TAG 5568E	5-2/3	R22	124.4	1960	6967	9180	11862	16676	18887	23359	400V/3/50Hz
	TAG 5573E	6	R22	134.8	1960	7501	9904	12632	17816	20238	25204	400V/3/50Hz



Type	COMPRESSOR MODELS	Nominal Power (H.P.) [Ⓢ]			REFRIGERATION CAPACITY AT 50HZ [Ⓢ] Rafed 54.5°C Cond Temp (Watts) [Ⓢ]						VOLTAGE [Ⓢ]	
		t. t.	Refrigerant [Ⓢ] t.	Displacement (cm ³) [Ⓢ] t.	Evaporating Temperature [Ⓢ]							
					Oil charge (cm ³) [Ⓢ]							
					-25°C.	-15°C.	-10°C.	0°C.	+7.2°C.	+15°C.		
PISTON	AEZ4425E [Ⓢ]	1/5 [Ⓢ]	R22 [Ⓢ]	4.50 [Ⓢ]	250 [Ⓢ]	138 [Ⓢ]	192 [Ⓢ]	256 [Ⓢ]	413 [Ⓢ]	553 [Ⓢ]	728 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ4430E [Ⓢ]	1/4 [Ⓢ]	R22 [Ⓢ]	5.70 [Ⓢ]	250 [Ⓢ]	192 [Ⓢ]	255 [Ⓢ]	336 [Ⓢ]	538 [Ⓢ]	718 [Ⓢ]	945 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ3440E [Ⓢ]	1/3 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	308 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	980 [Ⓢ]	1298 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ4440E [Ⓢ]	1/3 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	308 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	980 [Ⓢ]	1298 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ9440T [Ⓢ]	1/5 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	222 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	975 [Ⓢ]	1302 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE4450E [Ⓢ]	3/7 [Ⓢ]	R22 [Ⓢ]	9.40 [Ⓢ]	350 [Ⓢ]	355 [Ⓢ]	426 [Ⓢ]	554 [Ⓢ]	896 [Ⓢ]	1212 [Ⓢ]	1623 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE9450T [Ⓢ]	3/7 [Ⓢ]	R22 [Ⓢ]	9.40 [Ⓢ]	350 [Ⓢ]	256 [Ⓢ]	426 [Ⓢ]	554 [Ⓢ]	896 [Ⓢ]	1212 [Ⓢ]	1623 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE9460T [Ⓢ]	1/2 [Ⓢ]	R22 [Ⓢ]	11.30 [Ⓢ]	350 [Ⓢ]	324 [Ⓢ]	553 [Ⓢ]	715 [Ⓢ]	1134 [Ⓢ]	1514 [Ⓢ]	2000 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAJ9480T [Ⓢ]	5/8 [Ⓢ]	R22 [Ⓢ]	15.20 [Ⓢ]	887 [Ⓢ]	461 [Ⓢ]	786 [Ⓢ]	1011 [Ⓢ]	1586 [Ⓢ]	2103 [Ⓢ]	2761 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9480T [Ⓢ]											
	CAJ9510T [Ⓢ]	1 [Ⓢ]	R22 [Ⓢ]	18.30 [Ⓢ]	887 [Ⓢ]	545 [Ⓢ]	956 [Ⓢ]	1229 [Ⓢ]	1909 [Ⓢ]	2510 [Ⓢ]	3266 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9510T [Ⓢ]											
	CAJ9513T [Ⓢ]	1-1/8 [Ⓢ]	R22 [Ⓢ]	24.20 [Ⓢ]	887 [Ⓢ]	526 [Ⓢ]	1074 [Ⓢ]	1451 [Ⓢ]	2411 [Ⓢ]	3272 [Ⓢ]	4366 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9513T [Ⓢ]											
	CAJ4517E [Ⓢ]	1-1/4 [Ⓢ]	R22 [Ⓢ]	25.95 [Ⓢ]	887 [Ⓢ]	771 [Ⓢ]	1233 [Ⓢ]	1673 [Ⓢ]	2727 [Ⓢ]	3629 [Ⓢ]	4743 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ4517T [Ⓢ]											
	CAJ4519T [Ⓢ]	1-3/4 [Ⓢ]	R22 [Ⓢ]	34.45 [Ⓢ]	887 [Ⓢ]	1382 [Ⓢ]	1780 [Ⓢ]	2304 [Ⓢ]	3601 [Ⓢ]	4738 [Ⓢ]	6162 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ4519T [Ⓢ]											
	FH4522F [Ⓢ]	2 [Ⓢ]	R22 [Ⓢ]	39.95 [Ⓢ]	1480 [Ⓢ]	1068 [Ⓢ]	1598 [Ⓢ]	2202 [Ⓢ]	3774 [Ⓢ]	5206 [Ⓢ]	7042 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4522F [Ⓢ]											
	FH4524F [Ⓢ]	2 [Ⓢ]	R22 [Ⓢ]	43.50 [Ⓢ]	1480 [Ⓢ]	1463 [Ⓢ]	1841 [Ⓢ]	2456 [Ⓢ]	4131 [Ⓢ]	5706 [Ⓢ]	7759 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4524F [Ⓢ]											
	FH4531F [Ⓢ]	2-3/4 [Ⓢ]	R22 [Ⓢ]	56.65 [Ⓢ]	1480 [Ⓢ]	1780 [Ⓢ]	2620 [Ⓢ]	3504 [Ⓢ]	5659 [Ⓢ]	7528 [Ⓢ]	9854 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4531F [Ⓢ]											
	TFH4538E [Ⓢ]	3 [Ⓢ]	R22 [Ⓢ]	67.50 [Ⓢ]	1625 [Ⓢ]	3100 [Ⓢ]	4169 [Ⓢ]	7041 [Ⓢ]	9659 [Ⓢ]	13400 [Ⓢ]	17811 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TFH4540F [Ⓢ]	3-1/2 [Ⓢ]	R22 [Ⓢ]	74.25 [Ⓢ]	1480 [Ⓢ]	1299 [Ⓢ]	3000 [Ⓢ]	4301 [Ⓢ]	7330 [Ⓢ]	9863 [Ⓢ]	12938 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4546T [Ⓢ]	4 [Ⓢ]	R22 [Ⓢ]	90.20 [Ⓢ]	1960 [Ⓢ]	1328 [Ⓢ]	3103 [Ⓢ]	4368 [Ⓢ]	7839 [Ⓢ]	11253 [Ⓢ]	15961 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4553T [Ⓢ]	4-1/2 [Ⓢ]	R22 [Ⓢ]	100.70 [Ⓢ]	1960 [Ⓢ]	1528 [Ⓢ]	3875 [Ⓢ]	5306 [Ⓢ]	9105 [Ⓢ]	12927 [Ⓢ]	18406 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4561T [Ⓢ]	5 [Ⓢ]	R22 [Ⓢ]	112.50 [Ⓢ]	1960 [Ⓢ]	2059 [Ⓢ]	4465 [Ⓢ]	6133 [Ⓢ]	10593 [Ⓢ]	14870 [Ⓢ]	20658 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4568T [Ⓢ]	6 [Ⓢ]	R22 [Ⓢ]	124.40 [Ⓢ]	1960 [Ⓢ]	2493 [Ⓢ]	5157 [Ⓢ]	6967 [Ⓢ]	11862 [Ⓢ]	16676 [Ⓢ]	23359 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4573T [Ⓢ]	6 [Ⓢ]	R22 [Ⓢ]	134.80 [Ⓢ]	1860 [Ⓢ]	2803 [Ⓢ]	5629 [Ⓢ]	7501 [Ⓢ]	12632 [Ⓢ]	17816 [Ⓢ]	25204 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAGD4590T [Ⓢ]	7-1/2 [Ⓢ]	R22 [Ⓢ]	180.40 [Ⓢ]	3920 [Ⓢ]	2656 [Ⓢ]	6206 [Ⓢ]	8735 [Ⓢ]	15678 [Ⓢ]	22506 [Ⓢ]	31922 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAGD4610T [Ⓢ]	9 [Ⓢ]	R22 [Ⓢ]	201.40 [Ⓢ]	3920 [Ⓢ]	3055 [Ⓢ]	7750 [Ⓢ]	10613 [Ⓢ]	18211 [Ⓢ]	25844 [Ⓢ]	36811 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAGD4612T [Ⓢ]	10 [Ⓢ]	R22 [Ⓢ]	225.00 [Ⓢ]	3920 [Ⓢ]	4117 [Ⓢ]	8929 [Ⓢ]	12267 [Ⓢ]	21186 [Ⓢ]	29739 [Ⓢ]	41315 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAGD4614T [Ⓢ]	12 [Ⓢ]	R22 [Ⓢ]	248.80 [Ⓢ]	3920 [Ⓢ]	4987 [Ⓢ]	10314 [Ⓢ]	13933 [Ⓢ]	23724 [Ⓢ]	33352 [Ⓢ]	46718 [Ⓢ]	400V/3/50Hz [Ⓢ]



Type	COMPRESSOR MODELS	Nominal Power (H.P.) [Ⓢ]			REFRIGERATION CAPACITY AT 50HZ [Ⓢ] Rafed 54.5°C Cond Temp (Watts) [Ⓢ]						VOLTAGE [Ⓢ]	
		t. t.	Refrigerant [Ⓢ] t.	Displacement (cm ³) [Ⓢ] t.	Evaporating Temperature [Ⓢ]							
					Oil charge (cm ³) [Ⓢ]							
					-25°C.	-15°C.	-10°C.	0°C.	+7.2°C.	+15°C.		
PISTON	AEZ4425E [Ⓢ]	1/5 [Ⓢ]	R22 [Ⓢ]	4.50 [Ⓢ]	250 [Ⓢ]	138 [Ⓢ]	192 [Ⓢ]	256 [Ⓢ]	413 [Ⓢ]	553 [Ⓢ]	728 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ4430E [Ⓢ]	1/4 [Ⓢ]	R22 [Ⓢ]	5.70 [Ⓢ]	250 [Ⓢ]	192 [Ⓢ]	255 [Ⓢ]	336 [Ⓢ]	538 [Ⓢ]	718 [Ⓢ]	945 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ3440E [Ⓢ]	1/3 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	308 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	980 [Ⓢ]	1298 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ4440E [Ⓢ]	1/3 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	308 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	980 [Ⓢ]	1298 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	AEZ9440T [Ⓢ]	1/5 [Ⓢ]	R22 [Ⓢ]	7.55 [Ⓢ]	350 [Ⓢ]	222 [Ⓢ]	362 [Ⓢ]	464 [Ⓢ]	733 [Ⓢ]	975 [Ⓢ]	1302 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE4450E [Ⓢ]	3/7 [Ⓢ]	R22 [Ⓢ]	9.40 [Ⓢ]	350 [Ⓢ]	355 [Ⓢ]	426 [Ⓢ]	554 [Ⓢ]	896 [Ⓢ]	1212 [Ⓢ]	1623 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE9450T [Ⓢ]	3/7 [Ⓢ]	R22 [Ⓢ]	9.40 [Ⓢ]	350 [Ⓢ]	256 [Ⓢ]	426 [Ⓢ]	554 [Ⓢ]	896 [Ⓢ]	1212 [Ⓢ]	1623 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAE9460T [Ⓢ]	1/2 [Ⓢ]	R22 [Ⓢ]	11.30 [Ⓢ]	350 [Ⓢ]	324 [Ⓢ]	553 [Ⓢ]	715 [Ⓢ]	1134 [Ⓢ]	1514 [Ⓢ]	2000 [Ⓢ]	220-240V/1/50Hz [Ⓢ]
	CAJ9480T [Ⓢ]	5/8 [Ⓢ]	R22 [Ⓢ]	15.20 [Ⓢ]	887 [Ⓢ]	461 [Ⓢ]	786 [Ⓢ]	1011 [Ⓢ]	1586 [Ⓢ]	2103 [Ⓢ]	2761 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9480T [Ⓢ]											
	CAJ9510T [Ⓢ]	1 [Ⓢ]	R22 [Ⓢ]	18.30 [Ⓢ]	887 [Ⓢ]	545 [Ⓢ]	956 [Ⓢ]	1229 [Ⓢ]	1909 [Ⓢ]	2510 [Ⓢ]	3266 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9510T [Ⓢ]											
	CAJ9513T [Ⓢ]	1-1/8 [Ⓢ]	R22 [Ⓢ]	24.20 [Ⓢ]	887 [Ⓢ]	526 [Ⓢ]	1074 [Ⓢ]	1451 [Ⓢ]	2411 [Ⓢ]	3272 [Ⓢ]	4366 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ9513T [Ⓢ]											
	CAJ4517E [Ⓢ]	1-1/4 [Ⓢ]	R22 [Ⓢ]	25.95 [Ⓢ]	887 [Ⓢ]	771 [Ⓢ]	1233 [Ⓢ]	1673 [Ⓢ]	2727 [Ⓢ]	3629 [Ⓢ]	4743 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ4517T [Ⓢ]											
	CAJ4519T [Ⓢ]	1-3/4 [Ⓢ]	R22 [Ⓢ]	34.45 [Ⓢ]	887 [Ⓢ]	1382 [Ⓢ]	1780 [Ⓢ]	2304 [Ⓢ]	3601 [Ⓢ]	4738 [Ⓢ]	6162 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TAJ4519T [Ⓢ]											
	FH4522F [Ⓢ]	2 [Ⓢ]	R22 [Ⓢ]	39.95 [Ⓢ]	1480 [Ⓢ]	1068 [Ⓢ]	1598 [Ⓢ]	2202 [Ⓢ]	3774 [Ⓢ]	5206 [Ⓢ]	7042 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4522F [Ⓢ]											
	FH4524F [Ⓢ]	2 [Ⓢ]	R22 [Ⓢ]	43.50 [Ⓢ]	1480 [Ⓢ]	1463 [Ⓢ]	1841 [Ⓢ]	2456 [Ⓢ]	4131 [Ⓢ]	5706 [Ⓢ]	7759 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4524F [Ⓢ]											
	FH4531F [Ⓢ]	2-3/4 [Ⓢ]	R22 [Ⓢ]	56.65 [Ⓢ]	1480 [Ⓢ]	1780 [Ⓢ]	2620 [Ⓢ]	3504 [Ⓢ]	5659 [Ⓢ]	7528 [Ⓢ]	9854 [Ⓢ]	220-240V/1/50Hz+ 400V/3/50Hz [Ⓢ]
	TFH4531F [Ⓢ]											
	TFH4538E [Ⓢ]	3 [Ⓢ]	R22 [Ⓢ]	67.50 [Ⓢ]	1625 [Ⓢ]	3100 [Ⓢ]	4169 [Ⓢ]	7041 [Ⓢ]	9659 [Ⓢ]	13400 [Ⓢ]	17811 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TFH4540F [Ⓢ]	3-1/2 [Ⓢ]	R22 [Ⓢ]	74.25 [Ⓢ]	1480 [Ⓢ]	1299 [Ⓢ]	3000 [Ⓢ]	4301 [Ⓢ]	7330 [Ⓢ]	9863 [Ⓢ]	12938 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4546T [Ⓢ]	4 [Ⓢ]	R22 [Ⓢ]	90.20 [Ⓢ]	1960 [Ⓢ]	1328 [Ⓢ]	3103 [Ⓢ]	4368 [Ⓢ]	7839 [Ⓢ]	11253 [Ⓢ]	15961 [Ⓢ]	400V/3/50Hz [Ⓢ]
	TAG/TAGP4553T											



Mbsm_dot_pro_private_PDF__AJ5515EDownload