

Mbsm.pro, Compressor, AE820et-900-a4, AEA2411ZXD, Tecumseh, 1/3 HP, 115V, 1600 BTU, R404A, Hermetic, AE2 Compressor, lbp

Category: Archivation,compressor
written by Lilianne | 12 April 2022





Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_AE820et-900-a4



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_AE820et-900-a4Télécharger

LBP – Low Back Pressure R404A 208-230V ~ 60Hz 200V ~ 50Hz Reciprocating Compressor

Product Description

Type Reciprocating

Application LBP – Low Back Pressure

Refrigerant R404A

Voltage/Frequency 208-230V ~ 60Hz 200V ~ 50Hz

Product Specifications

PerformanceConditionARITest Voltage230V ~ 60HZRefrigeration
 CapacityBtu/h1150kcal/h290W337Input
 PowerW410EfficiencyBtu/Wh2.8000kcal/Wh0.7100W/W0.8200Evaporator
 Temperature-23°C (-10°F)Condensing Temperature49°C (120°F)Ambient
 Temperature35°C (95°F)Return Gas Temperature4.4°C (40°F)Liquid
 Temperature49°C (120°F)
 GeneralEvaporating Temperature Range-40°C to -12.2°C (-40°F to
 10°F)Motor TorqueHigh Start Torque (HST)Compressor CoolingFan
 MechanicalDisplacement (cc)8.09600il TypePolyolesterViscosity
 (cSt)320il Charge (cc)480Sound Power dB(A)0
 ElectricalVoltage Range (50 Hz)180-220Voltage Range (60
 Hz)187-254Locked Rotor Amps (LRA)0Rated Load Amps (RLA 60
 Hz)2.9000Maximum Continuous Current (MCC in Amps)3.7000Motor
 Resistance (Ohm) – Main0.5460Motor Resistance (Ohm) –
 Start7.3000Motor TypeCSIROverload TypeN/ARelay TypeN/A
 Agency ApprovalCSA Listed, UL Recognized

Product Family

Model Number	Description	Manufacturer	Price	Avail. Qty
AEA2411ZXD	LBP – Low Back Pressure R404A 208-230V ~ 60Hz 200V ~ 50Hz Reciprocating Compressor	Tecumseh Product Co.		

[Mbsm_dot_pro_private_PDF_tecumseh-aea2411zxd-technical-data-sheet-690089Télécharger](#)