


# Mbsm.pro, Compressor, Tecumseh, AJA4492YXA, High Back Pressure, 3/4 hp, R-134a/R-12++, 9000 BTU, CSIR

Category: compressor

written by mahdi miled | 20 January 2023





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : WWW.MBSM.PRO

## محركات ال جي الهندية LG INDIA COMPROSSORE

LG INDIA		مهمار خنصر العمود مبيع كفاة قطع التنكيف والتبريد				ال جي - الهندية	الاستطاعة
كبياليري	الزيت غ	الامبير	الوات	BTU	الرمز		
0.028	220	0.75	63	262	NS36LAEG	1/10	
0.033	220	0.81	77	306	MSA43LBEG	1/8	
0.033	220	1.12	116	484	MA53LAEG	1/6	
0.033	220	1.12	142	548	MA57LBEG	1/6+	
0.036	220	1.35	160	596	MA62LCEG	1/5	
0.040	220	1.35	174	683	MA69LCEG	1/5+	
0.040	220	1.4	200	715	MA72LCEG	1/4	
0.042	220	1.6	210	730	MA86LCEG	1/3	
0.042	220	1.6	279	953	MA96LAEM	1/3+	

## محركات تكمة كندي امريكي TECUMS CANADA USA COMPROSSORE

TECUMS CANADA-USA		مهمار خنصر العمود مبيع كفاة قطع التنكيف والتبريد				تكمة كندي - امريكي	الاستطاعة
كبياليري	الزيت غ	الامبير	الوات	BTU	الرمز		
0.026	-	-	-	-	AEA3414YXA	1/6	
0.028	-	-	-	-	AEA3417YXA	1/5	
0.031	-	-	-	-	AEA3425YXA	1/5+	
0.033	-	-	-	-	AEA3430YXA	1/4	
0.036	-	-	-	-	AEA4430YXA	1/4+	
0.040	-	-	-	-	AEA4440YXA	1/3	
0.040	-	-	-	-	AEA4448YXA	1/3+	
-	-	-	-	-	AEA4460YXD	1/2	
-	-	-	-	-	AKA4475YXD	1/2+	
-	-	-	-	-	AJA4452YXA	3/4	
-	-	-	-	-	AJA4512YXD	1/2	

Private Picture Copyright : WWW.MBSM.PRO

ELECTROLUX ESPAIN		مهمار خنصر العمود مبيع كفاة قطع التنكيف والتبريد				الاسباني	الاستطاعة
كبياليري	الزيت غ	الامبير	الوات	BTU	الرمز		
0.040	475	2.2	325	885	140 AAW	1/10	
0.040	475	2.2	355	975	140 AAW	1/8	
0.040	475	2.2	355	975	150 AT	1/8	
0.040	475	2.5	385	1100	170 AT	1/5	
0.040	475	2.5	385	1100	170 AT	1/5+	
0.040	475	2.5	385	1100	170 AAW	1/4	
0.054	800	3.5	480	1300	180 AT	1/4+	
0.054	800	4.0	540	1510	180 AAW	1/4	
0.060	475	2.2	355	885	FL3 AT	1/3	

SUPER COOL KOREA		مهمار خنصر العمود مبيع كفاة قطع التنكيف والتبريد				كوريل	الاستطاعة
كبياليري	الزيت غ	الامبير	الوات	BTU	الرمز		
0.026	230	0.5	80	215	SL31 Y	1/10	
0.028	230	0.8	100	240	SL45 Y	1/8	
0.031	230	0.9	130	465	SL58 Y	1/6	
0.031	240	1.2	160	345	SL71 Y	1/5	
0.036	240	1.4	180	515	SL80 Y	1/4	
0.040	-	-	-	-	8.88	1/3	

مهمار كوريل مزود بوظيفة التبريد و بملف الكوروس و بملف زبني 1 ملف و كورال العزل بحد  
ال لا يزيد عن 2.00 كورال عند درجة حرارة 1°C مئوية

أعجبني تعليق مشاركة

TECUMS CANADA-USA		مهمار خنصر العمود مبيع كفاة قطع التنكيف والتبريد				تكمة كندي - امريكي	الاستطاعة
كبياليري	الزيت غ	الامبير	الوات	BTU	الرمز		
0.026	-	-	-	-	AEA3414YXA	1/6	
0.028	-	-	-	-	AEA3417YXA	1/5	
0.031	-	-	-	-	AEA3425YXA	1/5+	
0.033	-	-	-	-	AEA3430YXA	1/4	
0.036	-	-	-	-	AEA4430YXA	1/4+	
0.040	-	-	-	-	AEA4440YXA	1/3	
0.040	-	-	-	-	AEA4448YXA	1/3+	
-	-	-	-	-	AKA4475YXD	1/2	
-	-	-	-	-	AKA4475YXD	1/2+	
-	-	-	-	-	AJA4452YXA	3/4	
-	-	-	-	-	AJA4512YXD	1/2	

Copyright : WWW.MBSM.PRO

TECUMS CANADA-USA		مهيأر خضر الحمود مبيع كافة قطع التكيف والتبريد			تكمسه كندي - امريكي	
كبييري	الزيت غ	الأمبير	الوات	BTU	الرمز	الإستطاعة
0.026	-	-	-	-	AEA3414YXA	1/6
0.028	-	-	-	-	AEA3417YXA	1/5
0.031	-	-	-	-	AEA3425YXA	1/5+
0.033	-	-	-	-	AEA3430YXA	1/4
0.036	-	-	-	-	AEA4430YXA	1/4+
0.040	-	-	-	-	AEA4440YXA	1/3
0.040	-	-	-	-	AEA4448YXA	1/3+
-	-	-	-	-	AKA4460YXD	1/2
-	-	-	-	-	AKA4476YXD	1/2+
-	-	-	-	-	AJA4492YXA	3/4
-	-	-	-	-	AJA4512YXD	1/2

Private Picture Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO

Type: Reciprocating

Application: HBP – High Back Pressure

Voltage/Frequency: 115V ~60Hz 100V ~50Hz

Evaporating Temp. Range: -6.7°C to 12.8°C (20°F to 55°F)

Motor Torque: High Start Torque (HST)

Compressor Cooling: Fan  
 Oil Type: Polyolester  
 Viscosity (cSt): 32  
 Oil Charge (cc): 782  
 Voltage Range (50Hz): 90-110  
 Voltage Range (60Hz): 103-127  
 Locked Rotor Amps (LRA): 69  
 Rated Load Amps (RLA 50Hz): 0  
 Rated Load Amps (RLA 60Hz): 13  
 Max. Continuous Current (MCC in Amps): 17.9  
 Motor Resistance (Ohm) – Main: .433  
 Motor Resistance (Ohm) – Start: 3.085  
 Motor Type: CSIR  
 cURus Recognized  
 Refrigerant: R-134a

## SPECIFICATIONS

### More Information

**Capacity air conditioning @ 45 °F BTU/H 8800**

<b>Application</b>	High temperature
<b>Compressor type</b>	Reciprocating
<b>Discharge size type</b>	5/16" sweat
<b>Motor power range</b>	0.75 (3/4) HP
<b>Suction size type</b>	1" rotolock
<b>Brand</b>	Tecumseh
<b>Origin country</b>	United States – US
<b>Package Weight</b>	49
<b>Product Weight</b>	49
<b>Manufacturer part number</b>	AJ4YL1AF643J70
<b>MASTER part number</b>	AJA4492YXA
<b>Characteristics</b>	Capacity air conditioning @ 45 °F BTU/H: 8800
<b>Supply Voltage</b>	115VAC
<b>Nominal Capacity</b>	9 000 BTU
<b>Product Family</b>	Compressors
<b>Capacity:</b>	9000 BTU