

**EGU130HLR, Embraco, ASPERA,  
1/3Hp, Lbp, Compressor,  
Hermetic, 313 W, Oil Volume  
(L) 0.18 Oil POE 22  
Vladagent, R-134, B/Hz/f  
220-240 V /50/1**

written by Lilianne | 26 May 2020

EGU130HLR, Embraco, ASPERA, 1/3Hp, Lbp, Compressor, Hermetic,  
313 W, Oil Volume (L) 0.18 Oil POE 22 Vladagent, R-134, B/Hz/f  
220-240 V /50/1

---

**SIKELAN, R600a, QD75YG  
Réfrigérateur, Congélateur,  
Réfrigérateur, Hermétique,  
Compresseur, Alternatif ,1/6  
Hp, 130W**

written by Lilianne | 26 May 2020

SIKELAN, R600a, QD75YG Réfrigérateur, Congélateur,  
Réfrigérateur, Hermétique, Compresseur, Alternatif ,1/6 Hp,  
130W

---

**Daewoo, HSL11Y-5 ,  
Compresseur hermétique,  
R-134a, 93W, RSIR , 1/8Hp**

written by Lilianne | 26 May 2020

Daewoo, HSL11Y-5 , Compresseur hermétique, R-134a, 109W, RSIR  
, 1/8Hp

---

**R134a, FL1568-SL, HITACHI  
Compressor, 220 v 50Hz, 1/4  
Hp, white whale, 18Feet, LBp,  
200W**

written by Lilianne | 26 May 2020

Mbsm\_dot\_pro\_private\_PDF\_P\_COM008\_105\_specTélécharger

14/8/2556

OVERLOAD RELAY - Hitachi Compressor (Thailand) ,Ltd..htm

220-240V 50Hz	FL0739-S*	3.9	94	81	321	270	St		RSIR	7.8	179
	FL0845-S*	4.5	117	100	400	270	St		RSIR	8.1	179
	FL1052-S*	5.2	121	104	413	270	St		RSIR	8.3	179
	FL1152-S*	5.2	136	117	464	260	St		RSCR	8.3	179
	FL1152-S*	5.2	134	115	457	280	St		RSIR	9.3	188
	FL1157-S*	5.7	136	117	464	240	St		RSIR	8.7	178
	FL1257-S*	5.7	150	129	512	240	St		RSIR	9.3	181
	FL1257-S*	5.7	173	148	591	240	St		RSCR	9.3	181
	FL1262-S*	6.2	145	124	495	310	St		RSIR	10.5	200
	FL1462-S*	6.2	165	142	563	310	St		RSIR	10.5	200
	FL1462-S*	6.2	185	159	632	310	St		RSCR	11.9	216
	FL1568-S*	6.8	180	154	615	310	St		CSIR	11.5	216
	FL1568-S*	6.8	200	172	683	310	St		RSIR	10.5	200
	FL1568-S*	6.8	200	172	683	310	St		RSCR	10.5	200
	FL1875-S*	7.5	215	184	734	335		OC	RSIR	10.8	211
	FL1875-S*	7.5	208	178	710	310			F RSIR	11.9	216
	FL1888-S*	8.8	207	178	707	300		OC	RSIR	11.2	216
	FL2088-S*	8.8	256	220	874	380			F CSR	11.4	210
	FL2088-S*	8.8	245	210	836	300		OC	RSCR	11.9	216
	FL2088-S*	8.8	245	210	836	300		OC	CSIR	11.9	216
FL2088-S*	8.8	245	210	836	300		OC	RSIR	11.6	216	



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)




Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

HITACHI FL1568-SL

220-240V 50Hz  2008.09.26




SERIAL NO. 22692 HFC-134a

 WARNING: HIGH TEMPERATURE  
ELECTRIC SHOCK

DO NOT TOUCH M15

# CIRCUIT DIAGRAM

GY...GRAY    OR...ORANGE    RD...RED    PK...PINK  
 VT...VIOLET    BR...BROWN    BL...BLUE    BK...BLACK  
 GN/YL...GREEN/YELLOW    YL...YELLOW  
 BK



\*THE PLUG TYPE, CAPACITOR PARTS, EARTH PARTS ON CIRCUIT DIAGRAM ARE SUBJECTED TO CHANGE ACCORDING MODEL TYPE



Insulation Blowing Gas:  
Cyclo-Pentane

(N02)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



---

**QB73C12GAW5, 185W, 1/4Hp ,**

# **RSIR, Q Series PANASONIC (Reciprocating Fixed Speed), R134a, LBP**

written by Lilianne | 26 May 2020

QB73C12GAW5, 185W, 1/4Hp , RSIR, Q Series PANASONIC  
(Reciprocating Fixed Speed), R134a, LBP

---

# **PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre, 5 Pôles**

written by Lilianne | 26 May 2020

PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre,  
5 Pôles

---

# **TPH1413YKS, R-134a, 220-240V à 50Hz, Tecumseh/Taikang , 271 w , 3/8Hp**

written by Lilianne | 26 May 2020

TPH1413YKS, R-134a, 220-240V à 50Hz, Tecumseh/Taikang , 271 w  
, 3/8Hp

---

**Compressor ,ACC Cubigel  
,Huayi ,Electrolux ,ZEM  
,GP16TG, HMBP,R134a, 200-  
220V / 220-230V/1/50/60Hz,  
3/8 HP, displacement 16,15  
cm<sup>3</sup>**

written by Lilianne | 26 May 2020

Compressor ,ACC Cubigel ,Huayi ,Electrolux ,ZEM ,GP16TG,  
HMBP,R134a, 200- 220V / 220-230V/1/50/60Hz, 3/8 HP,  
displacement 16,15 cm<sup>3</sup>

---

**Compressor ,WS85YG, 220 to  
240V/50Hz, 1/8HP ,RSCR , R600**

written by Lilianne | 26 May 2020

Compressor ,WS85YG, 220 to 240V/50Hz, 1/8HP ,RSCR , R600

---



**Ideal Zanussi Comfort  
refrigerator , 340 L , 17  
Feet , Compresseur Cubigel  
,Compresseur ,GL90AA ,R-134a  
,1/4HP ,230V,non frost**

written by Lilianne | 26 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Ideal Zanussi Comfort refrigerator , 340 L , 17 Feet ,  
Compresseur Cubigel ,Compresseur ,GL90AA ,R-134a ,1/4HP  
,230V,non frost