

**Donper, New, L58CZ1,  
220V-240V, 50Hz, R134A  
, Refrigerator, Compressor,  
1/6++HP, 1/5 hp-, power 116  
w, input 145 w**

written by Lilianne | 16 November 2023



L58CZ1

220-240V~50Hz 1PH  
THERMALLY PROTECTED



RoHS



SUCTION → 7

<http://www.donper.com>



201120003251202363

R134a

SYS12200901

BCD-270 (M)



027002201212000064

Donper, New, L58CZ1, 220V-240V, 50Hz, R134A ,Refrigerator,  
Compressor, 1/6++HP, 1/5 hp-, power 116 w, input 145 w

---

**Compressor, 95 W,  
refrigerator, Embraco, EMIE  
40 HJP, EMIE40HJP, (3.4 cubic  
meters), R-134a, Brazil**

written by Lilianne | 16 November 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor, 95 W, refrigerator, Embraco, EMIE 40 HJP,  
EMIE40HJP, (3.4 cubic meters), R-134a, Brazil

---

**UGINE, refregerator, WBr-100,  
90 L, r134a, 40 g, 220 v, 60  
hz, 75 W, Class T,  
Compressor, Daewoo,  
WX24LHS4T, 62 W, 1/12 hp, lra  
2.5 a, 186 btu, lbp**

written by Lilianne | 16 November 2023



Private Picture Copyright : WWW.MBSM.PRO

UGINE, refregerator, WBr-100, 90 L, r134a, 40 g, 220 v, 60 hz,  
75 W, Class T, Compressor, WX24LHS4T, 62 W, 1/12 hp, lra 2.5  
a, 186 btu

---

**ACC, Compressor, Cubigel,**

# ML80TG, 3/8 hp++, HMBP, 1/2 hp-, R404a / R507, 220-240V 50Hz

written by Lilianne | 16 November 2023



ACC, Compressor, Cubigel, ML80TG, 3/8 hp++, HMBP, 1/2 hp-, R404a / R507, 220-240V 50Hz

---

## Danfoss, r12, r22, r502,

**Compressor, ff7.5at, 103u  
2750, 103u2750, 1/5 hp, 1bp,  
147 w**

written by Lilianne | 16 November 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Danfoss, r12, r22, r502, Compressor, ff7.5at, 103u 2750, 103u2750, 1/5 hp, lbp

---

**Compressor, 1/10 hp, 88 w,  
ZBS1111CY, JIAXIPERA, r600a**

written by Lilianne | 16 November 2023






Compressor, 1/10 hp, 88 w, ZBS1111CY, JIAXIPERA, r600a

---

# Double-Door, Refrigerator, BCD-498, compressor, 1/4 hp, r134a, 135G

written by Lilianne | 16 November 2023

Specification	
Capacity(L)	498
Freezer Capacity(L)	136
Refrigerator Capacity(L)	362
Climate	N/ST/T
Refrigerant	R600a/R134a
Approval	CE,CB
Net W*D*H(mm)	700x695x1776mm
Packing W*D*H(mm)	762x725x1817mm
Loading Quantity 40°C	67
Standard Features	
Low noise operation, quiet preservation.	Intimate design, ingenious quality.
Temperature control multi gear adjustment	Microcellular foam is long and fresh.
Double width design, stable operation	Store fresh in different areas and adjust as you please
Strong refrigeration, energy saving and environmental	protection



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Double-Door, Refrigerator, BCD-498, compressor, 1/4 hp, r134a, 135G

---

**SECOP, DANFOSS, 1/2 hp, lbp,  
SC15CL, compressor, 104L2853,  
15.28 cm<sup>3</sup>, R404a/R507, 104L  
2853**

written by Lilianne | 16 November 2023



SECOP, DANFOSS, 1/2 hp, lbp, SC15CL, compressor, 104L2853,  
15.28 cm<sup>3</sup>, R404a/R507, 104L 2853

---

**JIAXIPERA, NT1117Y,  
refrigerator, compressor ,198  
W, R600, LBP**

written by Lilianne | 16 November 2023



JIAXIPERA NT1117Y (C00296569) refrigerator compressor 198 W,  
R600, LBP

---

**Compressor, HPL21YE-5,**

**HsL21YE-5, 1/5 hp, DAEW00,  
176 w, 1bp, r134a**

written by Lilianne | 16 November 2023



Compressor, HPL21YE-5,1/5 hp, DAEW00, 176 w, 1bp