

**Mbsm.pro, compressor, IRE,  
L16b22, IREL16b22, 1/5 hp,  
r12, 180 w, 220v 50hz,  
Remplacement with 1/4 hp,  
r134a, Italien compressor**

written by Lilianne | 20 August 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, IRE, L16b22, IREL16b22, 1/5 hp, r12, 180 w, 220v 50hz, Replacement with 1/4 hp, r134a, Italien compressor

---

# Mbsm.pro, JIAXIPERA, Refrigerator, Compressor, M Series, N Series, T Series, V Series

written by Lilianne | 20 August 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, JIAXIPERA, Refrigerator, Compressor, M Series, N  
Series, T Series, V Series

---

# Mbsm.pro, Compressor, Tee Compressor, NTZ145MT, 1/5 hp,

# 168 W, Lbp, 145 kcal, Turk compressor, MT / MTZ / NTZ

written by Lilianne | 20 August 2023



Mbsm.pro, Compressor, Tee Compressor, NTZ145MT, 1/5 hp, 168 W, Lbp, 145 kcal

---

## Mbsm.pro, Compressor, Some capacity of some compressor

written by Lilianne | 20 August 2023



Private Picture Copyright : WWW.MBSM.PRO

It is necessary to know the type of compressor first, as each company has its own numbers



Private Picture Copyright : WWW.MBSM.PRO

---

Capacity = Embraco-Danfoss compressors

- 1/6 tl5 -pw5.5 -tfs5 -fr6
- 1/5 nl6- -fr7.5-pw7.5-ff6-ff7.5
- 1/4 nl7&pw9-fr8.5-fr10&ff10-ff8.5
- 1/3 pw11-fr11-sc12-ff11.5
- 1 /2 sc15
- 5/8 sc18
- 3/4 sc21

---

ASPERA

- 1/8 a1075-a1085
- 1/6 a1090-a1111-a2111-a1112
- 1/5
- 1/4 a1116-a1117-a2116-a1118-a2118
- 1/3 t1124-a3124-t2124-t4124
- 1/2 t1128-t3128-t2128-t4128

5/8 t1140- -t2140-t3134

---

Tekmeh – Luneta – Unidad

---

1/8 aez1336-ae8z  
1/6 ae66-ae6-aez1343-ae65  
1/5 ae1360-ae5z-ae55  
1/4 aez1380-ae4z- cae4-at43-at45  
1/3 ae1410-cae2410-cae2413  
1/2 ae1412-cae2412-cae2415  
3/4 caj2112-caj2440

---

Nishi

---

1 /8 m4  
1/6 m5  
1/5 m7  
1/4 m9-m11 -a9  
1/3 a11 -a13  
1/2 n17

---

bosch

---

1/8 v792  
1/6 v1040  
1/5 v1350

---

National – – Mitsushita

---

1/8 fn43-100w-fn51-fne75  
1/6 fn57&fn51-125w - fne100 -fne125  
1/5 fn66 - fne140 - 140w  
1/4 fn73 - fn77 - fn91 - fne175 -175w  
1/3 fn110 - fn91 - 150w

---

Zanussi

---

1/8 ftl45  
1/6 ftl55  
1/5 ftl76  
1/4 ftl88

---

# Mbsm.pro, Huaguang, ayd40l, R134A, 220V/50Hz, 1/8HP, 108W, refrigerator, compressor, Wanbao Group Compressor

written by Lilianne | 20 August 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Huaguang, ayd40l, R134A, 220V/50Hz, 1/8HP, 108W, refrigerator, compressor, Wanbao Group Compressor

---

**Mbsm.pro, COMPRESOR, SELLADO,  
1/2 HP, 6269 BTU/h, R-404a,  
220V, PH1, CSR, HMBP,  
CUBIGEL, MP12TG**

written by Lilianne | 20 August 2023




el

**MP12TG**

200-220V~50Hz PH1

220-230V~60Hz

THERMALLY PROTECTED



MADE IN SPAIN

2



9061251330100498

08101

Mbsm.pro, COMPRESOR, SELLADO, 1/2 HP, 6269 BTU/h, R-404a,  
220V, PH1, CSR, HMBP, CUBIGEL, MP12TG

---

**Mbsm.pro, Huaguang, EKZ70L,  
Compressor, 120 w, 1/6 hp,  
1bp**

written by Lilianne | 20 August 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Huaguang, EKZ70L, Compressor, 120 w, 1/6 hp, 1bp

---

**Mbsm.pro, Compressor, ZEL,  
piston, hermetic, compressor,  
P-0F789, GL45AA, AS45AA,  
0F789, GUY40AA, 1/8 hp, 106 w,  
r134 a**

written by Lilianne | 20 August 2023



Mbsm.pro, Compressor, ZEL, piston, hermetic, compressor, P-  
0F789, GL45AA, AS45AA, 0F789, GUY40AA, 1/8 hp, 106 w, r134 a

---

**Mbsm.pro, Danfoss, sc15g, compressor, sc15gx, 104g8525, GP14TB, CAJ4452Y, GP14PB, GP14PT, sc15g, 104g 8525, 3/8 hp++, 1bp/hbp, 1/2 hp-, 424 W**

written by Lilianne | 20 August 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Danfoss, sc15g, compressor, sc15gx, 104g8525, GP14TB, CAJ4452Y, GP14PB, GP14PT, sc15g, 104g 8525, 3/8 hp++, 1bp/hbp, 1/2 hp-, 424 W

---

# Mbsm.pro, Compressor, Samsung, HK6A3C2W, R134a, 1/3 hp++, 690 w, hbp, SDxx-SKxx-HKxx Series

written by Lilianne | 20 August 2023

VOLTAGE	MODEL	TYPE	[V-Hz]	CAPACITY				EFF		EER		TYPE
				Kcal/Hr	Watt	BTU/Hr	W	Kcal/W/hr	W/W	BTU/W/hr		
AC 100V-50/60Hz	SD652E-S2W2	CSR	100-50	450	523	1,787	230	1.96	2.28	7.77	FC	
			100-60	550	640	2,184	262	2.10	2.44	8.33		
	HK690E2W	CSR	100-50	780	907	3,097	390	2.00	2.33	7.94	FC	
			100-60	950	1,105	3,772	445	2.13	2.48	8.48		
	HK6A3E2W	CSR	100-50	HK6A	1,221	4,169	577	1.82	2.12	7.22	FC	
			100-60	1,250	1,453	4,963	644	1.94	2.26	7.71		
AC 115V-60Hz	SD643C-H2U2	RSCR	115-60	450	523	1,787	220	2.05	2.38	8.12	FC	
	SD652C-H2U2	RSCR	115-60	550	640	2,184	262	2.10	2.44	8.33	FC	
	SK670C-H2Y	RSIR	115-60	720	837	2,858	390	1.85	2.15	7.33	FC	
	SK682C-H2Y	RSIR	115-60	830	965	3,295	460	1.80	2.10	7.16	FC	
	SK6A1C-H2Y	RSIR	115-60	1,080	1,256	4,288	630	1.71	1.99	6.81	FC	
	HK672C2Z	RSIR	115-60	750	872	2,978	370	2.03	2.36	8.05	FC	
	HK680C2Z	RSIR	115-60	850	988	3,375	430	1.98	2.30	7.85	FC	
	HK690C2Z	RSIR	115-60	950	1,105	3,772	490	1.94	2.25	7.70	FC	
	HK6A1C2U	RSCR	115-60	1,090	1,267	4,327	545	2.00	2.33	7.94	FC	
	HK6A3C2W	CSR	115-60	1,250	1,453	HK6A	690	1.81	2.11	7.19	FC	
AC 220V-60Hz	SD643B-H2U2	RSCR	220-60	450	523	1,787	220	2.05	2.38	8.12	FC	
	SD643B-H2UB	RSCR	220-60	480	558	1,906	238	2.02	2.35	8.01	FC	
	SD652B-S2W2	CSR	220-60	550	640	2,184	255	2.16	2.51	8.56	FC	
	SD652B-H2UB	RSCR	220-60	570	663	2,263	270	2.11	2.45	8.38	FC	
	SK670B-H2U	RSCR	220-60	720	837	2,858	330	2.18	2.54	8.66	FC	
	SK682B-H2U	RSCR	220-60	830	965	3,295	405	2.05	2.38	8.14	FC	
	SK6A1B-S2W	CSR	220-60	1,080	1,256	4,288	560	1.93	2.24	7.66	FC	
	HK672B2Z	RSIR	220-60	750	872	2,978	370	2.03	2.36	8.05	FC	
	HK680B2Z	RSIR	220-60	850	988	3,375	430	1.98	2.30	7.85	FC	
	HK690B2Z	RSIR	220-60	950	1,105	3,772	490	1.94	2.25	7.70	FC	
	HK6A1B2W	CSR	220-60	1,090	1,267	4,327	520	2.10	2.44	8.32	FC	
	HK6A3B2W	CSR	220-60	1,250	1,453	4,963	650	1.92	HK6A	7.63	FC	
AC 220-240V-50Hz	SD643Q-H2Z2	RSIR	230-50	370	430	1,469	197	1.88	2.18	7.46	FC	
	SD652Q-H2Z2	RSIR	230-50	450	523	1,787	220	2.05	2.38	8.12	FC	
	SK670Q-H2S	CSIR	230-50	600	698	2,382	310	1.94	2.25	7.68	FC	
	SK670Q-H2Z	RSIR	230-50	595	692	2,362	310	1.92	2.23	7.62	FC	
	SK682Q-H2Z	RSIR	230-50	700	814	2,779	365	1.92	2.23	7.61	FC	
	SK6A1Q-S2S	CSIR	230-50	900	1,047	3,573	480	1.88	2.18	7.44	FC	
	HK672Q2Z	RSIR	220-50	610	709	2,422	305	2.00	2.33	7.94	FC	
	HK680Q2Z	RSIR	220-50	700	814	2,779	350	2.00	2.33	7.94	FC	
	HK690Q2Z	RSIR	220-50	780	907	3,097	380	2.05	2.39	8.15	FC	
	HK6A1Q2Z	RSIR	220-50	910	1,058	3,613	465	1.96	2.28	7.77	FC	
HK6A3Q2Z	RSCR	220-50	1,050	1,221	4,169	535	1.96	2.28	7.79	FC		

**COOLING TYPE**  
FC : Fan cooling  
OC : Oil cooling

**MOTOR TYPE**  
RSIR : Resistance Start Induction Run  
RSCR : Resistance Start Capacitor Run

**ASHRAE CONDITIONS (HBP)**  
Evaporating Temp. : 7.2°C (45°F)  
Condensing Temp. : 54.4°C (130°F)

**UNIT CONVERSION TABLE**  
1 watt = 3.41 Btu/Hr  
1 watt = 0.86 Kcal/Hr

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Samsung, HK6A3C2W, R134a, 1/3 hp++, 690 w, hbp, SDxx-SKxx-HKxx Series