

**Mbsm.pro, compressor,  
refrigerator, NTH115MT, Turk  
Elektrik, 115 Kcal/h, 1/5 hp,  
TEE compressor, r600a, lbp,  
BEKO Fridge Freezer  
Compressor, 220 v**

written by Lilianne | 16 February 2022



 HERMETIC COMPRESSOR  
**NTH 115 MT H309-05**  
  
 SUCTION ← 230VAC 50Hz  
 LRA:8.1 LBP R-600a S  
 11190081 ZV19 12:04  
 CE ✓ RoHS  R600a

H309-05  
 11190081 ZV19  
 12:04

Mbsm.pro, compressor, refrigerator, NTH115MT, Turk Elektrik, 115 Kcal/h, 1/5 hp, TEE compressor, r600a, lbp, BEKO Fridge Freezer Compressor, 220 v

---

**Mbsm.pro, Compressor, Turk Elektrik, AZ 90 YT, TEE compressor, R134a, 90 Kcal/h, refrigerator with 240 liter, lbp , 220 v**

written by Lilianne | 16 February 2022



**TCC** TÜRK ELEKTRİK  
**AZ 90 YT**  
230VAC 0/12  
SÜSTON 2 31  
LRA-11.0 LRP N° 340 S  
0566175 RM09 20:35  
[TCC] CE

Mbsm.pro, Compressor, Turk Elektrik, AZ 90 YT, TEE compressor,  
R134a, 90 Kcal/h, refrigerator with 240 liter, lbp , 220 v

---

**Mbsm.pro, Compressor,  
TW1374ys, Tw145-ks-482, 1/4  
hp, lbp, 195 w, 220 v, 1 ph,  
TECUMSEH, INDESIT, R134**

written by Lilianne | 16 February 2022



Mbsm.pro, Compressor, TW1374ys, Tw145-ks-482, 1/4 hp, lbp, 195  
w, 220 v, 1 ph, TECUMSEH, INDESIT, R134

---

**Mbsm.pro, Compressor, 1/7 HP  
, THG1352YKS, th221-ks-324,  
Tecumseh, LBP, R134a,  
220-240V ~ 50Hz, 1 PH**

written by Lilianne | 16 February 2022



TH221-KS-324  
THG1352YKS  
R134a LRA 9.0  
220-240V ~ 50 Hz  
CE  
C  
51 01106 31 001104  
COUNTRY OF ORIGIN: BRAZIL THERMALLY PROTECTED

**▲ WARNING**  
To avoid burns, IMMEDIATELY GET AWAY if you hear sizzling, sputtering or popping inside the compressor. Improper servicing can lead to electrocution, fire or explosion. Service only by trained professional.

**▲ ADVERTENCIA**  
Para evitar quemaduras, RETÍRESE INMEDIATAMENTE si oír chisporroteo, siseos o estallidos dentro del compresor. El mantenimiento inadecuado puede causar electrocución, incendio o explosión. Soloamente profesionales certificados pueden hacer los servicios de mantenimiento.

**▲ ATENÇÃO**  
Para evitar queimaduras, RETIRE-SE IMEDIATAMENTE se ouvir sons de crepitação, sibilos ou pipocamento dentro do compressor. Manutenção inadequada pode levar à electrocussão, queimadura ou explosão. Somente profissionais treinados poderão realizar serviços de manutenção.



Mbsm.pro, Compressor, 1/7 HP , THG1352YKS, th221-ks-324,  
Tecumseh, LBP, R134a, 220-240V ~ 50Hz, 1 PH

---

# Mbsm.pro, Compressor, Tecumseh, THB1350YS, R-134a 1/5HP, 230V, lbp

written by Lilianne | 16 February 2022



Mbsm.pro, Compressor, Tecumseh, THB1350YS, R-134a 1/5HP, 230V,  
lbp

---

# Mbsm.pro, Compressor, Huaguang , EKA95, LBP, R-600, 165 W, CHINA, 1/5 Hp

written by Lilianne | 16 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Huaguang , LBP, R-600, 165 W, CHINA, 1/5  
Hp,

---

# Mbsm.pro, Cubigel, Compressor, GPY14R, R134a, HMBP, 3/8 HP, HMBP, 14.32cc, High Efficiency

written by Lilianne | 16 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Cubigel, Compressor, GPY14R, R134a, HMBP, 3/8 HP, HMBP, 14.32cc, High Efficiency,

---

# Mbsm.pro, Compressor, 7/8 HP, R404A, Secop ,Commercial Freezer, Sc21cl, 104L2322, Sc21cl104L2322, 104L2322, 104L 2322, LBP, 2322

written by Lilianne | 16 February 2022




Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, 7/8 HP, R404A, Secop ,Commercial Freezer, Sc21cl, 104L2322, Sc21cl104L2322, 104L2322, 104L 2322, LBP

---

**Mbsm.pro, Compressor,  
SIKELAN, Refrigeration  
,ADW91, 1/3 HP, 220 W, 751  
btu, LBp, WQ series, R134A,  
LBP, 220V**

written by Lilianne | 16 February 2022



ADW91

220-240V~50/60Hz 1PH

LBP R134a

SIKELAN  
Compressor

SIKELAN



10105107C



CECB



Zhejiang Naidi Refrigeration Technology Co., LTD.  
MADE IN CHINA

Mbsm.pro, Compressor, SIKELAN, Refrigeration ,ADW91, 1/3 HP, 220 W, 751 btu, Lbp, WQ series, R134A, LBP, 220V

# Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO

written by Lilianne | 16 February 2022

embraco		COMPRESSOR TECHNICAL DATA	
<b>COMPRESSOR DEFINITION</b>			
Designation	<b>EG AS100HLR</b>		
Nominal Voltage/Frequency	220-240 V 50-60 Hz		
Engineering Number	513701174		
<b>A - APPLICATION / LIMIT WORKING CONDITIONS</b>			
1 Type	Hermetic reciprocating compressor		
2 Refrigerant	R-134a		
3 Nominal voltage and frequency	220-240 / 50-60		[ V / Hz ]
4 Application type	Low Back Pressure		
4.1 Evaporating temperature range	-35°C to -10°C		(-31°F to 14°F)
5 Motor type	RSIR		
6 Starting torque	LST - Low Starting Torque		
7 Expansion device	Capillary tube		
8 Compressor cooling	Operating voltage range		
		50 Hz	60 Hz
8.1 LBP (32°C Ambient temperature)	Fan	198 to 264 V	-
8.2 LBP (43°C Ambient temperature)	Fan	198 to 264 V	-
8.3 HBP (32°C Ambient temperature)	-	-	-
8.4 HBP (43°C Ambient temperature)	-	-	-
9 Maximum condensing pressures/temperature			
9.1 Operating (gauge)	16.2	[kgf/cm.] (230 psig)	/ °CC - °CF
9.2 Peak (gauge)	20.6	[kgf/cm.] (293 psig)	/ °CC - °CF

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO