

Double-Door, Refrigerator, BCD-498, compressor, 1/4 hp, r134a, 135G

Category: Refrigerator

written by Lilianne | 12 November 2023

Specification	
Capacity(L)	498
Freezer Capacity(L)	136
Refrigerator Capacity(L)	362
Climate	N/ST/T
Refrigerant	R600a/R134a
Approval	CE,CB
Net W*D*H(mm)	700x695x1776mm
Packing W*D*H(mm)	762x725x1817mm
Loading Quantity 40°C	67
Standard Features	
Low noise operation, quiet preservation.	Intimate design, ingenious quality.
Temperature control multi gear adjustment	Microcellular foam is long and fresh.
Double width design, stable operation	Store fresh in different areas and adjust as you please
Strong refrigeration, energy saving and environmental	protection



Private Picture Copyright : WWW.MBSM.PRO

Energie


Fabricant
Modèle

SAMSTAR
BCD 498

الطاقة

الصانع
النموذج

Econome



Pas économe

Consommation d'énergie kWh/an

Sur la base du résultat obtenu pour 24h dans des conditions d'essai normalisées

La consommation réelle dépend des conditions d'utilisation et de la localisation de l'appareil

459

Capacité de denrées fraîches l

Capacité de denrées congelées l

340
127

Bruit

(dB(A) re 1 pW)


Une fiche d'information détaillée figure dans la brochure

Norme EN 153

43



مقتصد



قليل الاقتصاد

استهلاك الطاقة كيلووات ساعة / السنة
استناداً إلى النتيجة التي تم الحصول عليها لمدة 24 ساعة في
في ظروف الاختيار القياسية

الاستهلاك الفعلي وسوف
يعتمد على مدى الجهاز هو
تستخدم وأين تقع

حجم المواد الغذائية الطازجة ل

حجم الأغذية المجمدة ل

الضجيج

(dB(A) re 1 pW)


المزيد من المعلومات
في كتيبات المنتجات

ولاق المعايير EN 153

DREAM HOUSE BCD-498 REFRIGERATOR

Total Effective Volume(L): 488
Climate Classification: T
Freezer Volume(L): 152
Rated Voltage(V): 220-240
Rated Frequency(Hz): 50
Rated Current(A): 1.15
Lamp Power(W): 10
Refrigerant / Amount(g): R134a/135
Blowing Gas: C₆H₆

CIRCUIT DIAGRAM



MADE IN CHINA



POCO M3 | عايد الخيگاني

10/11/2023 14:48



SANSTAR





Specification	
Capacity(L)	498
Freezer Capacity(L)	136
Refrigerator Capacity(L)	362
Climate	N/ST/T
Refrigerant	R600a/R134a
Approval	CE,CB
Net W*D*H(mm)	700x695x1776mm
Packing W*D*H(mm)	762x725x1817mm
Loading Quantity 40'HC	67
Standard Features	
Low noise operation, quiet preservation.	Intimate design, ingenious quality.
Temperature control multi gear adjustment	Microcellular foam is long and fresh.
Double width design, stable operation	Store fresh in different areas and adjust as you please
Strong refrigeration, energy saving and environmental	protection