

# Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

written by Lilianne | 24 April 2022



Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

---

**Mbsm.pro, Air Conditioner,  
GAC-C12A4, General Gold,  
12000 btu/h, Cooling,  
Heating, 1.5 hp, 1 ton, R22,  
580 g, T1**

written by Lilianne | 24 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

---

**Mbsm.pro, Iris refrigerator,  
BCD-480E, 420 L, 0.81 A, 170  
W, Compressor, 1/4 Hp,  
220v-50hz, R600a, 47 G**

written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Iris refrigerator, BCD-480E, 420 L, 0.81 A, 170 W, Compressor, 1/4 Hp, 220v-50hz, R600a, 47 G

---

**Mbsm.pro, air conditioner,  
cu-yc12MKF, 12000 btu/h, 1  
ton, Cooling only, 8 A, R22,  
870 G, 220 v 50 htz, T1, 1/2  
copper suction, 1/4 copper  
discharge**

written by Lilianne | 24 April 2022

# Panasonic

## AIR CONDITIONER

OUTDOOR UNIT

Model No. CU-YC12MKF

PHASE 1

VOLTAGE 220-240V-

FREQUENCY 50 Hz

MAXIMUM INPUT 1.75kW/8.1A

COOLING CAPACITY 3.52-3.54kW  
12670-12740kJ/h

CURRENT 5.9-5.7A

POWER INPUT 1.25-1.29kW

EER 2.82-2.74

(ISO 5151)

REFRIGERANT R22 870g

MWP

H.P 2.9 MPa

L.P 2.0 MPa

IPX4

SERIAL NO.

**7891522067**

PRODUCTION DATE 0313

Panasonic Appliances  
Air-Conditioning Malaysia  
Sdn. Bhd.  
Shah Alam Malaysia  
Made in Malaysia

FD000002

SHOT ON MI 9 LITE  
AI TRIPLE CAMERA

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, air conditioner, cu-yc12MKF, 12000 btu/h, 1 ton, Cooling only, 8 A, R22, 870 G, 220 v 50 htz, T1, 1/2 copper suction, 1/4 copper discharge

---

**Mbsm.pro, All Compressor in  
one file,  
r134a/R404a/R507/r600a/r22/r4  
10a compressors Cubigel, lbp,  
hbp, hmbp, LeeK , Daikin,  
Copeland ZP, Danfoss MLZ  
series, InvoTech for air-  
conditioning, Semi-hermetic  
compressors, Rotary  
compressors for air-  
conditioning**

written by Lilianne | 24 April 2022





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning

---

**MBSM.pro, Compressor, 13HP,  
Danfoss, Performer, Scroll  
Compressor, Sm160, Sm161t4vc,  
Refrigeration Chiller, 3 ph,  
380 v, 38BB 055 – 240,  
38bb-250 9e/k, 38BB 250, 250  
= 250000 kBtu/hr, 30 Ton,  
r22, 19 Kg, suction 1-1/8"–2,  
refoulement 5/8"–2**

written by Lilianne | 24 April 2022



Model no: SM161T4VC



Serial no: GD2503110072



**Danfoss**  
MADE IN CHINA

M	380-400 V 3 ~ 50 Hz	UL electrical
	460 V 3 ~ 60 Hz	LR 145 A MAX OPER. 31 A
	Thermally protected system	
P.E.D.	LP side	HP side
Marking	25 bar	27.8 bar
PS	63 °C	150 °C
TS max	-35 °C	-35 °C
TS min	17.8 L	2.0 L
Volume	Lubricant: MINERAL OIL 1600	

CE US EAC  
0062



Refrigerant: R22 (UL rating) - R417A with 160SZ  
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

**WARNING**

Installation and servicing should be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.

**ELECTRIC SHOCK HAZARD:** Turn off power before servicing. Disconnect all connections.

Keep terminal cover in place and securely fastened whenever power is applied to the compressor. Use the equipment only as provided by the manufacturer.

**HIGH PRESSURE:** System contains refrigerant and oil under pressure. Release pressure from both the high and low side before servicing when using refrigerant.

**FLAME HAZARD:** Use flammable refrigerant only.

See user manual for additional information.

**MAX**

Private Picture Copyright: WWW.MBSM.PRO

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8”-2, refoulement

**Mbsm.pro, Compressor, atk72x,  
HuaGuang, cmA069LHEM, LG,  
1bp, 1/4 hp, 205 W, 699  
Btu/h, 220-240V 50HZ,  
Refrigerator, Fresh, FNT-  
BR470K, 1 A, 376 L, R134a, 95  
G, freezer**

written by Lilianne | 24 April 2022



Mbsm.pro, Compressor, atk72x, HuaGuang, cmA069LHEM, LG, 1bp, 1/4 hp, 205 W, 699 Btu/h, 220-240V 50HZ, Refrigerator, Fresh, FNT-BR470K, 1 A, 376 L, R134a, 95 G, freezer

---

**MBSM.PRO, LG-520, UPRIGHT  
SHOWCASE, 520 L, 260w, 2.20  
A, EGAS 90HLR, EGAS90HLR, 1/3  
hp, LBP, EMBRACO, R34A, 230  
G, 220-240 V**

written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MBSM.PRO, LG-520, UPRIGHT SHOWCASE, 520 L, 260w, 2.20 A, EGAS 90HLR, EGAS90HLR, 1/3 hp, LBP, EMBRACO, R34A, 230 G, 220-240 V

---

# Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V 50Hz, 1 HP, 1 PH, LBN, Lra 21 A, Oil 350 cc

written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V  
50Hz, 1 HP, 1 PH, LBN

---

# Mbsm.pro, Compressor, ns11116, 1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, ns11116, 1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor