

Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

written by Lilianne | 24 April 2022



Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

**Mbsm.pro, Air Conditioner,
GAC-C12A4, General Gold,
12000 btu/h, Cooling,
Heating, 1.5 hp, 1 ton, R22,
580 g, T1**

written by Lilianne | 24 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

**Mbsm.pro, Iris refrigerator,
BCD-480E, 420 L, 0.81 A, 170
W, Compressor, 1/4 Hp,
220v-50hz, R600a, 47 G**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Iris refrigerator, BCD-480E, 420 L, 0.81 A, 170 W, Compressor, 1/4 Hp, 220v-50hz, R600a, 47 G

**Mbsm.pro, air conditioner,
cu-yc12MKF, 12000 btu/h, 1
ton, Cooling only, 8 A, R22,
870 G, 220 v 50 htz, T1, 1/2
copper suction, 1/4 copper
discharge**

written by Lilianne | 24 April 2022

Panasonic

AIR CONDITIONER

OUTDOOR UNIT

Model No. CU-YC12MKF

PHASE 1

VOLTAGE 220-240V-

FREQUENCY 50 Hz

MAXIMUM INPUT 1.75kW/8.1A

COOLING CAPACITY 3.52-3.54kW

12670-12740kJ/h

CURRENT 5.9-5.7A

POWER INPUT 1.25-1.29kW

EER 2.82-2.74

(ISO 5151)

REFRIGERANT R22 870g

MWP

H.P 2.9 MPa

L.P 2.0 MPa

IPX4

SERIAL NO.

7891522067

PRODUCTION DATE 0313

Panasonic Appliances
Air-Conditioning Malaysia
Sdn. Bhd.
Shah Alam Malaysia
Made in Malaysia

PC000002



SHOT ON MI 9 LITE
AI TRIPLE CAMERA

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, air conditioner, cu-yc12MKF, 12000 btu/h, 1 ton, Cooling only, 8 A, R22, 870 G, 220 v 50 htz, T1, 1/2 copper suction, 1/4 copper discharge

**Mbsm.pro, All Compressor in
one file,
r134a/R404a/R507/r600a/r22/r4
10a compressors Cubigel, lbp,
hbp, hmbp, LeeK , Daikin,
Copeland ZP, Danfoss MLZ
series, InvoTech for air-
conditioning, Semi-hermetic
compressors, Rotary
compressors for air-
conditioning**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning

**MBSM.pro, Compressor, 13HP,
Danfoss, Performer, Scroll
Compressor, Sm160, Sm161t4vc,
Refrigeration Chiller, 3 ph,
380 v, 38BB 055 – 240,
38bb-250 9e/k, 38BB 250, 250
= 250000 kBtu/hr, 30 Ton,
r22, 19 Kg, suction 1-1/8"–2,
refoulement 5/8"–2**

written by Lilianne | 24 April 2022



Model no: SM161T4VC



Serial no: GD2503110072



Danfoss
MADE IN CHINA

M	380-400 V 3 ~ 50 Hz	UL electrical
	460 V 3 ~ 60 Hz	LR 145 A MAX OPER. 31 A
	Thermally protected system	
P.E.D.	LP side	HP side
Marking	25 bar	27.8 bar
PS	63 °C	150 °C
TS max	-35 °C	-35 °C
TS min	17.8 L	2.0 L
Volume	Lubricant: MINERAL OIL 1600	

CE US EAC
0062



Refrigerant: R22 (UL rating) - R417A with 160SZ
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

WARNING

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.
ELECTRIC SHOCK HAZARD: Turn off power before servicing. Disconnect all connections.
Keep terminal cover in place and securely fastened whenever power is applied to the compressor. Use the equipment only as provided by the manufacturer.
HIGH PRESSURE: System contains refrigerant and oil under pressure. Release pressure from both the high and low side before servicing when using refrigerant.
FLAME HAZARD: Use caution when servicing refrigerant. Do not use liquid as a solvent.

MAX

Private Picture Copyright: WWW.MBSM.PRO

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8”-2, refoulement

**Mbsm.pro, Compressor, atk72x,
HuaGuang, cmA069LHEM, LG,
1bp, 1/4 hp, 205 W, 699
Btu/h, 220-240V 50HZ,
Refrigerator, Fresh, FNT-
BR470K, 1 A, 376 L, R134a, 95
G, freezer**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, atk72x, HuaGuang, cmA069LHEM, LG, 1bp, 1/4 hp, 205 W, 699 Btu/h, 220-240V 50HZ, Refrigerator, Fresh, FNT-BR470K, 1 A, 376 L, R134a, 95 G, freezer

**MBSM.PRO, LG-520, UPRIGHT
SHOWCASE, 520 L, 260w, 2.20
A, EGAS 90HLR, EGAS90HLR, 1/3
hp, LBP, EMBRACO, R34A, 230
G, 220-240 V**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

MBSM.PRO, LG-520, UPRIGHT SHOWCASE, 520 L, 260w, 2.20 A, EGAS 90HLR, EGAS90HLR, 1/3 hp, LBP, EMBRACO, R34A, 230 G, 220-240 V

Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V 50Hz, 1 HP, 1 PH, LBN, Lra 21 A, Oil 350 cc

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V
50Hz, 1 HP, 1 PH, LBN

Mbsm.pro, Compressor, ns11116, 1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, ns11116, 1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor