

**3HP , 2CC-3.2 , Bitzer ,Semi
hermetic ,Refrigeration
,Compressor ,for cold storage**

written by Lilianne | 12 May 2020

3HP , 2CC-3.2 , Bitzer ,Semi hermetic ,Refrigeration
,Compressor ,for cold storage

**NL10MF ,1/3 HP ,10,5kg 1/3HP
,Hermétique,Compressor ,
DANFOSS ,SECOP ,R134a
,220-240V 50Hz , 208-230V
60Hz ,MBP (Medium Back
Pressure) ,CSIR – RSIR
(Resistance Start – Capacitor
Run)**

written by Lilianne | 12 May 2020

NL10MF ,1/3 HP ,10,5kg 1/3HP ,Hermétique,Compressor , DANFOSS
,SECOP ,R134a ,220-240V 50Hz , 208-230V 60Hz ,MBP (Medium Back
Pressure) ,CSIR – RSIR (Resistance Start – Capacitor Run)

Application Pour Les Pro Seulement , Soudure de Raccord De climatiseur A l'aide d'emboiture

written by Lilianne | 12 May 2020

Application For Pro Only, Air Conditioner Fitting Solder Using
Socket

**EMT36HLP , EMBRACO , ASPERA
, COMPRESSEUR FRIGORIFIQUE
, 220/240V 50Hz , 1/10 HP,
déplacement 3,97 , R134 , LBP**

written by Lilianne | 12 May 2020

EMT36HLP , EMBRACO , ASPERA , COMPRESSEUR FRIGORIFIQUE , 220/240V
50Hz , 1/10 HP, déplacement 3,97 , R134 , LBP

**Compresseur, hermétique
Daewoo ,HSL19JE-5, RLA 5.5
,R134a LBP 220-240V / 50Hz ,
144/155 W , 1/5 HP, 516 Btu
,RSIR**

written by Lilianne | 12 May 2020

Compresseur, hermétique Daewoo ,HSL19JE-5, RLA 5.5 ,R134a LBP
220-240V / 50Hz , 133/144 W , 1/6HP, 516 Btu ,RSIR

**ML90FB ,CUBIGEL ,R404A /
R507, LBP, COMPRESSEUR
HERMÉTIQUE ,1/3HP, 230V 50Hz**

written by Lilianne | 12 May 2020

ML90FB ,CUBIGEL ,R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE
,1/3HP, 230V 50Hz

SECOP , R600 ,Compresseur de

réfrigérateur, DLY9.4KK, 220/50Ht, 1/5 HP , 166w ,LBP

written by Lilianne | 12 May 2020

SECOP , R600 ,Compresseur de réfrigérateur, DLY9.4KK,
220/50Ht, 1/5 , 166w ,LBP

Raccords , frigorifiques , climatiseur , Rapide A Souder

written by Lilianne | 12 May 2020

Raccords , frigorifiques , climatiseur , Rapide A Souder


Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP , 220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type: CSIR,7.7LRA , Oil 180ML

written by Lilianne | 12 May 2020

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP ,
220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type:
CSIR,7.7LRA , Oil 180ML

**Compressor ,Embraco Aspera
,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP,
34.38 cm³, LRA 36.0 A, CSR,
lubricant charge 750ml POE
22, 1547 W ,at -23.3 / +54.4
°**

written by Lilianne | 12 May 2020



Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP, 34.38 cm³, LRA 36.0 A, CSR, lubricant
charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °