

D110C24GAX5 , PANASONIC ,RSIR, Serie D, Reciprocating ,Compressors , 298 w , 1/3 HP , R134a ,220v 50Hz

Category: Technologie,Tester ok
written by Lilianne | 26 April 2020

displacement cm3	W (cooling)	BTU/HR	K Cal/hr	HP	Model	number
5.1	135	461	116	1/6	D51C10RAW5	1
5.1	135	461	116	1/6	D51C90RAW5	2
5.7	141	481	121	1/6	D57C10RAW5	3
5.7	141	481	121	1/6	D57C13RAX5	4
6.6	160	546	138	1/5	D66C10RAW5	5
6.6	151	515	130	1/5	D66C10RAX5	6
7.7	186	635	160	1/5	D77C10RAW5	7
7.7	186	635	160	1/5	D77C10RAX5	8
9.1	227	774	195	1/4	D91C10RAW5	9
9.1	227	774	195	1/4	D91C10RAX5	10
11.0	298	1017	256	1/3	D51C21RAX5	11
11.0	298	1017	256	1/3	D110C21RA25	12
11.0	298	1017	256	1/3	D110C21RBX5	13
11.0	298	1017	256	1/3	D110C24GAX5	14






 NA10X 4621 MA6566939
D110C24GAX5 R134a (M)
 220V ~ 50Hz 1PH
 THERMALLY PROTECTED
 Matsushita Electric Industrial Co., Ltd.
 Manufactured by Matsushita Refrigeration
 Industries (M) Sdn. Bhd. Made in Malaysia

displacement cm ³	W (cooling)	BTU/HR	K Cal/hr	HP	Model	number
5.1	135	461	116	1/6	D51C10RAW5	1
5.1	135	461	116	1/6	D51C90RAW5	2
5.7	141	481	121	1/6	D57C10RAW5	3
5.7	141	481	121	1/6	D57C13RAX5	4
6.6	160	546	138	1/5	D66C10RAW5	5
6.6	151	515	130	1/5	D66C10RAX5	6
7.7	186	635	160	1/5	D77C10RAW5	7
7.7	186	635	160	1/5	D77C10RAX5	8
9.1	227	774	195	1/4	D91C10RAW5	9
9.1	227	774	195	1/4	D91C10RAX5	10
11.0	298	1017	256	1/3	D51C21RAX5	11
11.0	298	1017	256	1/3	D110C21RA25	12
11.0	298	1017	256	1/3	D110C21RBX5	13
11.0	298	1017	256	1/3	D110C24GAX5	14



Private Picture Copyright : WWW.MBSM.PRO

D	D91C21RAX5	9.1	220V 50Hz	RSIR	227	1.28	-	-
				RSCR	227	1.34	-	-
	D91C22TAT6	9.1	110V 60Hz	CSIR	-	-	-	-
				CSCR	288	1.35	-	-
	D91C23GAX6	9.1	220V 60Hz	RSIR	288	1.26	-	-
				RSCR	-	-	-	-
	D110C21RAX5	11.0	220V 50Hz	RSIR	298	1.26	-	-
				RSCR	298	1.34	-	-
	D110C21RAZ5	11.0	240V 50Hz	RSIR	298	1.32	-	-
				RSCR	298	1.38	-	-
	D110C22RAX6	11.0	220V 60Hz	RSIR	326	1.36	-	-
				RSCR	-	-	-	-
	D110C21RBX5	11.0	220/230V 50Hz	RSIR	-	-	-	-
				RSCR	298 / 298	1.34 / 1.31	-	-
	D110C24GAX5	11.0	220V 50Hz	RSIR	298	1.27	-	-
				RSCR	-	-	-	-

PictureS Mbsm Dot Pro : www.mbsm.pro

Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm ³)	11
Voltage (V)	220
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	298
COP@ASHRAE	1.27
Capacity@CECOMAF	-
COP@CECOMAF	-

PictureS Mbsm Dot Pro : www.mbsm.pro

Panasonic Refrigerator Compressor QB91C24GAX0 :

- 1.Horsepower:1/4+HP
- 2.Voltage:220v,50HZ or 220V/60HZ
- 3.Refrigerant: R12,R134a
- 4,Capacity: 255W

number	Model	HP	K	Cal/hr	BTU/HR	W (cooling)	displacement cm3
1	D51C10RAW5 1/6	116	461	135	5.1		
2	D51C90RAW5 1/6	116	461	135	5.1		
3	D57C10RAW5 1/6	121	481	141	5.7		
4	D57C13RAX5 1/6	121	481	141	5.7		
5	D66C10RAW5 1/5	138	546	160	6.6		
6	D66C10RAX5 1/5	130	515	151	6.6		
7	D77C10RAW5 1/5	160	635	186	7.7		
8	D77C10RAX5 1/5	160	635	186	7.7		
9	D91C10RAW5 1/4	195	774	227	9.1		
10	D91C10RAX5 1/4	195	774	227	9.1		
11	D51C21RAX5 1/3	256	1017	298	11.0		
12	D110C21RA25 1/3	256	1017	298	11.0		
13	D110C21RBX5 1/3	256	1017	298	11.0		
14	D110C24GAX5 1/3	256	1017	298	11.0		