

COMPRESSEUR ZEL , 200w , HDL200A, R600a, LBP , 1/4 hp

written by Lilianne | 1 April 2020



Private Picture Copyright : WWW.MBSM.PRO

Model	Motor	Disp.	Power	Motor type	Freq.	Cooling capacity	Input power	Input power (RC)	COP	COP (RC)	Run capacitor	Height	Netweight
GDL145D	Cu	4.4	1/8	RSIR/RSCR	60	145	94	87	1.55	1.67	10	161	7.3
GDL175D	Cu	5.3	1/6	RSIR/RSCR	60	175	112	106	1.56	1.65	10	161	7.3
GML140A	Al	4.9	1/6	RSIR	50	140	112	0	1.25	0	0	152	6.3
GML160A	Al	5.7	1/6	RSIR	50	160	128	0	1.25	0	0	161	6.9
GML180A	Al	6.5	1/5	RSIR	50	180	144	0	1.25	0	0	161	7.1
GML200A	Al	7	1/5	RSIR	50	200	160	0	1.25	0	0	164	7.3
GML145D	Al	4.4	1/7	RSIR/RSCR	60	145	97	92	1.5	1.57	10	164	7.1
GML175D	Al	4.9	1/6	RSIR/RSCR	60	175	118	112	1.48	1.56	10	164	7.1
GPL175D*	Cu	4.9	1/7	CSCR	60	175		97		1.8	10	161	7.6
GXL175D	Cu	4.9	1/7	RSCR	60	175		101		1.73	10	164	7.6

Picture5 Mbsm Dot Pro : www.mbsm.pro





Private Picture Copyright : WWW.MBSM.PRO



Picture5 Mbsm Dot Pro : www.mbsm.pro

x

x

x

**GML70G,
GML90G,
GML125G,
HMM70A,
HMM90A,
HML125AT,
GML140AT
GML200AT,
GTH88AA,
HML140AT,
HML200A,
HKD14AA,
GML125G,
GTH88AA,**

GDL145D,
GDL175D,
GML140A,
GML160A,
GML180A,
GML200A,
GML145D,
GML175D,
GPL175D*,
GXL175D,
GXL200D,

R600a					
مواصفات كياسات التجميد LBP					
Model الموديل	Voltage الفولت	Hz التردد	Cooling Capacity سعة التبريد - القدرة التبريدية		
			W	HP	
HMM70A	220 - 240	50	70	0.094	1/10
HMM80A	220 - 240	50	80	0.107	1/10
HMM90A	220 - 240	50	90	0.121	1/8
HMM100A	220 - 240	50	100	0.134	1/8
HML100A	220 - 240	50	103	0.138	1/8
HML125A	220 - 240	50	121	0.162	1/6
HML125AT	220 - 240	50	130	0.174	1/6
HML140AT	220 - 240	50	140	0.188	1/6
HML155A	220 - 240	50	155	0.208	1/5
HML170AT	220 - 240	50	170	0.228	1/5
HML190A	220 - 240	50	190	0.255	1/4
HML200A	220 - 240	50	200	0.268	1/4

PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm_dot_pro_private_PDF_catalog_zelTélécharger
COMPRESSEUR ZEL HML170A AU R600A LBP 1/6HP 9.5CM3



WHIRLPOOL , COMPRESSEUR R600 , 1/8 HP , HKK80AA, LBP Compressor, Top Efficiency , 220-240V 50Hz

written by Lilianne | 1 April 2020



WHIRLPOOL , COMPRESSEUR R600 , 1/8 HP , HKK80AA



Samsung SD162H-L1U2 Compressor, Rscr, 1/5 Hp, 6.99Cc, MANUFACTURERS, FACTORY, SUPPLIERS FROM CHINA

written by Lilianne | 1 April 2020



HP 1/5 **HP** Samsung SD162C-L1U2

2. Function Specifications Temp Range □ 32□ ~ 40□ Capacity
Cubic Feet 7 Climate Class N Max Ambient Temp □ 89.6□ Min
Ambient Temp □ 59□ Castors 5" 4EA Shelves 2EA Doors 1EA
Exterior Finish Stainless Steel Inte ...



Mbsm_dot_pro_private_PDF_Sd162h-l1uaTélécharger

Mbsm_dot_pro_private_PDF_compressor-catalogue-2015Télécharger



COMPRESOR ACC GL80AN R134 1/5, Cubigel Compressors LBP , Hermetic

written by Lilianne | 1 April 2020



Type: Hermetic piston compressors

Producer: ACC

Series: HMBP

Model: GL80AN

General data

Refrigerant:	R134a	
Discharge element:	C	
Cooling:	S	
Maximum ambient temperature [°C]:	43	

Compressor's data

Cylinder capacity [cm ³]:	8,1	
Displacement [m ³ /h]:	1,4	
Weight [kg]:	10,6	

Oil charge [cm ³]:	445	
Oil type:	ISO VG 19 ESTER	

Engine's data

Engine type:	RSIR	
Power [KM]:	1/5	
Starting element:	LST	
Power supply:	220V 50Hz	
Voltage range:	170-242	
Locked rotor current [A]:	18	
Running winding resistance (25°C) [Ω]:	5,81	
Starting winding resistance (25°C) [Ω]:	11,01	

Electrical data

Relays:	3003	
Shielding element:	MRP321LZ, T0683, AF11FI	
Starting capacitor volume [μF]:		

Connections

	millimeters	inches	
Suction tube:	6,5		
Service tube:	6,5		
Discharge tube:	4,9		