

# Mbsm.pro, Compressor, ACC, Cubigel, Huayi, Electrolux, ZEM, MPT14LA, MPT14RA, LBP, R404A, R507, 1/2HP, 220-240V

written by Lilianne | 31 December 2021

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm<sup>3</sup>, oil type: POE, oil charge: 887 cm<sup>3</sup>, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height: 271 mm, weight: 21.5kg

Type: Low back pressure (LBP)

Refrigerant: R404a/507

Displacement: 14.32cm<sup>3</sup>

Power: 1/2CV

Voltage: 230V – 50Hz

Single-phase

Motor type: CSR

Weight: 13.4 kg

Evaporation temperature

-40°C: 243W


-30°C: 420W

-25°C: 535W

-10°C: 988W



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_MPT14LATélécharger

---

**Mbsm.pro, COPLAND,  
Compressor, KCJ511HAE,  
KCJ511HAE-BXXX, HBP, 1-3/8  
hp big ++, R-22, 230 V, 50**

# Hz, 1PH, FAN, 350 ft3 / m

written by Lilianne | 31 December 2021

Technical Specification	
Cooling Capacity (Btu/hr)	11275
Cooling Capacity (w)	3302
HP	1-3/8
LRA	54

## COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57

Sound Power (HT), dBA 68

## COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)

Locked Rotor Current, A 25

Default Enclosure Class IP 21 (IEC 34)

ACCESSORIES OPTIONAL

Mounting Grommets Standard

Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAETélécharger](#)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAE-1Télécharger](#)

---

# Carte mere refrigerateur hitachi 2019

written by Lilianne | 31 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


# Saunier Duval C25E

written by Lilianne | 31 December 2021



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

# **Thermostat d'ambiance , Thermostat de sécurité, Marque IMIT, Italie**

written by Lilianne | 31 December 2021





---

**SCHNEIDER N:ATV32H075M2  
variable speed drive ATV32 –  
0,75 kw – 200 V – 1 phase –  
with heat sink**

written by Lilianne | 31 December 2021



---

**PINCE EMBOITURE VIRAX 12-32MM  
SERTISSAGE AXIAL PER-PEX  
12-16MM**

written by Lilianne | 31 December 2021





---

# Machine a laver lg 11kg

written by Lilianne | 31 December 2021



---

# BONNAMY AUTOMATIC TUBE BENDER

written by Lilianne | 31 December 2021











Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



---

# White whale look machine a laver

written by Lilianne | 31 December 2021



