

# Mbsm.pro, Compressor, ACC, Cubigel, Huayi, Electrolux, ZEM, MPT14LA, MPT14RA, LBP, R404A, R507, 1/2HP, 220-240V

Category: compressor

written by Lilianne | 31 December 2021

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm<sup>3</sup>, oil type: POE, oil charge: 887 cm<sup>3</sup>, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height: 271 mm, weight: 21.5kg

Type: Low back pressure (LBP)

Refrigerant: R404a/507

Displacement: 14.32cm<sup>3</sup>

Power: 1/2CV

Voltage: 230V – 50Hz

Single-phase

Motor type: CSR

Weight: 13.4 kg

Evaporation temperature

-40°C: 243W


-30°C: 420W

-25°C: 535W

-10°C: 988W



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_MPT14LATélécharger

Mbsm.pro, COPLAND, Compressor,  
KCJ511HAE, KCJ511HAE-BXXX , HBP,  
1-3/8 hp big ++, R-22 , 230 V, 50 Hz,  
1PH , FAN, 350 ft3 / m

Category: compressor

written by Lilianne | 31 December 2021

#### Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2  
Bore/Stroke, mm 3.5/1.9  
Length/Width, mm 235/179  
Height, mm 264  
Net Weight, kg 21.5  
Stub Suction, inch 5/16  
Stub Discharge, inch 5/16  
Oil Quantity, l 0.9  
Base mounting (hole dia), mm NA (0.0)  
Sound Pressure @ 1m (HT), dBA 57  
Sound Power (HT), dBA 68  
COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)  
Locked Rotor Current, A 25  
Default Enclosure Class IP 21 (IEC 34)  
ACCESSORIES OPTIONAL  
Mounting Grommets Standard  
Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAETélécharger](#)  
[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAE-1Télécharger](#)

---

## Carte mere refrigerateur hitachi 2019

Category: Pictures

written by Lilianne | 31 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


## Saunier Duval C25E

Category: Pictures

written by Lilianne | 31 December 2021



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO



# Thermostat d'ambiance ,Thermostat de sécurité,Marque IMIT,Italie

Category: Pictures

written by Lilianne | 31 December 2021
















Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)







Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## SCHNEIDER N:ATV32H075M2 variable speed drive ATV32 – 0,75 kw – 200 V – 1 phase – with heat sink

Category: Pictures

written by Lilianne | 31 December 2021





# SINUMERIC

موزع لمنذانية Schneider

**Christ**  
WASH SYSTEMS  
Firmware V1.5 IE14



**⚠ DANGER**

HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH. Before servicing, remove all power and 15 minutes.



**⚡**  
AC/DC  
Nominal voltage  
ATV32HU15N4  
Insulation voltage  
ATV32HU15N4  
Rated voltage



Schneider Electric Support & Warranty

ATV32HU15N4

SN 1542 814147

1.848 - 207 - 20-8000

MAC

0102 080 1007

Sinumeric\_ias@hotmail.com

مشروع الاستعماري - محل رقم 8



# SINUMERIC

موزع لمنذانية Schneider

S

0102 080 1007

Sinumeric\_ias@hotmail.com

مشروع الاستعماري - محل رقم 8

العائش من رمضان



# PINCE EMBOITURE VIRAX 12-32MM SERTISSAGE AXIAL PER-PEX 12-16MM

Category: Pictures

written by Lilianne | 31 December 2021



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



 **virax**



**AXIAL CRIMPING**  
**SERTISSAGE AXIAL**  
**PER / PEX**  
**Ø 12-16-20mm**



CHRONO 99765









- 252641 Ø 12-14-16-18-22 MM
- 252644 Ø 12-14-16-18-22-28-32 MM
- 252679 Ø 12-15-18-22-28 MM
- 252637 Ø ¼-⅝-¾-⅞
- 252651 Ø ¼-⅝-¾-⅞-1 ¼"
- 252681 Ø ¼-⅝-¾-⅞-1 ¼"

Cu



virax



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Machine a laver lg 11kg

Category: Pictures

written by Lilianne | 31 December 2021



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

# BONNAMY AUTOMATIC TUBE BENDER

Category: Pictures

written by Lilianne | 31 December 2021











Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





# White whale look machine a laver

Category: Pictures  
written by Lilianne | 31 December 2021



