

Mbsm.pro, air conditioner, GiBson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

Category: air conditioner,Archivation  
written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, air conditioner, GiBson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

Category: air conditioner,Archivation  
written by Lilianne | 24 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

---

Mbsm.pro, Iris refrigerator,  
BCD-480E, 420 L, 0.81 A, 170 W,  
Compressor, 1/4 Hp, 220v-50hz, R600a,  
47 G

Category: Archivation,Freezer  
written by Lilianne | 24 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Iris refrigerator, BCD-480E, 420 L, 0.81 A, 170 W, Compressor, 1/4 Hp, 220v-50hz, R600a, 47 G

Mbsm.pro, air conditioner, cu-  
yc12MKF, 12000 btu/h, 1 ton, Cooling  
only, 8 A, R22, 870 G, 220 v 50 htz,  
T1, 1/2 copper suction, 1/4 copper  
discharge

Category: air conditioner,Archivation  
written by Lilianne | 24 April 2022

# Panasonic

## AIR CONDITIONER

### OUTDOOR UNIT

Model No. CU-YC12MKF

PHASE 1

VOLTAGE 220-240V~

FREQUENCY 50 Hz

MAXIMUM INPUT 1.75kW/8.1A

COOLING CAPACITY 3.52-3.54kW  
12670-12740kJ/h

CURRENT 5.9-5.7A

POWER INPUT 1.25-1.29kW

EER 2.82-2.74

(ISO 5151)

REFRIGERANT R22 870g

MWP

H.P 2.9 MPa

L.P 2.0 MPa

IPX4


SERIAL NO.

**7891522067**

PRODUCTION DATE 0313

Panasonic Appliances  
Air-Conditioning Malaysia  
Sdn. Bhd.  
Shah Alam Malaysia  
Made in Malaysia

P028842



SHOT ON MI 9 LITE  
AI TRIPLE CAMERA

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, air conditioner, cu-yc12MKF, 12000 btu/h, 1 ton, Cooling only, 8 A, R22, 870 G, 220 v 50 htz, T1, 1/2 copper suction, 1/4 copper discharge

Mbsm.pro, All Compressor in one file,  
r134a/R404a/R507/r600a/r22/r410a  
compressors Cubigel, lbp, hbp, hmbp,  
LeeK , Daikin, Copeland ZP, Danfoss  
MLZ series, InvoTech for air-  
conditioning, Semi-hermetic  
compressors, Rotary compressors for  
air-conditioning

Category: Archivation,compressor  
written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK, Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning



---

# Mbsm.pro, Compressors for domestic refrigeration

Category: compressor

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressors for domestic refrigeration

---

# Mbsm.pro, Compressor, Zhejiang Asbeila Refrigeration Technology, B Series

Category: Files

written by Lilianne | 24 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_zhejiang-asbeila-refrigeration-technology-co.-  
LtdTélécharger

---

## Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer, inverter

Category: expertise

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer, inverter

Mbsm.pro, JS-C186VA , air  
conditioner, 18000 Btu/h, York ,  
Cooling Only, r22, 1100 G gaz, T3 ,  
9A

Category: air conditioner,compressor  
written by Lilianne | 24 April 2022



**WALL SPLIT UNIT  
OUTDOOR UNIT**

**Model**

**JS-C186VA**

Rated voltage	220-240V~
Rated Freq.	50Hz
Cooling Cap.	18000 Btu/h
Heating cap.	-
Current	9(A)
Sound Pres. Level	56dB(A)
Refrigerant	R22/1.1Kg
Weight	45 Kg
Climate	T3
Moisture Protection	IP24

**Johnson  
Controls**



Made for JCI-USA

63229953602

Made in China

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York , Cooling Only, r22,  
1100 G gaz, T3 , 9A

---

MBSM.pro, Compressor, 13HP, Danfoss,  
Performer, Scroll Compressor, Sm160,  
Sm161t4vc, Refrigeration Chiller, 3  
ph, 380 v, 38BB 055 – 240, 38bb-250  
9e/k, 38BB 250, 250 = 250000 kBtu/hr,  
30 Ton, r22, 19 Kg, suction 1-1/8"–2,  
refoulement 5/8"–2

Category: Archivation,compressor  
written by Lilianne | 24 April 2022

**Danfoss**  
MADE IN CHINA

Model no: **SM161T4VC**



Serial no: **GD2503110072**



M 380-400 V 3 ~ 50 Hz  
460 V 3 ~ 60 Hz  
LR 145 A MAX OPER. 31 A  
Thermally protected system  
P.E.D. LP side HP side  
Marking 25 bar 27.8 bar  
PS 63 °C 150 °C  
TS max -35 °C -35 °C  
TS min 17.6 L 20 L  
Volume 17.6 L 20 L  
Lubricant: MINERAL OIL 1600

CE C **UL** US EAC  
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160SZ  
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

**WARNING**

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.  
**ELECTRIC SHOCK HAZARD:** Turn off power before servicing. Disconnect all conductors.  
Wear personal safety gear and properly bonded refrigerant power in system to the compressor. Use the refrigerant unit grounded system only.  
**HIGH PRESSURE:** System contains refrigerant and oil under pressure. Service pressure from both the high and low side before servicing any system.  
**FIRE HAZARD:** Use tubing cutter to remove refrigerant. Do not use torch or oil near torch line.



**CAUTION**  
This unit is not to be used for...  
...refrigeration / heating / air conditioning...  
...industrial applications...

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"-2, refoulement 5/8"-2