

# Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

written by Lilianne | 24 April 2022



Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

---

**Mbsm.pro, Air Conditioner,  
GAC-C12A4, General Gold,  
12000 btu/h, Cooling,  
Heating, 1.5 hp, 1 ton, R22,  
580 g, T1**

written by Lilianne | 24 April 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

---

**Mbsm.pro, Iris refrigerator,  
BCD-480E, 420 L, 0.81 A, 170  
W, Compressor, 1/4 Hp,  
220v-50hz, R600a, 47 G**

written by Lilianne | 24 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Iris refrigerator, BCD-480E, 420 L, 0.81 A, 170 W, Compressor, 1/4 Hp, 220v-50hz, R600a, 47 G

---

**Mbsm.pro, air conditioner,  
cu-yc12MKF, 12000 btu/h, 1  
ton, Cooling only, 8 A, R22,  
870 G, 220 v 50 htz, T1, 1/2  
copper suction, 1/4 copper  
discharge**

written by Lilianne | 24 April 2022

# Panasonic

## AIR CONDITIONER

OUTDOOR UNIT

Model No. CU-YC12MKF

PHASE 1

VOLTAGE 220-240V-

FREQUENCY 50 Hz

MAXIMUM INPUT 1.75kW/8.1A

COOLING CAPACITY 3.52-3.54kW  
12670-12740kJ/h

CURRENT 5.9-5.7A

POWER INPUT 1.25-1.29kW

EER 2.82-2.74

(ISO 5151)

REFRIGERANT R22 870g

MWP

H.P 2.9 MPa

L.P 2.0 MPa

IPX4

SERIAL NO.

**7891522067**

PRODUCTION DATE 0313

Panasonic Appliances  
Air-Conditioning Malaysia  
Sdn. Bhd.  
Shah Alam Malaysia  
Made in Malaysia

FD000002

SHOT ON MI 9 LITE  
AI TRIPLE CAMERA

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, air conditioner, cu-yc12MKF, 12000 btu/h, 1 ton, Cooling only, 8 A, R22, 870 G, 220 v 50 htz, T1, 1/2 copper suction, 1/4 copper discharge

---

**Mbsm.pro, All Compressor in  
one file,  
r134a/R404a/R507/r600a/r22/r4  
10a compressors Cubigel, lbp,  
hbp, hmbp, LeeK , Daikin,  
Copeland ZP, Danfoss MLZ  
series, InvoTech for air-  
conditioning, Semi-hermetic  
compressors, Rotary  
compressors for air-  
conditioning**

written by Lilianne | 24 April 2022





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning

---

# Mbsm.pro, Compressors for domestic refrigeration

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressors for domestic refrigeration

---

Mbsm.pro, Compressor,  
Zhejiang Asbeila  
Refrigeration Technology, B

# Series

written by Lilianne | 24 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_zhejiang-asbeila-refrigeration-technology-co.-ltdTélécharger

---

# Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer, inverter

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer,  
inverter

---

# Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York , Cooling Only, r22,



# 1100 G gaz, T3 , 9A

written by Lilianne | 24 April 2022





**WALL SPLIT UNIT  
OUTDOOR UNIT**

**Model**

**JS-C186VA**

Rated voltage	220-240V-
Rated Freq.	50Hz
Cooling Cap.	18000 Btu/h
Heating cap.	-
Current	9(A)
Sound Pres. Level	56dB(A)
Refrigerant	R22/1.1Kg
Weight	45 Kg
Climate	T3
Moisture Protection	IP24

**Johnson  
Controls**



Made for JCI-USA



63229953602

Made in China

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York ,  
Cooling Only, r22, 1100 G gaz, T3 , 9A

---

**MBSM.pro, Compressor, 13HP,  
Danfoss, Performer, Scroll  
Compressor, Sm160, Sm161t4vc,  
Refrigeration Chiller, 3 ph,  
380 v, 38BB 055 – 240,  
38bb-250 9e/k, 38BB 250, 250  
= 250000 kBtu/hr, 30 Ton,  
r22, 19 Kg, suction 1-1/8"–2,  
refoulement 5/8"–2**

written by Lilianne | 24 April 2022



Model no: SM161T4VC



Serial no: GD2503110072



**Danfoss**  
MADE IN CHINA

M	380-400 V 3 ~ 50 Hz	UL electricals
	460 V 3 ~ 60 Hz	LR 145 A MAX OPER. 31 A
	Thermally protected system	
P.E.D.	LP side	HP side
Marking	25 bar	27.8 bar
PS	63 °C	150 °C
TS max	-35 °C	-35 °C
TS min	17.8 L	2.0 L
Volume	Lubricant: MINERAL OIL 1500	

CE US EAC  
0062



Refrigerant: R22 (UL rating) - R417A with 160SZ  
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

**WARNING**

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.  
**ELECTRIC SHOCK HAZARD:** Turn off power before servicing. Disconnect all connections.  
Keep terminal cover in place and securely fastened whenever power is applied to the compressor. Use the equipment only as provided by the manufacturer.  
**HIGH PRESSURE:** System contains refrigerant and oil under pressure. Release pressure from both the high and low side before servicing when using refrigerant.  
**FLAME HAZARD:** Use flammable refrigerant.  
See user manual for all safety warnings.

**MAX**

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8”-2, refoulement

5/8"-2