

**Mbsm.pro, Freezer,  
Electrostar, 210 L, ES210ST,  
Compressor, Donper, L65CZ1,  
1/5 hp, lbp, R134 A, 130 G,  
220-244V, 50Hz, 140 w, 1 A,  
Class T**

written by Lilianne | 22 May 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Freezer, Electrostara, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

---

**Mbsm.pro, Compressor,  
QBH73C13GAE, 1/4 hp, RSIR,  
Reciprocating Compressors,  
Fixed Speed, Q Series, R134a,  
LBP**

written by Lilianne | 22 May 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, QBH73C13GAE, 1/4 hp, RSIR, Reciprocating Compressors, Fixed Speed, Q Series, R134a, LBP

---

**Mbsm.pro, Compressor, Gree,  
Rotary Compressors, QXSH-  
F42E030, 24000 BTU/HR, 2 ton,  
3 Hp, 1PH / 220 v, r22**

written by Lilianne | 22 May 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, Compressor, Gree, Rotary Compressors, QXSH-F42E030,  
24000 BTU/HR, 2 ton, 3 Hp, 1PH / 220 v, r22

---

**Mbsm.pro, compressor,  
qp325pba, 2 hp, 1856 w, r22,**

# 20000 btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

written by Lilianne | 22 May 2022



Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000  
btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

---

**Mbsm.pro, Compressor, SM185,  
DANFOSS REFRIGERATION, Scroll  
compressor, SM185S4RC,  
Danfoss Scroll, 188000 btu/h,  
R22, 15 hp, 3 ph / 400 v**

written by Lilianne | 22 May 2022



**Danfoss**  
MADE IN CHINA

Model no: **SM185S4RC**



Serial no: **GC2503075828**



M 380-400 V 3 ~ 50 Hz  
460 V 3 ~ 60 Hz UL electrical ratings  
LR 175 A **MAX OPER. 35 A**  
Thermally protected system  
P.E.D. LP side HP side  
Marking PS 25 bar 27.8 bar  
TS max 63 °C 150 °C  
TS min -35 °C -35 °C  
Volume 31.0 L 2.0 L  
Lubricant: MINERAL OIL 160P

**CE** **UL** **US** **EAC**  
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160SZ  
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

**CAUTION**  
Use only manufacturer's approved refrigerants, lubricants and electrical components. Unauthorized refrigerant / lubricant / electrical components could cause fires, explosions, electrical shorting.

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.  
**ELECTRIC SHOCK HAZARD:** Turn off power before servicing. (Discharge all capacitors.)  
Keep terminal cover in place and securely fastened whenever power is applied to the compressor. Use this equipment on a grounded system only.  
**HIGH PRESSURE:** System contains refrigerant and oil under pressure. Remove pressure from both the high and low side before servicing. Wear safety goggles.  
**FIRE HAZARD:** Use tubing cutter to remove compressor. Do not use torch as oil may catch fire.



For details refer to multi language instructions and technical documentation available on Danfoss website at <http://res.danfoss.com>

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, SM185, DANFOSS REFRIGERATION, Scroll compressor, SM185S4RC, Danfoss Scroll, 188000 btu/h, R22, 15 hp, 3 ph / 400 v



---

**Mbsm.pro, Air conditioner,  
Sharp, AE-a12fme, 12000 btu,  
r22, 860 g, 1.5 hp, 1 ton,  
cooling, heating, T1, PH 1**

written by Lilianne | 22 May 2022

# SHARP

SPLIT TYPE ROOM AIR-CONDITIONER

**MODEL** AE-A12FME (OUTDOOR UNIT) **IPX 4**

**ISO 5151 TYPE T1**  
ES 4814-2005

220-240V ~50Hz 1  $\phi$

**COOLING CAPACITY** 3.50kW  
(12000BTU/h)

**HEATING CAPACITY** 4.00kW  
(13700BTU/h)

**R22** 860g

**WEIGHT** 37kg

**MAXIMUM INPUT** 1.6kW/7.5A

**RATED INPUT POWER**

**COOLING** 1.13-1.20kW

**HEATING** 1.10-1.18kW

**RATED INPUT CURRENT**

**COOLING** 5.2-5.5A

**HEATING** 5.2-5.5A

**L.R.C** 34A

 15A

**MAXIMUM OPERATING PRESSURE**  
Hi: 2.3MPa LO:1.5MPa

إنتاج شركة العربي لصناعة التكييف والتبريد  
Produced By EL ARADY CO. FOR AIR-CONDITIONING & COOLING INDUSTRY

MADE IN A.R.E

صنع في ج.م.ع



## CAUTION



• Make sure that the compressor is  
the refrigerant pipes. Otherwise, it

من العمل قبل فك مواسير التبريد

• Do not take air or gas into the refrig

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Air conditioner, Sharp, AE-a12fme, 12000 btu, r22, 860 g, 1.5 hp, 1 ton, cooling, heating, T1, PH 1

**Mbsm.pro, compressor,  
nht52vbet, 4 hp, SIAM, 2970w,  
12000 btu, 1 ton, r22,  
capillarie 0.064, 220V – 240V  
50Hz, SIAM COMPRESSOR,  
MITSUBISHI**

written by Lilianne | 22 May 2022



SIAM COMPRESSOR  
INDUSTRY CO., LTD.

REFRIGERANT COMPRESSOR  
MODEL **NHT52VBET**

MANUFACTURING DATE **06032021**

POWER SOURCE  
**220-240V ~ 50Hz**

POWER INPUT **2970 W** AT **50** Hz

LRA **86/94** A

REFRIGERANT **R-22**

OIL **1.30 L** MPa

AP **2.74** MPa

SP **10.5**

**THERMALLY PROTECTED**



NHT52VBET 06032021 2970W

**WARNING**

Read the instruction manual carefully before using the compressor. Do not use the compressor if you are not qualified to do so. Do not touch the compressor with bare hands. Do not use the compressor for purposes other than those specified in the instruction manual. Do not use the compressor in a confined space. Do not use the compressor in a flammable or explosive atmosphere. Do not use the compressor in a high temperature environment. Do not use the compressor in a high humidity environment. Do not use the compressor in a high altitude environment. Do not use the compressor in a high vibration environment. Do not use the compressor in a high pressure environment. Do not use the compressor in a high speed environment. Do not use the compressor in a high frequency environment. Do not use the compressor in a high power environment. Do not use the compressor in a high current environment. Do not use the compressor in a high voltage environment. Do not use the compressor in a high energy environment. Do not use the compressor in a high temperature environment. Do not use the compressor in a high pressure environment. Do not use the compressor in a high speed environment. Do not use the compressor in a high frequency environment. Do not use the compressor in a high power environment. Do not use the compressor in a high current environment. Do not use the compressor in a high voltage environment. Do not use the compressor in a high energy environment.

SIAM COMPRESSOR ELECTRIC

MADE IN THAILAND

Mbsm.pro, compressor, nht52vbet, 4 hp, SIAM, 2970w, 12000 btu,  
1 ton, r22, capillarie 0.064, 220V – 240V 50Hz, SIAM  
COMPRESSOR, MITSUBISHI

---

**Mbsm.pro, compressor,  
gvs198kac, 20500 btu, 6008 w,  
r410, 1 piston, 1 phase, 230v  
/ 60 hz, 1.7 ton, 8 hp**

written by Lilianne | 22 May 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, gvs198kac, 20500 btu, 6008 w, r410, 1 piston, 1 phase, 230v / 60 hz, 8 hp

---

# Mbsm.pro, compressor, Hermetic, Tecumseh, 2 HP, Tecumseh Refrigeration Compressor, Fh4524f, r22, MHBP, ++big

written by Lilianne | 22 May 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, Hermetic, Tecumseh, 2 HP, Tecumseh  
Refrigeration Compressor, Fh4524f, r22, MHBP, ++big

---

# Mbsm.pro, compressor, 3/8 hp, cae2412a, r12, lbp, Freezing, 310 w

written by Lilianne | 22 May 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, 3/8 hp, cae2412a, r12, lbp, Freezing, 310 w