

**Mbsm.pro, Hermetic  
compressor, Aspera, Embraco,  
NEK6212Z, R134a, 1/2 hp , HBP**

written by Lilianne | 31 August 2022



Mbsm.pro, Hermetic compressor, Aspera, Embraco, NEK6212Z,  
R134a, 1/2 hp , HBP

---

**Mbsm.pro, R600a, Aruki  
Compressors, Compressor,  
QD65Y(N) (1/9HP) , QD75Y(J)  
(1/8+HP), QD85Y(J) (1/7+HP),  
QD91Y(J) (1/6HP), QD103Y(J)  
(1/6+HP)**

written by Lilianne | 31 August 2022

WANSHENG®

QD103Y

220-240V~50Hz 1PH

QR Code

CB

DE

CCC

CE

CSM

Warning: Risk of fire

R600a

NO. 15592401

Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N) (1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

---

**Mbsm.pro, compressor,  
MT160HW4D , 13 hp, MT160,  
Displacement: 271.55cm<sup>3</sup>/rev**

written by Lilianne | 31 August 2022

*Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V,  
3PH*

**Danfoss Commercial Compressors**



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3- 50 Hz  
460V 3- 60 Hz

UL electrical ratings

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D. LP side HP side


Marking PS 18.4 bar 27.8 bar

TS max 50 °C 68 °C

TS min -35 °C -35 °C

Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with 160PZ



**WARNING**

Installation and servicing must be performed by trained personnel. Improper installation or repair work could cause an electric shock or fire. Read the instructions carefully before using the compressor. Do not touch the compressor when it is running. Do not touch the compressor when it is hot. Do not touch the compressor when it is cold. Do not touch the compressor when it is under pressure. Do not touch the compressor when it is under vacuum. Do not touch the compressor when it is under test. Do not touch the compressor when it is under repair. Do not touch the compressor when it is under maintenance. Do not touch the compressor when it is under inspection. Do not touch the compressor when it is under cleaning. Do not touch the compressor when it is under storage. Do not touch the compressor when it is under transport. Do not touch the compressor when it is under disposal. Do not touch the compressor when it is under recycling. Do not touch the compressor when it is under reuse. Do not touch the compressor when it is under repair. Do not touch the compressor when it is under maintenance. Do not touch the compressor when it is under inspection. Do not touch the compressor when it is under cleaning. Do not touch the compressor when it is under storage. Do not touch the compressor when it is under transport. Do not touch the compressor when it is under disposal. Do not touch the compressor when it is under recycling. Do not touch the compressor when it is under reuse.



**CAUTION**

Use only manufacturer's approved refrigerants, lubricants and electrical components. Improper use of refrigerant / lubricant / electrical components could cause fire, explosion, electric shock, etc. For details refer to (user) language manual and see also at the end of the manual. Distributor network at <http://www.danfoss.com>





**Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor, r22, 4.5 bar**

written by Lilianne | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

**220-240V 1~ 50Hz**

POWER INPUT **2970 W** AT **50** Hz

LRA A

REFRIGERANT **86/94**

OIL **R-22**


AP **1.30 L**

SP **2.74** MPa

**10.5** MPa

THERMALLY PROTECTED

MADE IN THAILAND



NHT52VBAT-012051-180512



Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A,  
Mitsubishi Compressor

---

**Mbsm.pro, Embraco, Aspera,  
NEK2150CK, 1/2 hp, freezing  
(LBP), 121 cm<sup>3</sup>, R404A /RS07A  
/ R452A**

written by Lilianne | 31 August 2022



Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP),  
121 cm<sup>3</sup>, R404A /RS07A / R452A

---

# **Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie**

written by Lilianne | 31 August 2022

Mbsm.pro, Raccord femelle a souder cuivre 14





---

**Mbsm.pro, Compressor,  
Mly12LA, 1/3 hp-, Lbp , 404a,  
Low Back Pressure R404a/R507  
compressors Cubigel – Spain**

written by Lilianne | 31 August 2022

Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a

---

**Mbsm.pro, Compresor, ZMC, 1/5  
hp++, 1/4 hp-, High-Medium  
Back Pressure, GL80TB,  
GL80AA, cooling and freezing**

written by Lilianne | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

---

**Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR**

written by Lilianne | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR



---

**Mbsm.pro, Copeland,  
Reciprocating, Hermetic,  
Compressors, CRNQ-0500-TFD, 5  
hp, R22, HCFC, R-22, 50 Hz, 3  
– Phase, 380/420 V , CR QR  
Series**

written by Lilianne | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series