


# Mbsm.pro, Compressor, v75, 1/4 hp, 190 w, lbp, r12

Category: compressor

written by Jamila | 31 December 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, v75, 1/4 hp, 190 w, lbp, r12

---

Mbsm.pro, Compressor, Samsung, r134a, lbp, CD124Q, L1Z2CD130Q, S1ZACD130Q, L1Z2MSA143Q, S1ZMSA151Q, L1AMSA162Q, L1GMSS162Q, L1UMSA170Q, L1BMSA170Q, L1GMSA170Q, L1HMSA182Q, L2HMSS182Q, L2UNC1A37QLB

Category: compressor

written by mahdi miled | 31 December 2022

Modèle	RPM	TENSION [V-Hz]	Capacité de refroidissement			Entrée de puissance	EFFICACITÉ			Condition de test	Type de refroidissement
			Kcal/heure	Watt	BTU/h		FEP	FLIC	EER		
						O					
CD124Q-L1Z2	50Hz	220-50	43	50	171	57	0,75	0,88	2,99	ASHRAE	ST
CD130Q-S1ZA	50Hz	220-50	58	67	230	74	0,78	0,91	3,10	ASHRAE	ST
CD130Q-L1Z2	50Hz	220-50	58	67	230	65	0,89	1,04	3,54	ASHRAE	ST
MSA143Q-S1Z	50Hz	220-50	96	112	381	83	1,16	1,34	4,59	ASHRAE	ST
MSA151Q-L1A	50Hz	220-50	128	149	508	102	1,25	1,46	5,00	ASHRAE	ST
MSA162Q-L1G	50Hz	220-50	151	176	599	111	1,36	1,58	5,40	ASHRAE	ST
MSS162Q-L1U	50Hz	220-50	151	176	599	105	1,44	1,67	5,71	ASHRAE	ST
MSA170Q-L1B	50Hz	220-50	173	201	687	129	1,34	1,56	5,32	ASHRAE	ST
MSA170Q-L1G	50Hz	220-50	173	201	687	126	1,37	1,60	5,45	ASHRAE	ST
MSA170Q-L1H	50Hz	220-50	170	198	675	123	1,38	1,61	5,50	ASHRAE	ST
MSA182Q-L2H	50Hz	220-50	218	253	865	153	1,42	1,66	5,65	ASHRAE	ST
MSS182Q-L2U	50Hz	220-50	212	247	842	145	1,46	1,70	5,80	ASHRAE	ST
NCA137QLB	50Hz	220-50	90	105	357	80	1,13	1,31	4,47	ASHRAE	ST

Private Picture Copyright : WWW.MBSM.PRO

## AC R134a LBP SPÉCIFICATION

### AC200 - 240V~50Hz

CD124Q, L1Z2CD130Q, S1ZACD130Q, L1Z2MSA143Q, S1ZMSA151Q, L1AMSA162Q, L1GMSS162Q, L1UMSA170Q, L1BMSA170Q, L1GMSA170Q, L1HMSA182Q, L2HMSS182Q, L2UNC1A37QLB

Modèle	RPM	TENSION [V-Hz]	Capacité de refroidissement			Entrée de puissance	EFFICACITÉ			Condition de test	Type de refroidissement
			Kcal/heure	Watt	BTU/h		FEP	FLIC	EER		
						O					
CD124Q-L1Z2	50Hz	220-50	43	50	171	57	0,75	0,88	2,99	ASHRAE	ST
CD130Q-S1ZA	50Hz	220-50	58	67	230	74	0,78	0,91	3,10	ASHRAE	ST
CD130Q-L1Z2	50Hz	220-50	58	67	230	65	0,89	1,04	3,54	ASHRAE	ST
MSA143Q-S1Z	50Hz	220-50	96	112	381	83	1,16	1,34	4,59	ASHRAE	ST
MSA151Q-L1A	50Hz	220-50	128	149	508	102	1,25	1,46	5,00	ASHRAE	ST
MSA162Q-L1G	50Hz	220-50	151	176	599	111	1,36	1,58	5,40	ASHRAE	ST
MSS162Q-L1U	50Hz	220-50	151	176	599	105	1,44	1,67	5,71	ASHRAE	ST
MSA170Q-L1B	50Hz	220-50	173	201	687	129	1,34	1,56	5,32	ASHRAE	ST
MSA170Q-L1G	50Hz	220-50	173	201	687	126	1,37	1,60	5,45	ASHRAE	ST
MSA170Q-L1H	50Hz	220-50	170	198	675	123	1,38	1,61	5,50	ASHRAE	ST
MSA182Q-L2H	50Hz	220-50	218	253	865	153	1,42	1,66	5,65	ASHRAE	ST
MSS182Q-L2U	50Hz	220-50	212	247	842	145	1,46	1,70	5,80	ASHRAE	ST
NCA137QLB	50Hz	220-50	90	105	357	80	1,13	1,31	4,47	ASHRAE	ST

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, compressors, R134a, medium, temperature, HMBP

Category: compressor

written by Jamila | 31 December 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Danfoss, compressors, R134a, medium, temperature, HMBP

---

Mbsm.pro, Subcool, compressor,  
commercial display fridge, gqr90tg,  
1/3 hp-, 480 w, R134a, 220V, mbp

Category: compressor

written by mahdi miled | 31 December 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Subcool, compressor, commercial display fridge, gqr90tg, 1/3 hp-, 480



w, R134a, 220V, mbp

Mbsm.pro, Compressor, kx69Lbeg, LG,  
Serie Kx, 1/5 hp++, 1/4 hp-, Lbp,  
r134a, 220-240v, RSIR, PTC, 190  
w/input 150 w, capillary 0.040

Category: compressor

written by mahdi miled | 31 December 2022



Mbsm.pro, Compressor, kx69Lbeg, LG, Serie Kx, 1/5 hp++, 1/4 hp-, Lbp, r134a, 220-240v, RSIR, PTC, 190 w, capillary 0.040

## Mbsm.pro, Table Ah pour la consommation en W

Category: expertise

written by Jamila | 31 December 2022

	Watts : Volts = Ampères				Ampères X volts = Watts				Volts
	6	12	24	48	64	110	220	380	
5 Watts	0,83	0,42	0,21	0,10	0,08	0,05	0,02	0,01	Amp.
6 Watts	1,00	0,50	0,25	0,13	0,09	0,05	0,03	0,02	Amp.
7 Watts	1,17	0,58	0,29	0,15	0,11	0,06	0,03	0,02	Amp.
8 Watts	1,33	0,67	0,33	0,17	0,13	0,07	0,04	0,02	Amp.
9 Watts	1,50	0,75	0,38	0,19	0,14	0,08	0,04	0,02	Amp.
10 Watts	1,67	0,83	0,42	0,21	0,16	0,09	0,05	0,03	Amp.
20 Watts	3,33	1,67	0,83	0,42	0,31	0,18	0,09	0,05	Amp.
30 Watts	5,00	2,50	1,25	0,63	0,47	0,27	0,14	0,08	Amp.
40 Watts	6,67	3,33	1,67	0,83	0,63	0,36	0,18	0,11	Amp.
50 Watts	8,33	4,17	2,08	1,04	0,78	0,45	0,23	0,13	Amp.
60 Watts	10,00	5,00	2,50	1,25	0,94	0,55	0,27	0,16	Amp.
70 Watts	11,67	5,83	2,92	1,46	1,09	0,64	0,32	0,18	Amp.
80 Watts	13,33	6,67	3,33	1,67	1,25	0,73	0,36	0,21	Amp.
90 Watts	15,00	7,50	3,75	1,88	1,41	0,82	0,41	0,24	Amp.
100 Watts	16,67	8,33	4,17	2,08	1,56	0,91	0,45	0,26	Amp.
200 Watts	33,33	16,67	8,33	4,17	3,13	1,82	0,91	0,53	Amp.
300 Watts	50,00	25,00	12,50	6,25	4,69	2,73	1,36	0,79	Amp.
400 Watts	66,67	33,33	16,67	8,33	6,25	3,64	1,82	1,05	Amp.
500 Watts	83,33	41,67	20,83	10,42	7,81	4,55	2,27	1,32	Amp.
600 Watts	100,00	50,00	25,00	12,50	9,38	5,45	2,73	1,58	Amp.
700 Watts	116,67	58,33	29,17	14,58	10,94	6,36	3,18	1,84	Amp.
800 Watts	133,33	66,67	33,33	16,67	12,50	7,27	3,64	2,11	Amp.
900 Watts	150,00	75,00	37,50	18,75	14,06	8,18	4,09	2,37	Amp.
1000 Watts	166,67	83,33	41,67	20,83	15,63	9,09	4,55	2,63	Amp.
1100 Watts	183,33	91,67	45,83	22,92	17,19	10,00	5,00	2,89	Amp.
1200 Watts	200,00	100,00	50,00	25,00	18,75	10,91	5,45	3,16	Amp.
1300 Watts	216,67	108,33	54,17	27,08	20,31	11,82	5,91	3,42	Amp.
1400 Watts	233,33	116,67	58,33	29,17	21,88	12,73	6,36	3,68	Amp.
1500 Watts	250,00	125,00	62,50	31,25	23,44	13,64	6,82	3,95	Amp.

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Table Ah pour la consommation en W

## Mbsm.pro, Formule AMP, KW, KVA, HP pour les tensions AC et DC.

Category: expertise

written by mahdi miled | 31 December 2022

E = Voltage / I = Amps / PF = Power Factor / EFF = Efficiency / HP = Horsepower				
To Find	Direct Current	Alternating Current		
		Single Phase	Two-Phase* Four-Wire	Three Phase
Amperes when Horsepower is known	$\frac{HP \times 746}{E \times EFF}$	$\frac{HP \times 746}{E \times EFF \times PF \times 2}$	$\frac{HP \times 746}{2 \times E \times EFF \times PF}$	$\frac{HP \times 746}{E \times EFF \times PF \times 1.73}$
Amperes when Kilowatts are known	$\frac{KW \times 1000}{E}$	$\frac{KW \times 1000}{E \times PF}$	$\frac{KW \times 1000}{2 \times E \times PF}$	$\frac{KW \times 1000}{E \times PF \times 1.73}$
Amperes when "KVA" is known		$\frac{KVA \times 1000}{E}$	$\frac{KVA \times 1000}{2 \times E}$	$\frac{KVA \times 1000}{E \times 1.73}$
Kilowatts	$\frac{E \times I}{1000}$	$\frac{E \times I \times PF}{1000}$	$\frac{I \times E \times 2 \times PF}{1000}$	$\frac{E \times I \times 1.73 \times PF}{1000}$
Kilovolt-Amperes "KVA"-		$\frac{I \times E}{1000}$	$\frac{I \times E \times 2}{1000}$	$\frac{E \times I \times 1.73}{1000}$
Horsepower (Output)	$\frac{E \times I \times EFF}{746}$	$\frac{E \times I \times EFF \times PF}{746}$	$\frac{I \times E \times 2 \times EFF \times PF}{746}$	$\frac{E \times I \times EFF \times PF \times 1.73}{746}$

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, Formule AMP, KW, KVA, HP pour les tensions AC et DC.

Mbsm.pro, Compressor, AQAW66X, r134a, FKD66ML, r600a, 1/5 hp, Freezer, Wanbao Refrigerator Compressor

Category: compressor

written by mahdi miled | 31 December 2022





Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AQAW66X, 1/5 hp, Freezer, Wanbao Refrigerator Compressor

---

Mbsm.pro, Compressor, R134a, FR7.5G,  
103G6680, 220-240V 50/60Hz, LBP/HBP,  
1/5HP++, 1/4 hp-

Category: compressor

written by Jamila | 31 December 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, R134a, FR7.5G, 103G6680, 220-240V 50/60Hz, LBP/HBP, 1/5HP,

Mbsm.pro, Compressor Acc, hmk95at,  
1/5 hp, r600a, 160 w

Category: compressor

written by mahdi miled | 31 December 2022



● ○ REDMI NOTE 8  
∞ AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

## Technical data

Click over each model for complete details and technical sheet.

Model	Refrigerant	Rated Voltage	Frequency	Displacement	Motor Type	Cooling Capacity		COP without R.C.		COP with R.C.		Approval	Height	Net Weight
						ASHRAE	CECOMAF	ASHRAE	CECOMAF	ASHRAE	CECOMAF			
						-23.3°	-25°	-23.3°	-25°	-23.3°	-25°			
		[V]	[Hz]	[cc]		[W]	[W]	[W/W]	[W/W]	[W/W]	[W/W]		[mm]	[Kg]
HMK70AA	R600a	220-240	50	6.6	RSIR	116	87	1.49	1.18	—	—	VDE, CE, EAC	159	7.2
HMK80AA	R600a	220-240	50	8.1	RSIR	136	102	1.50	1.18	—	—	VDE, CE, EAC	159	7.2
HMK95AA	R600a	220-240	50	9.6	RSIR	167	125	1.53	1.20	—	—	VDE, CE, EAC	159	7.5
HMK12AA	R600a	220-240	50	11.1	RSIR	198	149	1.53	1.20	—	—	VDE, CE, EAC	167	8.4
HMK95AT	R600a	200-240	50	9.6	RSIR	167	126	1.53	1.20	—	—	CE	167	8.4



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



ht : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



REDMI NOTE 8  
AI QUAD CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)