

Mbsm.pro, COMPRESSOR, HERMETIC, 1/4 hp, lbp, r134a, UNIT-TECUMSEH, TECUMSEH, AEZ2380Y

Category: compressor

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, HERMETIC, 1/4 hp, lbp, r134a, UNIT-TECUMSEH, TECUMSEH, AEZ2380Y

Mbsm.pro, IRIS, CF255, Freezers, 255 L, Compressor 1/8 hp, r600a, 66 G, 89 W

Category: Freezer

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, IRIS, CF255, Freezers, 255 L, Compressor 1/8 hp, r600a, 66 G, 89 w

**Mbsm.pro, Split Units, T3, kt3f-51,
kt3f-51w / 18000 btu, kt3f-61w /
22000 btu, kt3f-66w / 24000 btu**

Category: air conditioner

written by Lilianne | 22 April 2023



Room Air-conditioner

Model	KT3F-51GW	
Model of indoor unit	KT3F-51G	
Model of outdoor unit	KT3F-51W	
Electric shock protection class	I	
Rated volt	220V~	
Rated frequency	60Hz	
Test conditions	T1	T3
Cooling capacity	5100W	4500W
Cooling power input	1950W	2250W
Cooling current input	9.1A	10.2A
EER	8.90(BTU/h)/W	6.81(BTU/h)/W
Indoor discharge air-flow	≥800m ³ /h	
Rated power input	2500W	
Rated current input	12.9A	
Indoor/Outdoor noise	37~44/54dB(A)	
Refrigerant	R22/1200g	
HP. PS	3.0MPa	
LP. PS	0.8MPa	
Indoor max operating pressure of heat exchanger	0.8MPa	
Indoor unit weight	13kg	
Date of manufacture		
Number of manufacture		

Made in China

Mbsm.pro, Split Units, T3, kt3f-51, kt3f-51w / 18000 btu, kt3f-61w / 22000 btu, kt3f-66w / 24000 btu, r22, 1200 g

CR47KQ, CR47KQ-TFD-970-COPW, CR47KQ-TFD, 3.5 hp, 3 ph, r22, 400v, 47000 btu

Category: compressor

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Hermetic, CR47KQ, Compressor, Series: CR, 47000 BTU/hr, 10.034 cfm, 460 VAC, 6.9 amp, 4 ton Tonnage, 60 Hz, 3 PH, 3500 rpm, 4 hp, 4540 watt, R-22, R-404A, R-407C

CF1441G

Category: expertise

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, CF1441G, 210 L, Compressor, 1/4 hp++, 1/3 hp-, R134a, 145g, 370w, 220v

ZR61KCE-TFD-522

Category: compressor

written by Lilianne | 22 April 2023




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COPELAND, COMPRESSOR, ZR61KCE-TFD-522, 5 hp, 43000 btu

معرفة قوة أيضاغط في ثواني

Category: Arabe

written by Arabic subjects writer | 22 April 2023




Private Picture Copyright : WWW.MBSM.PRO

معرفة أي قوة ضاغط في ثواني

Sl-nf420w

Category: Refrigerator

written by Lilianne | 22 April 2023



starlight
SL-NF420
220-240 V
CONSOMMATION

VOLUME	TOTAL(L)
BRUT	423

Numéro de

starlight
SL -NF420W
220-240 V ~ 50
CONSOMMATION D'ENERGIE

VOLUME	TOTAL (L)	CONG
BRUT	423	11






Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, refrigerator, 420 L, Starlight, Sl-nf420w, 115 w, compressor, 1/6 hp, r134a, 100g

Condor cfh-t36gm05

Category: Pictures

written by Lilianne | 22 April 2023

		CONGÉLATEUR MODELE : CFH-T39GM05	
CARACTERISTIQUES <small>الفصائص التقنية</small>		CIRCUIT ELECTRIQUE <small>المخطط الكهربائي</small>	
CLASSE DE CLIMAT.....T.....	تصنيف المناخ		
CLASSIFICATION DE PREVENTION.....I.....	تصنيف الحماية ضد الأخطار الكهربائية		
TENSION (V).....220-240.....	التوتر (فولط)		
FREQUENCE (Hz).....50.....	التردد (هرتز)		
COURANT (A).....0.75.....	شدة التيار الكهربائي (الأمبير)		
CONSOM. D'ENERGIE ELE (KWh/24h)....0.963.....	استهلاك الطاقة الكهربائية		
TYPE DE REFRIGERANT.....R600a.....	نوع الغاز المبرد		
QUANTITE DE REFRIGERANT (g).....75.....	كمية الغاز المبرد المشحونة (غ)		
POIDS NET DE CONGÉLATEUR (Kg).....49.....	الوزن الصافي للمجمدة (كغ)		
Fabriquée en Algérie <small>صنع في الجزائر</small>			
 ATTENTION		 خطر الإصابة لا تدخل الأصابع أو أي شيء آخر داخل المروحة خطر الاحتراق . لا تلمس الضاغط	
		 Risque de blessure. Ne jamais insérer les doigts ou quoi que ce soit à l'intérieur du ventilateur. Risque de brûlure. Ne pas toucher le compresseur.	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Condor cfh-t36gm05



Private Picture Copyright : WWW.MBSM.PRO

Condor		CONGÉLATEUR MODELE : CFH-T39GM05	
CARACTERISTIQUES	الخصائص التقنية	CIRCUIT ELECTRIQUE	المخطط الكهربائي
CLASSE DE CLIMAT	T		
CLASSIFICATION DE PREVENTION	I		
TENSION (V)	220-240		
FREQUENCE (Hz)	50		
COURANT (A)	0.75		
COSPHI (C'ONVERGE ELA (P/N/CAN))	0.963		
TYPE DE REFRIGERANT	R500a		
QUANTITE DE REFRIGERANT (kg)	75		
PUISS. NET DE CONGELATION (kg)	40		
Fabrique en Algérie			
<p>ATTENTION</p> <p>خطر الاسلاك لا تدخل الاسلاك او اي شئ اخر داخل المروحة خطر الاستنساخ - لا تلمس المشابك</p>		<p>Warning: Risk of fire Ne jetez pas les débris au feu car ils ont une tendance à se rallumer. Risque de brûlure. Ne pas toucher le compresseur.</p>	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, QXA-C133B030gA, Compressor
GREE, PANASONIC, 12000 Btu, R410,
2JS464D3CA02, 24000 Btu, r22

Category: compressor,expertise
written by Lilianne | 22 April 2023

2JS464D3CA02

THERMALLY PROTECTED R22

1PH 50Hz 220/240V ~

Matsushita Electric Industrial Co., Ltd.

SERIAL NO. J46D


C0068914

7077290

MADE IN MALAYSIA



	WARNING / DANGER
	Danger of Electric Shock <ul style="list-style-type: none">• Earth the equipment.• Disconnect power before work.• Mount the terminal cover in place.
	Danger of Explosion or Fire <ul style="list-style-type: none">• Do not use unprescribed refrigerants and oils.• Do not compress air.• Wear protective goggles.
	Caution , Hot Surface <ul style="list-style-type: none">• Do not touch with bare hands.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, QXA-C133B030gA, Compressor GREE, PANASONIC, 12000 Btu, R410, 2JS464D3CA02, 24000 Btu,r22