

Mbsm.pro, Compressor, EGM75AF, 1/5 hp, Lbp, 155 w, ZMC

Category: compressor

written by Lilianne | 18 September 2022



Private Picture Copyright : WWW.MBSM.PRO

#EGM75AF

General Data

Refrigerant:	R134a
Application:	LBP
Evaporating Temperature Range:	-30°C to -10°C
Voltage/Frequency:	220/240V/50 HZ
Compressor Cooling:	Static
Expansion Device:	Capillary Tube

Packaging Quantity: Multi – 96:120 pcs

Approvals: CE-VDE-GOST

Mechanical Data

Oil Charge: 350 cm³

Oil Type Configuration: ester

Oil Type Viscosity: 19 cSt

Weight: 9.20 kg

Electrical Data

Motor Type: RSIR / RSCR*

Voltage working range at 50 Hz: 187-264V

Maximum Motor Temperature: 130°C

Locked Rotor Current: 13.45 / 7.39 A

Start Winding Resistance: 14.20 Ω at 25°C

Run Winding Resistance: 12.10 Ω at 25°C

Phase: 1 ph

External Characteristics

Internal Diameter (mm)

Suction Connector 6.5

Discharge Connector 4.9

Process Connector 6.5

Material Copper

Electrical Components

Starting Device: PTC 14Ω

Motor Protection: T0502/xx



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF__EGM75AFTélécharger

Mbsm_dot_pro_private_PDF_EGM75AFTélécharger