



HUAYI
COMPRESSOR
BARCELONA

Fridge Compressor

Huayi HYE 69 YL 1/4 Hp 168Kcal R134a 220V

Huayi - Huayi

Huayi HYE 55 YL 63 1/6 Hp 129Kcal R134a 220V

Huayi - Huayi

Huayi HYE 60 YL 63 1/5 Hp 146Kcal R134a 220V

Huayi - Huayi

Huayi HY 81 Y 1/4+ Hp 202Kcal R134a 220V



MODEL

AE 1330Y	AE 1390YZ
AE 1340Y	1/6 HYE 55 Y63
AE 1350Y	1/5 HYE 60 YG
AE 1360Y	1/5 HYE 60 Y63
AE 1370Y	1/5 HYE 60 YK
AE 1390Y	1/4 HY 69 Y63
AE 1330YZ	1/4 HY 69 YH
AE 1340YZ	1/4 HY 69 YG
AE 1350YZ	1/4 HY 69 YK
AE 1360YZ	HY 81 YG
AE 1370YZ	1/4+ HY 81 Y

TEKNİK ÖZELLİKLER

HP	MODEL	VOLTAJ	TEMP	SOĞUTUCU GAZ	watt	KCAL	HACİM M3	SOĞUTMA TİPİ	MOTOR TİPİ
1/12	AE 1330Y	220V/50Hz	-23,3°C	R 134a	80,0	68,80	4,05	STATİK	RSIR
1/6	AE 1340Y	220V/50Hz	-23,3°C	R 134a	110,0	94,60	5,11	STATİK	RSIR
1/6	AE 1350Y	220V/50Hz	-23,3°C	R 134a	139,0	119,54	5,98	STATİK	RSIR
1/5	AE 1360Y	220V/50Hz	-23,3°C	R 134a	160,0	137,60	6,91	YAĞ	RSIR
1/4	AE 1370Y	220V/50Hz	-23,3°C	R 134a	190,0	163,40	8,09	YAĞ	RSIR
1/5 +	AE 1390Y	220V/50Hz	-23,3°C	R 134a	226,0	194,36	9,41	YAĞ	RSIR
1/10	AE 1330Y	220V/50Hz	-23,3°C	R 134a	80,0	68,80	4,05	YAĞ	RSIR
1/4	AE 1340Y	220V/50Hz	-23,3°C	R 134a	110,0	94,60	5,11	YAĞ	RSIR
1/4	AE 1350Y	220V/50Hz	-23,3°C	R 134a	139,0	119,54	5,98	YAĞ	RSIR
1/4	AE 1360Y	220V/50Hz	-23,3°C	R 134a	160,0	137,60	6,91	STATİK	RSIR
1/5	AE 1370Y	220V/50Hz	-23,3°C	R 134a	190,0	163,40	8,09	STATİK	RSIR
1/4 +	AE 1390Y	220V/50Hz	-23,3°C	R 134a	226,0	194,36	9,41	STATİK	RSIR
1/6	1/6 HYE 55 Y63	220V/50Hz	-23,3°C	R 134a	150,0	129,00	5,50	STATİK	RSIR
1/5	1/5 HYE 60 YG	220V/50Hz	-23,3°C	R 134a	170,0	146,20	6,00	STATİK	RSCR
1/5	1/5 HYE 60 Y63	220V/50Hz	-23,3°C	R 134a	170,0	146,20	6,00	STATİK	RSIR
1/5	1/5 HYE 60 YK	220V/50Hz	-23,3°C	R 134a	175,0	150,50	6,00	STATİK	RSCR
1/4	1/4 HY 69 Y63	220V/50Hz	-23,3°C	R 134a	195,0	167,70	6,90	FAN	RSIR
1/4	1/4 HY 69 YH	220V/50Hz	-23,3°C	R 134a	195,0	167,70	6,90	STATİK	RSIR
1/4	1/4 HY 69 YG	220V/50Hz	-23,3°C	R 134a	195,0	167,70	6,90	STATİK	RSCR
1/4	1/4 HY 69 YK	220V/50Hz	-23,3°C	R 134a	195,0	167,70	6,90	STATİK	RSCR
1/4 +	HY 81 YG	220V/50Hz	-23,3°C	R 134a	235,0	202,10	8,10	STATİK	RSCR
1/4 +	1/4+ HY 81 Y	220V/50Hz	-23,3°C	R 134a	235,0	202,10	8,10	FAN	RSIR

173.5	CCC	RSCR	2.1	90	6	ST	50	~220-240	HYE55MDU	(R600a Compressor (LBP
173.5	CCC	RSCR	2	118	6.7	ST	50	~220-240	HYE60MDU	(R600a Compressor (LBP
173.5	CCC	RSCR	2.1	100	6.7	ST	50	~220-240	HYE69MDU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.93	152	8.9	ST	50	~220-240	HYE90MXU	(R600a Compressor (LBP

(Height(mm	Certification	MotorType	(COP(W/W	(Capacity(W	(Displacement(cm3	CoolingType	(Frequency(Hz	(Voltage(V	Model	Series
173.5	CCC/VDE	RSCR	1.68	168	9.6	ST	50	~220-240	HYE96MKU	(R600a Compressor (LBP
153	CCC	RSIR	1.65	100	6	ST	50	~220-240	HYS60MKUL	(R600a Compressor (LBP
153.6	CCC/VDE	RSIR	1.45	100	6	ST	50	~220-240	HYB60MHU	(R600a Compressor (LBP
169	CCC	RSCR	1.4	140	8.1	ST	50	~220-240	HYE81MHUL	(R600a Compressor (LBP
187.5	CCC	RSCR	1.65	203	11.3	ST	50	~220-240	HY113MKU	(R600a Compressor (LBP
167	CCC/VDE	RSIR	1.4	140	8.1	ST	50	~220-240	HYE81MHU	(R600a Compressor (LBP
167	CCC/VDE	RSCR	1.62	128	7.2	ST	50	~220-240	HYE69MGU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.55	140	8.1	ST	50	~220-240	HYE81MGU	(R600a Compressor (LBP
173.5	CCC	RSCR	1.55	152	8.9	ST	50	~220-240	HYE90MGU	(R600a Compressor (LBP
167	CCC/VDE	RSCR	1.68	115	6.7	ST	50	~220-240	HYE60MKU	(R600a Compressor (LBP

(Height(mm	Certification	MotorType	(COP(W/W	(Capacity(W	(Displacement(cm3	CoolingType	(Frequency(Hz	(Voltage(V	Model	Series
173.5	CCC	RSCR	1.68	200	11.3	ST	50	~220-240	HYE113MKU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.68	140	8.1	ST	50	~220-240	HYE81MKU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.88	117	6.7	ST	50	~220-240	HYE60MSU	(R600a Compressor (LBP
173.5	CCC	RSCR	1.74	102	6	ST	50	~220-240	HYE55MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.78	115	6.7	ST	50	~220-240	HYE60MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.78	125	7.2	ST	50	~220-240	HYE69MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.78	140	8.1	ST	50	~220-240	HYE81MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.78	152	8.9	ST	50	~220-240	HYE90MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.78	168	9.6	ST	50	~220-240	HYE96MTU	(R600a Compressor (LBP
173.5	CCC/VDE	RSCR	1.83	102	6	ST	50	~220-240	HYE55MSU	(R600a Compressor (LBP

(Height(mm	Certification	MotorType	(COP(W/W	(Capacity(W	(Displacement(cm3	CoolingType	(Frequency(Hz	(Voltage(V	Model	Series
173.5	CCC/VDE	RSCR	1.88	102	6	ST	50	220-	HYE55MSU	R600a Compressor

								~240		((LBP
173.5	CCC	RSCR	1.85	117	6.7	ST	50	220- ~240	HYE60MSU	R600a Compressor ((LBP
173.5	CCC/VDE	RSCR	1.68	125	7.2	ST	50	220- ~240	HYE69MKU	R600a Compressor ((LBP
173.5	CCC	RSCR	1.65	170	9.6	ST	50	220- ~240	▲HYE96MKUL	R600a Compressor ((LBP
159.5	CCC	RSCR		102	6	ST	50	220- ~240	HYS60MDU	R600a Compressor ((LBP
173.5	CCC	RSCR	1.83	240	13.1	ST	50	220- ~240	▲HYE131MSU	R600a Compressor ((LBP
173.5	CCC	RSCR	1.74	240	13.1	ST	50	220- ~240	▲HYE131MTU	R600a Compressor ((LBP
173.5	CCC	RSCR	1.83	145	8.1	ST	50	220- ~240	▲HYE81MSUL	R600a Compressor ((LBP
173.5	CCC	RSCR	1.75	168	9.6	ST	50	220- ~240	HYE96MTUL	R600a Compressor ((LBP
173.5	CCC	RSIR	1.02	200	11.3	ST	50	220- ~240	HYE113MHUL	R600a Compressor ((LBP

Height(mm)	Certification	MotorType	COP(W/W)	Capacity(W)	Displacement(cm ³)	CoolingType	Frequency(Hz)	Voltage(V)	Model	Series
173.5	CCC	RSIR	1.2	152	8.9	ST	50	~220-240	HYE90MGUL	(R600a Compressor (LBP
173.5	CCC	RSCR	1.98	170	9.6	ST	50	~220-240	HYE96MDU	(R600a Compressor (LBP
153.6	CCC	RSIR	1.43	120	6.9	ST	50	~220-240	HYB69MHUL	(R600a Compressor (LBP
153	CCC	RSCR	1.65	120	6.9	ST	50	~220-240	HYS69MKUL	(R600a Compressor (LBP
161.1	CCC	RSCR	1.65	120	6.9	ST	50	~220-240	HYB69MKUL	(R600a Compressor (LBP
173.5	CCC	RSCR	1.98	170	9.6	ST	50	~220-240	▲HYE96MDU	(R600a Compressor (LBP
159.5	CCC	RSCR	1.88	120	6.9	ST	50	~220-240	HYS69MXU	(R600a Compressor (LBP
159.5	CCC	RSCR	1.88	100	6	ST	50	~220-240	HYS69MXU	(R600a Compressor (LBP
159.5	CCC	RSCR	1.88	95	5.5	ST	50	~220-240	HYS55MXU	(R600a Compressor (LBP
173.5	CCC	RSCR	1.98	127	7.2	ST	50	~220-240	HYE69MDU	(R600a Compressor (LBP

(Height(mm)	Certification	MotorType	(COP(W/W)	(Capacity(W)	(Displacement(cm3)	CoolingType	(Frequency(Hz)	(Voltage(V)	Model	Series
153	CCC	RSIR	1.25	120	6.9	ST	50	220- ~240	HYS69MHUL	R600a Compressor ((LBP
173.5	CCC	RSCR	1.98	152	8.9	ST	50	220- ~240	HYE90MDU	R600a Compressor ((LBP
159.5	VDE/CCC	RSCR		100	6	ST	50	220- ~240	HYS60MSUa	R600a Compressor ((LBP
159.5	CCC	RSCR	1.65	138	8.1	ST	50	220- ~240	▲HYS81MKUL	R600a Compressor ((LBP
176.5		RSCR			6	ST	50	220- ~240	▲HYE50MEU	R600a Compressor ((LBP
159.5	CCC	RSCR		120	6.9	ST	50	220- ~240	HYS69MDU	R600a Compressor ((LBP
161.1	CCC	RSIR	1.49	100	6	ST	50	220- ~240	HYB60MGUa	R600a Compressor ((LBP
153.6	CCC	RSCR	1.53	85	5	ST	50	220- ~240	HYB50MGUa	R600a Compressor ((LBP
153.6	CCC	RSIR	1.3	80	5	ST	50	220- ~240	HYB50MHUa	R600a Compressor ((LBP
193		RSCR	1.2	288	16.3	ST	50	220- ~240	▲HY163MHUa	R600a Compressor ((LBP

.Note: "▲" are being-developed

(Height(mm)	Certification	MotorType	(COP(W/W)	(Capacity(W)	(Displacement(cm3)	CoolingType	(Frequency(Hz)	(Voltage(V)	Model	Series
193	CCC	RSCR	1.2	270	15.3	ST	50	220- ~240	HY153MHUa	R600a Compressor ((LBP
173.5	CCC	RSIR	1.74	152	8.9	ST	50	220- ~240	HYE90MTUa	R600a Compressor ((LBP
173.5	CCC	RSCR	1.63	200	11.3	ST	50	220- ~240	▲HYE113MKUa	R600a Compressor ((LBP
161.1	CCC	RSCR	1.65	100	6	ST	50	220-	HYB60MKUL	R600a Compressor

193	CCC	RSCR	1.85	205	11.3	ST	50	220- ~240	HY113MSU	R600a Compressor ((LBP
193	CCC	RSCR	1.72	270	15.3	ST	50	220- ~240	HY153MTU	R600a Compressor ((LBP
(Height(mm)	Certification	MotorType	(COP(W/W)	(Capacity(W)	(Displacement(cm3)	CoolingType	(Frequency(Hz)	(Voltage(V)	Model	Series
193	CCC	RSCR	1.75	235	13.1	ST	50	220- ~240	HY113MTU	R600a Compressor ((LBP
193	CCC	RSCR	1.65	270	15.3	ST	50	220- ~240	HY153MKU	R600a Compressor ((LBP
187.5	CCC	RSCR	1.65	235	13.1	ST	50	220- ~240	HY131MKU	R600a Compressor ((LBP
187.5	CCC	RSCR	1.65	235	13.1	ST	50	220- ~240	HY131MKU	R600a Compressor ((LBP
193	CCC	RSCR	1.9	208	11.3	ST	50	220- ~240	HY113MXU	R600a Compressor ((LBP
173.5	UL	RSCR	1.5	214	10.5	ST	50	220- ~240	HYE105MGU72L	R600a Compressor ((LBP
193	CCC	RSCR	1.9	245	13.1	ST	50	220- ~240	HY131MXU	R600a Compressor ((LBP
173.5	CCC	RSIR	1.2	185	10.5	ST	50	220- ~240	HYE105MHUL	R600a Compressor ((LBP
173.5	CCC	RSIR	1.3	168	9.6	ST	50	220- ~240	HYE96MHUL	R600a Compressor ((LBP
173.5	CCC	RSIR	1.2	152	8.9	ST	50	220- ~240	HYE90MHUL	R600a Compressor ((LBP

.Note: "▲" are being-developed

(Height(mm)	Certification	MotorType	(COP(W/W)	(Capacity(W)	(Displacement(cm3)	CoolingType	(Frequency(Hz)	(Voltage(V)	Model	Series
173.5	CCC	RSCR	1.55	140	8.1	ST	50	220- ~240	HYE81MGUL	R600a Compressor ((LBP
173.5	CCC	RSCR	1.55	152	8.9	ST	50	220-	▲HYE90MGUL	R600a Compressor

193	CCC	CSIR	2.2	860	9.4	FC	50	220- ~240	HY94YZ	R134a Compressor ((MBP,HBP
193	CCC	CSIR	2.2	1160	13.1	FC	50	220- ~240	HY131YZ	R134a Compressor ((MBP,HBP
193	CCC/VDE	CSIR	2.15	1300	15.3	FC	50	220- ~240	HY153YZ	R134a Compressor ((MBP,HBP
173.5	CCC/VDE	CSIR	2.3	830	8.1	FC	50	220- ~240	HYE81YZ	R134a Compressor ((MBP,HBP
173.5	CCC/VDE	CSIR	2.2	830	8.1	FC	50	220- ~240	▲HYE81YZ63a	R134a Compressor ((MBP,HBP
193	CCC	CSIR	2.2	745	8.1	FC	50	220- ~240	HY81YZ	R134a Compressor ((MBP,HBP

