

Commercial refrigerator, compressors,
GLY16RG, 3/8 hp++, R134a, HMBP,
1492W, r134, Compressor ACC, Cubigel,
Huayi, Electrolux, ZEM

Category: compressor

written by Amina | 27 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Compressor ACC Cubigel Huayi Electrolux ZEM GLY16RG, HMBP – R134a, 200- 220V/220

– 230V/1/50/60Hz, 3/8 HP, discharge 16.15 cm³, motor type CSIR, oil type ISO VG 46 ester, oil charge 400 cm³, 1205 W at +5 / +55 °, input power, current 662 W, 4.28 A, expansion device: capillar or valve, cooling: fan, weight 12.9 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with “immediately available” and “scarce stock”, usually delivery within 2 days. For “currently not available” delivery time usually 2 weeks or delivery time in urgent cases contact us.

Refrigerant:	R134a
Power range(W):	1 – 1,5 kW
Connecting size:	6,5 mm
Suction:	8,1 mm
Working area:	HMBP
Design type:	Hermetic
Model series:	GP
Use with:	Expansion/Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 EsterAB46ISO VG 46 Ester
Engine type:	CSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	24,90 kg
Dimensions (Length × Width × Height):	23,10 × 16,20 × 21,10 cm
Cooling capacity condition:	+5 / +55 C
customs tariff number:	84143081
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	GLY16RG
Stroke volume (cm ³):	16,15
Cooling capacity (W):	1205
Power (HP):	0,4
Power consumption (W):	662
Max. Starting current (A):	23
Max. Operating current (A):	4,28
Engine type:	CSIR
COP:	1,82
Note:	Fan cooling necessary
Oil quantity (l):	0,4
Compressor type:	Piston
Pressure line (mm):	6,5
Suction line (mm):	8,1

MARKET	TYPE	TIME	HOUR	DAY	DESCRIPTION	UNIT	QTY	PRICE	OPEN	HIGH	LOW	CLOSE	PREV	CHG	PERCENT	STATUS	
GLY90RDa	9.09	1/4	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	198	348	875	1.96	1053	900	2.25	10.6	Lc
GLY90RDb	9.09	1/4	HMBP	F	115V 60Hz ~1	CSR	R	C-V	198	348	875	2.11	1053	900	2.42	10.6	Lc
GL90PE	8.85	1/4	HMBP	F	115V 60Hz ~1	RSIR	R	C	167	303	773	1.79	932	796	2.06	10.8	Ld
GL90TE	8.85	1/4	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	167	303	773	1.79	932	796	2.06	10.8	Ld
GL90TG	8.85	1/4	HMBP	F	200-220/220-230V 50/60Hz ~1	CSIR	R	C-V	168	303	773	1.72	932	796	1.97	10.8	Ld
GL90MG	8.85	1/4	HBP	S	230V 50/60Hz ~1	CSIR	R	C-V	172	300	775	1.84	940	800	2.11	10.8	Ld
GL90RG	8.85	1/4	HMBP	F	200-220/220-230V 50/60Hz ~1	CSR	R	C-V	167	303	773	2.01	932	796	2.31	10.8	Ld
GL90TC	8.85	1/4	HMBP	F	100V 50/60Hz ~1	CSIR	R	C-V	167	303	773	1.83	932	796	2.10	10.9	Ld
GPY12RDa	12.10	3/8	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	281	480	1151	1.96	1375	1180	2.25	12.3	Pd
GPY12RDb	12.10	3/8	HMBP	F	115V 60Hz ~1	CSR	R	C-V	281	480	1151	2.12	1375	1180	2.44	12.3	Pd
GP12PE	12.05	3/8	HMBP	F	115V 60Hz ~1	RSIR	R	C	198	395	1045	1.83	1260	1076	2.10	11.2	Pc
GP12RG	12.05	3/8	HMBP	F	200-220/220-230V 50/60Hz ~1	CSR	R	C-V	198	395	1045	1.96	1260	1076	2.25	11.2	Pc
GP12TE	12.05	3/8	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	198	395	1045	1.83	1260	1076	2.10	11.2	Pc
GP12TG	12.05	3/8	HMBP	F	200-220/220-230V 50/60Hz ~1	CSR	R	C-V	198	395	1045	1.69	1260	1076	1.93	11.2	Pc
GPY14RDa	14.32	1/2	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	318	516	1411	1.91	1739	1467	2.22	12.8	Pd
GPY14RDb	14.32	1/2	HMBP	F	115V 60Hz ~1	CSR	R	C-V	318	516	1411	2.04	1739	1467	2.36	12.8	Pd
GP14PE	14.17	3/8	HMBP	F	115V 60Hz ~1	RSIR	R	C	222	437	1168	1.78	1414	1205	2.03	11.5	Pd
GP14TE	14.17	3/8	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	222	437	1168	1.78	1414	1205	2.03	11.5	Pd
GP14TG	14.17	3/8	HMBP	F	200-220/220-230V 50/60Hz ~1	CSIR	R	C-V	222	437	1168	1.78	1414	1205	2.03	12.9	Pd
GPY16RDa	16.15	1/2	HMBP	F	115V 60Hz ~1	CSIR	R	C-V	349	614	1519	1.89	1822	1560	2.17	12.5	Pd
GPY16RDb	16.15	1/2	HMBP	F	115V 60Hz ~1	CSR	R	C-V	349	614	1519	2.01	1822	1560	2.31	12.5	Pd
GP16TE	16.15	3/8	HBP	F	115V 60Hz ~1	CSIR	R	C-V	313	557	1409	1.71	1698	1450	1.96	12.9	Pd
GP16TR	16.15	3/8	HBP	F	115-127V 60Hz ~1	CSIR	R	C-V	313	557	1409	1.74	1698	1450	2.01	12.5	Pd
GP16TG	16.15	3/8	HBP	F	200-220/230V 50/60Hz ~1	CSIR	R	C-V	313	557	1409	1.75	1698	1450	2.00	12.9	Pd
GX18TG	18.40	1/2	HMBP	F	200-220/220-230V 50/60Hz ~1	CSIR	R	C-V	334	630	1626	1.89	1958	1673	2.17	15.9	Xc
GX23TG	23.20	5/8	HMBP	F	200-220/220-230V 50/60Hz ~1	CSIR	R	C-V	429	792	2022	1.73	2434	2080	1.98	17.0	Xd
GS26TG	25.93	3/4	HMBP	F	200-220/220-230V 50/60Hz ~1	CSIR	R	C-V	307	824	2421	2.08	2936	2500	2.40	22.7	Sc
GS26T3	25.93	3/4	HMBP	F	400/440V 50/60Hz ~3	3PHASE	R	C-V	307	824	2421	2.09	2936	2500	2.40	22.7	Sc
GS30TG	29.95	7/8	HMBP	F	200-220/220-230V 50/60Hz ~1	CSR	R	C-V	371	921	2867	2.24	3528	2981	2.61	23.0	Sd
GS34TF	34.42	1	HMBP	F	220-230V 60Hz ~1	CSR	R	C-V	551	1248	3329	2.18	3992	3421	2.50	22.7	Sd

