


Compressor, Konor, GQY99AA, refrigerator freezer, r134a, 1/4 hp, Lbp

Category: compressor

written by Amina | 19 October 2023



Private Picture Copyright : WWW.MBSM.PRO

The dc GQY99AA compressor is intended especially for use in freezer,refrigeration cabinet,showcase,drinking machine,ice machine.

Advantages

A.R134a refrigeration compressor,1/4HP
B.reasonable structure and compact size
C.high efficiency,energy saving
D.reliable security
E.good adjustment with any temperature
Refrigeration compressor,LBP R134a refrigeration compressor
model number: GQY99AA

1. stable performance,high security
2. High efficiency, low power consumption
- 3.good adaptability of volty
- 4.certificate:RoHS, VDE, CE, CCCs,UR, UL

Details:

LBP,R134a compressor,use for cabinet,show case,liquor cabinet and other medium

and large sized refrigeration machines.

Test Conditions(Ashrae):

Evaporating temperature:-23.3°C

Condensing temperature:54.4°C

Subcooling temperature:32.2°C

Suction temperature:32.2°C

Ambient temperature:32.2°C

KONOR, COMPRESSOR, GQR80AA, R134A, LBP, 240V, 50Hz, 8.1cm³, 1/4HP, 198W, -KONOR CATALOGE pdf

R134a 系列 R134a Range

型号	排气 容积	电机 功率	电机 类型	电压-频率	制冷量	输入功率	性能系数	高度	净重
Model	Displ.	Power	Motor Type	Volt. - Frequency	Cooling Capacity	Input Power without RC with RC	COP without RC with RC	Heigh (A)	Net Weight
	cm ³	HP		V/Hz	w	w w	w/w w/w	mm	kg
R134a 220-240 V / 50Hz 低背压 LBP									
GQR45AA	4.6	1/8	RSIR	220-240V / 50Hz	110	96	1.15	176	8.5
GQR60AA	6.0	1/6	RSIR	220-240V / 50Hz	140	116	1.21	176	9.4
GQR70AA	6.6	1/5	RSIR	220-240V / 50Hz	165	136	1.21	176	9.4
GQR80AA	8.1	1/4	RSIR	220-240V / 50Hz	198	166	1.19	186	9.4
GQR90AA	9.1	1/4	RSIR	220-240V / 50Hz	220	184	1.19	186	10.1
GQY60AA	6.0	1/6	RSIR/RSCR	220-240V / 50Hz	157	115 112	1.36 1.40	176	9.4
GQY70AA	6.6	1/5	RSIR/RSCR	220-240V / 50Hz	175	126 121	1.39 1.45	186	10.0
GQY80AA	8.1	1/4	RSIR/RSCR	220-240V / 50Hz	222	164 158	1.35 1.41	186	10.3
GQY90AA	9.1	1/4	RSIR/RSCR	220-240V / 50Hz	245	184 176	1.33 1.39	186	10.3
GQY99AA	9.9	1/4	RSIR/RSCR	220-240V / 50Hz	270	203 194	1.33 1.39	199	10.9
GHT60AA	6.0	1/5	RSCR	220-240V / 50Hz	165	101	1.63	179	9.2
GHT70AA	6.6	1/5	RSCR	220-240V / 50Hz	190	117	1.63	179	9.2
GHT80AA	8.1	1/4	RSCR	220-240V / 50Hz	230	141	1.63	179	9.2
R134a 200-220 V / 50Hz, 220-230 V / 60Hz 低背压 LBP									
GQR45AG	4.6	1/8	RSIR	200-220V / 50Hz 220-230V / 60Hz	109 128	96 115	1.13 1.11	176	9.1
GQR60AG	6.0	1/6	RSIR	200-220V / 50Hz 220-230V / 60Hz	140 165	119 142	1.18 1.16	176	9.1
GQR70AG	6.6	1/5	RSIR	200-220V / 50Hz 220-230V / 60Hz	166 194	138 161	1.20 1.20	186	10
GQR80AG	8.1	1/5	RSIR	200-220V / 50Hz 220-230V / 60Hz	195 229	160 180	1.22 1.20	186	10.1
GQR90AG	9.1	1/5	RSIR	200-220V / 50Hz 220-230V / 60Hz	220 256	178 208	1.24 1.24	186	10.3
GQY60AG	6.0	1/6	RSIR/RSCR	200-220V / 50Hz 220-230V / 60Hz	157 184	130 153	1.21 1.20	186	10.2
GQY70AG	6.6	1/5	RSIR/RSCR	200-220V / 50Hz 220-230V / 60Hz	170 200	130 153	1.21 1.21	186	10.2
GQY80AG	8.1	1/4	RSIR/RSCR	200-220V / 50Hz 220-230V / 60Hz	225 264	163 191	1.38 1.38	199	10.8
GQY90AG	9.1	1/4	RSIR/RSCR	200-220V / 50Hz 220-230V / 60Hz	245 290	175 210	1.40 1.38	199	10.9
R134a 220-240 V / 50Hz 低背压 LBP									
GPY12AF	11.8	1/3	CSIR	200-240V / 50Hz	325	244	1.33	212	12.0
GPY16AF	16.2	3/8	CSIR	200-240V / 50Hz	380	292	1.30	212	12.1

KONOR	Displ.	power	Motor type	V/Hz	Cooling capacity	Net W	Weight KG
GQR60AA	6	1/6	RSIR	220- 240V/50Hz	140	9.4	
GQR70AA	6.6	1/5	RSIR	220- 240V/50Hz	165	9.4	
GQR80AA	8.1	1/4	RSIR	220- 240V/50Hz	198	9.4	
GQR90AA	9.1	1/4	RSIR	220- 240V/50Hz	220	10.1	
GQY99AA	9.9	1/4	RSIR	220- 240V/50Hz	270	10.9	
GQY12AF	11.8	1/3	CSIR	220- 240V/50Hz	325	10.56	
GQY16AF	16.2	3/8	CSIR	220- 240V/50Hz	380	12.1	
GP16MG	16.2	5/8	CSIR	220- 240V/50Hz	870	12.5	
GP12MG	11.8	5/8	CSIR	220- 240V/50Hz	656	10.9	
GP12TG	11.8	3/8	CSIR	220- 240V/50Hz	1140	11.8	
GQR80TG	8.1	1/4	CSIR	220- 240V/50Hz	730	9.8	
GQR90TG	9.1	1/4	CSIR	220- 240V/50Hz	830	10.5	
GQR60TG	6	1/5	CSIR	220- 240V/50Hz	520	9.8	



