

Mbsm.pro, Compressor ACC , ZEL,
HDK14AA, LBP, R600a, 1/3HP,
220-240V/1/50Hz, 240 w

Category: compressor

written by Lilianne | 24 September 2023

C 58337955

HKD14AA 16-41
220-240V, 50Hz
SUCTION
8 041 0646410 5
CE
ROHS

OK
14-10-2020

OPPO A31
11/11 14:11/5/15

Mbsm.pro, Compressor ACC , ZEL, HDK14AA, LBP, R600a, 1/3HP, 220-240V/1/50Hz, 240 W


موديل التلاجة	الحجم بالقدم 3	الحجم بالتر	قدرة الضاغط							
			R134a			R600a				
			Model	W	HP	Model	W	HP		
LBP										
كباسات التجميد										
	4	5	113	160	GML70G	72	1/12	HMM70A	70	1/12
	6	7	170	198	GML70G	72	1/10	HMM70A	70	1/10
	8	9	226	254	GML90G	94	1/8	HMM90A	90	1/8
	9	13	283	370	GML125G	125	1/6	HML125AT	130	1/6
	9	12	226	340	GML140AT	148	1/5	HML140AT	140	1/5
	13	17	370	481	GML200AT	195	1/4	HML200A	200	1/4
	17	22	509	623	GTH88AA	240	1/3	HKD14AA	240	1/3
	4	6	113	120	GML125G	125	1/6	HML125AT	130	1/6
	6	8	198	226	GML140AT	148	1/5	HML140AT	140	1/5
	8	12	254	340	GML200AT	195	1/4	HML200A	200	1/4
	12	18	370	509	GTH88AA	240	1/3	HKD14AA	240	1/3
	18	22	538	623	GTM93AA	280	3/8			

Private Picture Copyright : WWW.MBSM.PRO

R600a مواصفات كباسات التجميد LBP

Model الموديل	Voltage الفولت	Hz التردد	Cooling Capacity سعة التبريد - القدرة التبريدية		
			W	HP	
HMM70A	220 - 240	50	70	0.094	1/10
HMM80A	220 - 240	50	80	0.107	1/10
HMM90A	220 - 240	50	90	0.121	1/8
HMM100A	220 - 240	50	100	0.134	1/8
HML100A	220 - 240	50	103	0.138	1/8
HML125A	220 - 240	50	121	0.162	1/6
HML125AT	220 - 240	50	130	0.174	1/6
HML140AT	220 - 240	50	140	0.188	1/6
HML155A	220 - 240	50	155	0.208	1/5
HML170AT	220 - 240	50	170	0.228	1/5
HML190A	220 - 240	50	190	0.255	1/4
HML200A	220 - 240	50	200	0.268	1/4
HKD14AA	220 - 240	50	240	0.322	1/3

Private Picture Copyright : WWW.MBSM.PRO



Модель	Материал обмотки	Объём	Тип мотора	Частота	Холодопроизв. -23,3°C	Потреб. мощность			COP		Рабочий конденсатор	Высота	Вес
						без RC	с RC	с RC	без RC	с RC			
		cc		hz	w	w	w	w/w	w/w	µF	mm	kg	
HVM12AA	Cu/Al	12	RSIR	50	200	141	-	1.42	-	-	174	9.6	
HVM16AA	Cu	16	RSIR	50	276	212	-	1.30	-	-	184	9.6	
HTH12AA	Cu	12	RSIR/RSCR	50	200	134	126	1.49	1.59	4	184	9.4	
HTH14AA	Cu	14	RSCR	50	235	-	168	-	1.40	5	184	9.3	
HTH14AA(I)	Cu/Al	14	RSIR/RSCR	50	235	158	149	1.49	1.58	5	184	9.3	
HTH16AA	Cu	14	RSIR/RSCR	50	276	158	149	1.45	1.54	5	184	9.3	
HTT11AA	Cu	11	RSCR	50	185	-	106	-	1.75	5	184	9.6	
HPKD190A	Al	11.4	RSIR/RSCR	50	201	125	118	1.61	1.71	5	174	9.2	
HKD14AA	Cu	14	RSCR	50	240	-	140	-	1.72	6	184	10.1	
HKD16AA	Cu	16	RSCR	50	270	-	159	-	1.70	6	184	10.3	
HPKX190A	Cu	11.4	RSCR	50	205	-	108	-	1.90	5	184	10.1	

R134a

OF605	Cu/Al	3.4	RSIR	50	90	76	-	1.18	-	-	163	7.7
OF700	Al	3.9	RSIR	50	100	88	-	1.13	-	-	163	7.4
OF789	Al	3.9	RSIR	50	110	96	-	1.14	-	-	163	7.7
OF1033A	Al	5.3	RSIR	50	140	119	-	1.18	-	-	174	8.6
OF1350A	Al	7.0	RSIR	50	180	150	-	1.20	-	-	174	9.2
GVY35AA	Cu/Al	3.4	RSIR/RSCR	50	90	63	58	1.28	1.37	2	163	8.1
GVY40AA	Cu/Al	4.0	RSIR/RSCR	50	109	81	76	1.35	1.43	3	174	9.0
GVY44AA	Cu/Al	4.4	RSIR/RSCR	50	130	93	87	1.40	1.50	3	174	8.9
GVY53AA	Cu/Al	5.3	RSIR/RSCR	50	140	102	96	1.37	1.46	3	174	9.0
GVY57AA	Cu/Al	5.7	RSIR/RSCR	50	160	119	113	1.34	1.42	4	174	8.8
GVY61AA	Cu/Al	6.1	RSIR/RSCR	50	170	120	113	1.42	1.51	4	174	9.4
GVY66AA	Cu/Al	6.6	RSIR/RSCR	50	190	142	131	1.34	1.45	4	174	8.6
GVY75AA	Cu/Al	7.5	RSIR/RSCR	50	206	157	144	1.31	1.43	4	174	8.9
GTH86AA	Cu/Al	8.6	RSIR/RSCR	50	240	175	163	1.37	1.47	5	174	9.0
GTH93AA	Cu/Al	9.3	RSIR/RSCR	50	255	183	171	1.39	1.49	5	184	9.7
GTT66AA	Cu/Al	6.6	RSCR	50	200	-	125	-	1.60	4	184	9.5
GTT75AA	Cu	7.5	RSCR	50	210	-	134	-	1.57	4	184	10.1
GKD86AA	Cu	8.6	RSCR	50	255	-	154	-	1.66	6	184	10.4
GKD93AA	Cu	9.3	RSCR	50	270	-	163	-	1.66	6	184	10.4

C 58337955

HKD14AA 16-41
220-240V, 50Hz
SUCTION
8 041 0646410 5
CE
ROHS

OK
14-10-2020

OPPO A31
13:11 10/17/2020

Mbsm_dot_pro_private_PDF_HDK14AA