

# Compressor, HPL21YE-5, HsL21YE-5, 1/5 hp, DAEW00, 176 w, lbp, r134a

Category: compressor

written by Lilianne | 11 November 2023

**HSL21YE-5**

AC 220-240V 50Hz

(121)

LRA 6 1

R134a

THERMALLY PROTECTED

TROPICALIZED

RoHS

DAEWOO ELECTRONICS Corp.

MADE IN KOREA DAEWOO

K60902315

# R134a LBP

220V / 60Hz

Series	Model	Displacement [cc/rev]	Consumption Power [W]	Cooling Capacity			Efficiency			Motor Type	Cooling Type	Net Weight [kg]	Oil Qty. [cc]
				kcal/h	Watt	Btu/h	EFF kcal/Wh	COP W/W	EER Btu/Wh				
JX	JX41LHS4	4.09	112	104	121	413	1.08	1.08	3.68	RSIR	ST/FC	7.6	230
	JX46LHP4	4.62	110	128	149	508	0.86	1.35	4.62	RSCR	ST/FC	8.0	230
	JX46LHS4	4.62	124	131	152	520	0.95	1.23	4.19	RSIR	ST/FC	8.0	230
	JX51LHP4	5.12	124	150	174	595	0.89	1.41	4.80	RSCR	ST/FC	8.3	230
	JX51LHS4	5.12	134	147	171	583	0.91	1.28	4.35	RSIR	ST/FC	8.3	230
	JX58LHK4	5.84	161	170	198	675	0.95	1.23	4.19	CSIR	ST/FC	8.3	230
	JX58LHP4	5.84	140	171	199	679	0.82	1.42	4.85	RSCR	ST/FC	8.3	230
	JX58LHS4	5.84	152	172	200	683	0.88	1.32	4.49	RSIR	ST/FC	8.3	230
YH	HDL21YH-4	6.72	156	189	220	750	0.83	1.41	4.81	CSIR	ST/OC/FC	9.5	290
	HPL15YH-4	5.12	122	135	157	536	0.90	1.29	4.39	RSCR	ST/OC/FC	8.9	290
	HPL17YH-4	5.55	131	148	172	587	0.89	1.31	4.48	RSCR	ST/OC/FC	8.9	290
	HPL19YH-4	5.84	137	170	198	675	0.81	1.44	4.92	RSCR	ST/OC/FC	9.5	290
	HPL21YH-4	6.73	159	191	222	758	0.83	1.40	4.77	RSCR	ST/OC/FC	9.5	290
	HPL26YH-4	8.25	205	231	269	917	0.89	1.31	4.47	RSCR	ST/OC/FC	9.5	290
	HPL26YH-4B	8.25	190	228	265	905	0.83	1.40	4.76	RSCR	ST/OC/FC	9.5	290
YX	YX46LHP4	4.62	104	125	145	496	0.83	1.40	4.77	RSCR	ST/OC/FC	8.8	290
	YX58LHP4	5.84	133	172	200	683	0.77	1.50	5.13	RSCR	ST/OC/FC	9.8	290
	YX51LHP4-K	5.12	128	144	168	572	0.89	1.31	4.46	RSCR	ST/OC/FC	8.8	290
YG	HPL21YG-4	6.73	174	184	214	730	0.95	1.23	4.20	RSCR	ST/OC/FC	9.0	290
	HPL25YG-4	7.68	190	215	250	853	0.88	1.32	4.49	RSCR	ST/OC/FC	9.5	290
	HPL27YG-4A	8.69	232	250	291	992	0.93	1.25	4.28	RSCR	ST/OC/FC	9.5	290
	HPL30YG-4	9.92	247	283	329	1123	0.87	1.33	4.55	RSCR	ST/OC/FC	9.5	290
YE	HDL27YE-4	8.69	220	240	279	952	0.92	1.27	4.33	CSIR	ST/OC/FC	9.5	290
	HKL25YE-4	7.68	204	210	244	833	0.97	1.20	4.09	CSIR	ST/OC/FC	9.5	290
	HKL27YE-4	8.69	222	244	284	968	0.91	1.28	4.36	CSIR	ST/OC/FC	9.5	290
	HKL30YE-4	9.92	269	273	317	1083	0.99	1.18	4.03	CSIR	ST/OC/FC	9.5	290
	HPL21YE-4	6.73	166	181	211	718	0.92	1.27	4.33	RSCR	ST/OC/FC	9.0	290
	HPL23YE-4	7.03	175	188	219	746	0.93	1.25	4.26	RSCR	ST/OC/FC	9.3	290
	HPL25YE-4	7.68	192	210	244	833	0.91	1.27	4.34	RSCR	ST/OC/FC	9.5	290
	HPL27YE-4	8.69	233	243	283	964	0.96	1.21	4.14	RSCR	ST/OC/FC	9.5	290
	HSL21YE-4	6.73	184	184	214	730	1.00	1.16	3.97	RSIR	ST/OC/FC	9.0	290
	HSL25YE-4	7.68	207	217	252	861	0.95	1.22	4.16	RSIR	ST/OC/FC	9.5	290
DH	DH70LHP4	7.03	155	207	241	821	0.75	1.55	5.30	RSCR	FC	10.4	290
	DH80LHP4	7.89	174	230	267	913	0.76	1.54	5.25	RSCR	FC	10.4	290
	DH90LHP4	8.93	202	273	317	1083	0.74	1.57	5.36	RSCR	FC	10.4	290
	DH99LHP4	9.92	229	283	329	1123	0.81	1.44	4.90	RSCR	FC	10.4	290
DM	DM99LHD4	9.92	236	267	311	1060	0.88	1.32	4.49	CSIR	FC	10.4	290
	DM99LHK4	9.92	253	286	333	1135	0.88	1.31	4.49	CSIR	FC	10.4	290

**HSL21YE-5**

AC 220-240V 50Hz

(121)

LRA 6.1

R134a

THERMALLY PROTECTED

TROPICALIZED

RoHS

DAEWOO ELECTRONICS Corp.

MADE IN KOREA DAEWOO

K60902315

