

Mbsm.pro, Compressor, Ma serie,  
MA62HAEG, 1/5 hp++, Lg compressor,  
r1234a, 174 w


Category: compressor

written by Jamila | 20 March 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Série : MA Capacité [cc/tour] : 6,24 Catégorie d'application : R134a, LBP  
Tension et fréquence nominales : 220-240 V, 50 Hz Type de moteur : RSIR, PTC  
Dimension [mm] : 204 x 161 x 180



Fréquence	Tension	Modèle	Déplacement	Capacité de refroidissement			Saisir FLIC EER			
				kcal/h	0	Btu/h	CV			
50Hz	220	MA42LFJM	4.2	92	107	365	0,144	97	1.1	3,77
50Hz	220	MA42LBJG	4.2	96	112	381	0,150	96	1.2	3,97
50Hz	220	MA42LJG	4.2	92	107	365	0,144	96	1.1	3,80
50Hz	220	MA42LMJG	4.2	92	107	365	0,144	96	1.1	3,80
50Hz	220	MA42LKJG	4.2	99	115	393	0,154	99	1.2	3,97
50Hz	220	MA42LHJM	4.2	92	107	365	0,144	97	1.1	3,77
50Hz	220	MA45LDJG	4.5	99	115	393	0,154	104	1.1	3,78
50Hz	220	MA45LCJM	4.5	99	115	393	0,154	99	1.2	3,97
50Hz	220	MA45LCJG	4.5	99	115	393	0,154	104	1.1	3,78
50Hz	220	MA45LDJM	4.5	99	115	393	0,154	99	1.2	3,97
50Hz	220	MA45LFJM	4.5	102	119	405	0,159	94	1.3	4.31
50Hz	220	MA45LHJM	4.5	102	119	405	0,159	94	1.3	4.31
50Hz	220	MA45LAJM	5.3	125	145	496	0,195	118	1.2	4.21
50Hz	220	MA45LIJG	5.3	125	145	496	0,195	118	1.2	4.21
50Hz	220	MA53LBJG	5.3	125	145	496	0,195	118	1.2	4.10
50Hz	220	MA53LHJG	5.3	125	145	496	0,195	118	1.2	4.21
50Hz	220	MA57LBJG	5.7	138	160	548	0,215	130	1.2	4.21
50Hz	220	MA57LAJM	5.7	138	160	548	0,215	130	1.2	4.21
50Hz	220	MA57LIJG	5.7	138	160	548	0,215	130	1.2	4.21
50Hz	220	MA57LHJG	5.7	138	160	548	0,215	130	1.2	4.21
50Hz	220	MA57LDJM	5.7	145	169	576	0,226	125	1.3	4.61
50Hz	220	MA62LBJG	6.2	150	174	596	0,234	134	1.3	4.44
50Hz	220	MA62LIJG	6.2	150	174	596	0,234	134	1.3	4.44

50Hz	220	MA62LDJM 6.2	150	174	596	0,234	122	1.4	4,88
50Hz	220-240	MA62LBEG 6.2	150	174	596	0,234	127	1.4	4,69
50Hz	220	MA62LHJG 6.2	150	174	596	0,234	134	1.3	4.44
50Hz	220-240	MA62LCEG 6.2	150	174	596	0,234	127	1.4	4,69
50Hz	220-240	MA69LAEM 6.9	172	200	683	0,268	148	1.4	4.61
50Hz	220-240	MA69LHEP 6.9	170	198	675	0,265	159	1.2	4.24
50Hz	220-240	MA69LAEP 6.9	170	198	675	0,265	159	1.2	4.24
50Hz	220	MA69LCJM 6.9	172	200	683	0,268	145	1.4	4.71
50Hz	220-240	MA69LHEG 6.9	169	197	671	0,264	152	1.3	4.41
50Hz	220	MA72LBJG 7.2	180	209	715	0,281	162	1.3	4.41
50Hz	220	MA72LHEG 7.2	180	209	715	0,281	162	1.3	4.41
50Hz	220	MA88LAEP 8.8	235	173	933	0,367	227	1.2	4.11
50Hz / 60Hz	220	MA53LATG 5.3	124	144	492	0,193	123	1.2	4.00
50Hz / 60Hz	220	MA57LATG 5.7	138	160	548	0,215	134	1.2	4.09
50Hz / 60Hz	220	MA62LATG 6.2	150	174	596	0,234	150	1.2	3,97
50Hz / 60Hz	220	MA69LATG 6.9	172	200	683	0,268	163	1.2	4.19
50Hz / 60Hz	220	MA88LATP 8.8	235	273	933	0,367	241	1.1	3,87
60Hz	127	MA53LBFH 5.3							
50Hz	220-240	MA53LAEM 5.3	140	163	556	0,218	104	1.6	5.34
50Hz	220-240	MA53LHEM 5.3	140	163	556	0,218	104	1.6	5.34
50Hz	220	MA57LBJM 5.7	145	169	576	0,226	109	1.5	5.28
50Hz	220-240	MA42HAEG 4.2	355	413	1409	0,554	188	2.2	7,50
50Hz	220-240	MA53HAEF 5.3	440	512	1747	0,686	233	2.2	7,50
50Hz	220-240	MA53HAEG 5.3	440	512	1747	0,687	233	2.2	7,50
50Hz	220-240	MA62HAEG 6.2	520	605	2064	0,811	275	2.2	7.51
50Hz	220-240	MA62HAEF 6.2	520	605	2064	0,811	275	2.2	7.51
50Hz	220-240	MA72HAEP 7.2	630	733	2501	0,983	355	2.1	7.05

   **LG**  
**MA62LCEG**   
R134a  
1PH 220 - 240V - 50Hz  
THERMALLY PROTECTED  
RoHS Taizhou LG Electronics Refrigeration Co., Ltd MADE IN CHINA  
  
KMA62LCEG107102300790



**REFRIGERATOR-FREEZER**  
**MODEL No.: GR-M602YLQ**

CLIMATE CLASS	Tropical
STAR RATE	
RATING	220V ~ 50Hz
RATED INPUT	120W
DEFROSTING INPUT	230W
POWER CONSUMPTION	2.23kWh/24h
REFRIGERANT	R134a 135g
INSULATION BLOWING GAS	CYCLOPENTANE
GROSS VOLUME	600ℓ
FREEZING CAPACITY	8.0kg/24h
NET WEIGHT	87kg
DIMENSIONS	755(W)x738(D)x1777(H)mm
SERIAL No.:	Refer to bar code label.

صنع في اندونيسيا

MEZ40016009

**LG Hermetic Compressor (Refrigerant:R134a)LBP**

Part No.	Displ. Motor	Cooling Capacity		Kcal/Hr	Btu/h	Input power	COP	Power	Weight	
	(cm <sup>3</sup> )	Type	Type							(W) -23.3?
NS24LAEG	2.4	RSIR	ST	44	38	150	76	0.58	220-240V/50Hz	5.8
NS24LBEG	2.4	RSIR	ST	42	36	143	64	0.66	220-240V/50Hz	6.4
NS30LAEG	3.0	RSIR	ST	63	54	214	84	0.75	220-240V/50Hz	6.4
NS36LAEG	3.6	RSIR	ST	77	66	261	89	0.87	220-240V/50Hz	6.4
MSA43LBEG	4.3	RSIR	ST	116	100	396	106	1.09	220-240V/50Hz	6.3
MSA43LBEM	4.3	RSCR	ST	116	100	396	97	1.20	220-240V/50Hz	6.3
MSA53LAEG	5.3	RSIR	ST	143	120	478	117	1.22	220-240V/50Hz	6.3
MSA53LAEM	5.3	RSCR	ST	143	120	478	105	1.36	220-240V/50Hz	6.3
MSA53LBEG	5.3	RSIR	ST	143	120	478	130	1.10	220-240V/50Hz	6.3
MSA53LBEM	5.3	RSIR	ST	143	120	478	119	1.20	220-240V/50Hz	6.3
MSA53LCEG	4.23	RSIR	ST	153	103	409	124	1.23	220-240V/50Hz	6.3
MSA63LDEG	4.23	RSIR	ST	153	103	409	124	1.23	220-240V/50Hz	6.6
MA53LAEG	5.3	RSIR	ST	142	122	484	106	1.34	220-240V/50Hz	8.4
MA53LAEM	5.3	RSCR	ST	142	122	484	99	1.43	220-240V/50Hz	8.4
MSA53LCEM	5.3	RSIR	ST	140	120	478	124	1.13	220-240V/50Hz	6.3
MA57LAEG	5.7	RSIR	ST	160	138	548	119	1.34	220-240V/50Hz	8.6
MA57LAEM	5.7	RSCR	ST	160	138	548	110	1.45	220-240V/50Hz	8.6
MA62LCEG	6.2	RSIR	ST	174	150	596	127	1.37	220-240V/50Hz	8.8
MA62LCEM	6.2	RSIR	ST	174	150	596	119	1.46	220-240V/50Hz	8.9
MA69LCEG	6.9	RSIR	ST	200	172	683	142	1.41	220-240V/50Hz	9.3
MA69LCEM	6.9	RSCR	ST	200	172	683	131	1.53	220-240V/50Hz	9
MA98LAEM	9.8	RSCR	ST	279	240	953	183	1.52	220-240V/50Hz	9.5