

Mbsm.pro, Compressor, nf10fx,  
Danfoss, 1/3 hp, LBP, MBP, 1046 btu,  
115 v

Category: compressor

written by Jamila | 6 November 2022

**SECCOP**  
NF10FX  
11.5V~60HZ  
1PH  
THERMALLY  
PROTECTED

**NF10FX**  
115-127V~60HZ  
LBP/MBP HST  
SUCTION → **R134a**

**Danfoss**  
M2  
Sec

M-F 8M9085  
105G  
5941  
MADE IN SLOVAKIA

# NF10FX Danfoss Hermetic Compressors

## Specifications

Colour

Black

Low value of nominal voltage at 50Hz [V]

0

Low value of nominal voltage at 60Hz [V]

100

Low value of voltage range at 60Hz [V]

95

Nominal Cooling capacity 60 kBTU/h

3.67

Nominal Cooling capacity at 60Hz

1.1

Oil charge [L or Kg]

320

Packing format

Industrial pack

Packing quantity

80

Phase

1

Displacement (cm<sup>3</sup>)

10.09

Voltage/Frequency

115-127V 60Hz

Application energy level

Universal LBP/MBP compressor

Applications

LBP; MBP

Oil quantity [cm<sup>3</sup>]

320

Cover electrics

117U1021

Cover electrics Description

COVER ASSY. SMALL TF,TT,NF,NT,FF – 115V

Type designation

Compressor

Net weight

9.45

Specs

—

**Product Type:** Compressor

**Horse Power:** 1/3

**Voltage:** 115v

**Capacity (BTU):** 1046

Refrigerant Type: R-134A

Hertz: 60



ate Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)