

**ML90FB , CUBIGEL , R404A /  
R507, LBP, COMPRESSEUR  
HERMÉTIQUE , 1/3HP, 230V 50Hz**

written by Lilianne | 10 May 2020

ML90FB , CUBIGEL , R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE  
, 1/3HP, 230V 50Hz

---

**SECOP , R600 , Compresseur de  
réfrigérateur, DLY9.4KK,  
220/50Ht, 1/5 HP , 166w , LBP**

written by Lilianne | 10 May 2020

SECOP , R600 , Compresseur de réfrigérateur, DLY9.4KK,  
220/50Ht, 1/5 , 166w , LBP

---

**Raccords , frigorifiques ,  
climatiseur , Rapide A Souder**

written by Lilianne | 10 May 2020

Raccords , frigorifiques , climatiseur , Rapide A Souder

---

**Compresseur, Aspera – Embraco  
EMT ,EMT2121U, R290 ,1/3 HP ,  
220-240V 50 Hz ,Cylindrée =  
5.56 CM3 , Moteur type:  
CSIR,7.7LRA , Oil 180ML**

written by Lilianne | 10 May 2020

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP ,  
220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type:  
CSIR,7.7LRA , Oil 180ML

---

**Compressor ,Embraco Aspera  
,NJ2212GK, LBP – R404A, R507,  
220-240V/1/50Hz, 1.5 HP,  
34.38 cm3, LRA 36.0 A, CSR,  
Lubrifiant charge 750ml POE  
22, 1547 W ,at -23.3 / +54.4  
o**

written by Lilianne | 10 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm<sup>3</sup>, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

---

**Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,R134 ,Danfos**

written by Lilianne | 10 May 2020

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini

type réfrigérateur ,de R134 Danfos

---

**SUC91-12 ,Compresseur ,220 w  
, 1/4 HP , HBP, or 1/3 HP  
,R134a**

written by Lilianne | 10 May 2020

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP

---

**Compresseur, Samsung , 1/5  
HP, 155/160w , r600a  
,220/240v~50, Mk4a5qr1u,  
Mk4a5q-R1u, 5.5Lra, 1PHASE**

written by Lilianne | 10 May 2020

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50,  
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

---

**Compresseur Embraco ,Aspera,  
nbm1118y, nby1118y ,coolant  
,R600a ,NBY1118Y ,220-240V  
50Hz, LBP ,fully hermetic,  
10,8kg ,1/4HP**

written by Lilianne | 10 May 2020

ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a  
,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg  
,1/4HP,nbt1118y

---

**MTS 185 MT,S224-20 ,TURK  
ELEKTRIK ,1/4 HP,LBP , R600a  
,Lra 13.9AMP ,194/220VAC 50Hs  
, 170w**

written by Lilianne | 10 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MTS 185 MT,S224-20 ,TURK ELEKTRİK ,1/4 HP,LBP , R600a ,Lra  
13.9AMP ,194/220VAC 50Hz



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Serial Number: 1010044304



Hermetically sealed  
Contains fluorinated greenhouse gases covered by the Kyoto Protocol



Made In Turkey

PRODUCT NUMBER	6014459106	VOLTAGE	220/240V~
MODEL NO	NDU 5800	FREQUENCY	50 Hz
CLASS	T	WATTAGE	170 W
TYPE	I	CURRENT	0.89 A
TOTAL GROSS VOLUME	625 l	DEFROST POWER	300 W
FRIDGE COMP. NET.VOL.	390 l	REFRIGERANT TYPE	R 600 a
FREEZER COMP. NET.VOL.	130 l	REFRIGERANT CHARGE	0.082 kg
CHILL COMPARTMENT	---		
FREEZING CAPACITY	10 kg/24 h		

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)