

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A ,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A ,R600A

written by Lilianne | 12 May 2020

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A
,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A
,R600A

Application Pour Les Pro Seulement , Soudure de Raccord De climatiseur A l'aide d'emboiture

written by Lilianne | 12 May 2020

Application For Pro Only, Air Conditioner Fitting Solder Using
Socket

**EMT36HLP , EMBRACO , ASPERA
, COMPRESSEUR FRIGORIFIQUE
, 220/240V 50Hz , 1/10 HP,
déplacement 3,97 , R134 , LBP**

written by Lilianne | 12 May 2020

EMT36HLP , EMBRACO , ASPERA , COMPRESSEUR FRIGORIFIQUE , 220/240V
50Hz , 1/10 HP, déplacement 3,97 , R134 , LBP

**Compresseur, hermétique
Daewoo , HSL19JE-5, RLA 5.5
, R134a LBP 220-240V / 50Hz ,
144/155 W , 1/5 HP, 516 Btu
, RSIR**

written by Lilianne | 12 May 2020

Compresseur, hermétique Daewoo , HSL19JE-5, RLA 5.5 , R134a LBP
220-240V / 50Hz , 133/144 W , 1/6HP, 516 Btu , RSIR

**ML90FB , CUBIGEL , R404A /
R507, LBP, COMPRESSEUR
HERMÉTIQUE , 1/3HP, 230V 50Hz**

written by Lilianne | 12 May 2020

ML90FB , CUBIGEL , R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE
, 1/3HP, 230V 50Hz

**SECOP , R600 , Compresseur de
réfrigérateur, DLY9.4KK,
220/50Ht, 1/5 HP , 166w , LBP**

written by Lilianne | 12 May 2020

SECOP , R600 , Compresseur de réfrigérateur, DLY9.4KK,
220/50Ht, 1/5 , 166w , LBP

**Raccords , frigorifiques ,
climatiseur , Rapide A Souder**

written by Lilianne | 12 May 2020

Raccords , frigorifiques , climatiseur , Rapide A Souder

**Compresseur, Aspera – Embraco
EMT ,EMT2121U, R290 ,1/3 HP ,
220-240V 50 Hz ,Cylindrée =
5.56 CM3 , Moteur type:
CSIR,7.7LRA , Oil 180ML**

written by Lilianne | 12 May 2020

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP ,
220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type:
CSIR,7.7LRA , Oil 180ML

**Compressor ,Embraco Aspera
,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP,
34.38 cm3, LRA 36.0 A, CSR,
Lubrifiant charge 750ml POE
22, 1547 W ,at -23.3 / +54.4
o**

written by Lilianne | 12 May 2020



Private Picture Copyright : WWW.MBSM.PRO

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm³, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,R134 ,Danfos

written by Lilianne | 12 May 2020

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini

type réfrigérateur ,de R134 Danfos